



CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2026 LUMINAIRE

Patented Products
Counterfeiting Not Allowed

P 02-92

amfori BSCI Sedex CE ETL SAA APPROVALS RoHS COMPLIANT REACH ERP
Trade with purpose



CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2026 B U L B

Patented Products
Counterfeiting Not Allowed



P 93-216

amfori BSCI Sedex CE ETL SAA APPROVALS RoHS COMPLIANT REACH ERP
Trade with purpose

DECO LIGHT CREATOR



常州市福兴电器有限公司


CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD



CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2026 LUMINAIRE

Patented Products
Counterfeiting Not Allowed



amfori
Trade with purpose



REACH ERP

ABOUT US

1992

Founded in

80,000

Factory floor space(m²)

60

International patent

- Polish President Gold Award
- The best technology award in the highest award of the Chinese lighting industry
- A culture deeply rooted in innovation and driven by a relentless pursuit of creative solutions
- Specialist in decorative lamps

CONTENTS

1
PORTABLE
LAMP
03-114

2
TABLE
LAMP
115-142

3
PENDANT & WALL
LAMP
143-170

4
CEILING
LAMP
171-176

5
DIMMER
177-180



1

PORTABLE LAMP



Portable lamps come in different shapes and sizes, including desk lamps, floor lamps, and table lamps. They are often used in situations where a fixed light source is not available or where additional lighting is needed, such as in outdoor settings, during power outages, or for workspaces that require flexible lighting options. Some portable lamps also feature adjustable brightness levels or color temperatures, making them versatile tools for a variety of activities.



FT3D145
H:140mm D:90mm



FT3D146
H:144mm D:102mm



FT3D147
H:170mm D:103mm



FT3D148
H:147mm D:115mm



FT3D149
H:141mm D:90mm



FT3D150
H:151mm D:105mm



FT3D151
H:146mm D:96mm



FT3D152
H:157mm D:121mm



FT3D153
H:170mm D:103mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	32H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled
*Dual-mode: static light mode and flame effect mode



FT3D154
H:205mm D:121mm



FT3D155
H:205mm D:121mm



FT3D156
H:205mm D:121mm



FT3D157
H:205mm D:121mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled

***Dual-mode: static light mode and flame effect mode**



FT3D109
H:170mm D:117mm




FT3D110
H:170mm D:117mm



FT3D111
H:170mm D:117mm



FT3D112
H:170mm D:117mm



FT3D113
H:170mm D:117mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button controlling on and off to prevent misoperation.
*Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
*Long press to adjust brightness.






FT3D164
H:220mm D:136mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



- *Physical button controlling on and off to prevent misoperation.
- *Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
- *Long press to adjust brightness.



FT3D165
H:218mm D:135mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



- *Touch-sensitive button: long press 1.5s to switch on and off.
- *Single touch to adjust brightness: 30% and 100%





FT3D089
H:211mm D:117mm



FT3D090
H:205mm D:164mm



FT3D087
H:205mm D:140mm



FT3D088
H:205mm D:140mm



FT3D096
H:195mm D:164mm



FT3D097
H:272mm D:174mm



FT3D026
H:220mm D:145mm



FT3D084
H:250mm D:170mm



FT3D055
H:275mm D:170mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.5W	50-60lm




*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 30% and
100%





FT3D095
H:275mm D:170mm



FT3D083
H:305mm D:176mm



FT3D057
H:190mm D:140mm



FT3D058
H:190mm D:164mm



FT3D059
H:190mm D:140mm



FT3D060
H:216mm D:139mm



FT3D061
H:216mm D:115mm



FT3D062
H:155mm D:142mm



FT3D063
H:210mm D:134mm



FT3D064
H:190mm D:153mm



FT3D053
H:210mm D:120mm



FT3D054
H:90mm D:108mm



FTMP001
H:140mm D:127mm



FT3D073
H:200mm D:88mm



FT3D075
H:153mm D:126mm



FT3D086
H:215mm D:153mm



FT3D074
H:127mm D:115mm



FT3D085
H:152mm D:153mm



FT3D057
H:190mm D:140mm



FT3D051
H:177mm D:117mm



FT3D052
H:201mm D:132mm



FT3D097
H:165mm D:126mm



FT3D098
H:165mm D:133mm



FT3D100
H:165mm D:117mm



FT3D142
H:170mm D:155mm



FT3D143
H:170mm D:148mm



FT3D144
H:170mm D:125mm



FT3D041
H:206mm D:122mm



FT3D042
H:221mm D:122mm



FT3D056
H:221mm D:139mm



FT3D005
H:220mm D:163mm



FT3D003
H:280mm D:160mm



FT3D004
H:234mm D:223mm




FT3D129
L:122mm W:122mm H:204mm



FT3D101
H:231mm D:216mm



FT3D102
H:231mm D:216mm



PT3D006
H:143mm D:95mm



FT3D091
H:145mm D:117mm



FT3D018
H:185mm D:153mm



FT3D032
H:163mm D:138mm



FT3D040
H:127mm D:140mm



FT3D099
H:165mm D:134mm



FT3D102
L:120mm W:146mm H:201mm



FT3D108
H:184mm D:157mm



FT3D107
H:184mm D:157mm



FT3D127
H:206mm D:163mm



FT3D104
H:184mm D:157mm



FT3D105
H:184mm D:157mm



FT3D076
H:174mm D:113mm



FT3D077
H:174mm D:113mm



FT3D078
H:174mm D:113mm



FT3D079
H:140mm D:130mm



FT3D080
H:140mm D:130mm



FT3D081
H:140mm D:130mm


Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm




- *Physical button controlling on and off to prevent misoperation.
- *Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
- *Long press to adjust brightness.



2000K 4000K 6000K



LT-1648
H:180mm D:160mm



LT-1646
H:140mm D:153mm



Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.



3D PRINTED MESH AMBIENT LAMP



Where Modern Technology Meets Cozy Ambiance

Crafted with precision 3D printing technology, this cordless table lamp features an intricate woven lattice design that casts mesmerizing geometric shadows. Switch effortlessly between a steady modern glow and a dynamic flickering flame to instantly elevate your space with contemporary elegance.



LT-1564
H:90mm D:108mm

IP	Wattage	Lumen
20	0.3W	30lm



✧ **Innovative 3D Printed Design:** A unique, lightweight lattice structure that beautifully diffuses light.

✧ **Dual Lighting Modes:** Instantly toggle between a reliable Solid Glow and a cozy Flickering Flame effect.

✧ **Captivating Shadow Play:** The geometric mesh shade creates stunning, decorative light patterns on your walls and tables.

✧ **Cordless & Rechargeable:** Completely portable design, perfect for indoor modern decor or ambient night lighting.





FT3D158
H:156mm D:125mm



FT3D159
H:156mm D:125mm



FT3D160
H:156mm D:125mm



FT3D161
H:156mm D:125mm



FT3D163
H:156mm D:125mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	25H	20	0.3W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 10% bright-
ness on-50%-100%-off.






LT-1502
H:180mm D:160mm



LT-1503
H:260mm D:153mm



LT-1504
H:305mm D:153mm



LT-1505
H:315mm D:190mm



LT-1506
H:260mm D:153mm



LT-1507
H:315mm D:190mm



LT-1502
H:340mm D:132mm



FT3D137
H:165mm D:116mm




FT3D138
H:165mm D:116mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.

*Single touch to adjust
brightness: 10% bright-
ness on-50%-100%-off.



2700K



LT-1574
H:171mm D:150mm



LT-1618
H:170mm D:103mm



LT-1619
H:170mm D:103mm



LT-1620
H:170mm D:103mm



LT-1621
H:171mm D:103mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 30% and
100%





LT-1521
H:215mm D:180mm



LT-1522
H:200mm D:160mm



LT-1523
H:340mm D:210mm



Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Touch-sensitive button:
single-touch sequence:
2000K-4000K-6000K-off.
*Long press to adjust
brightness.





LT-1508
H:305mm D:110mm



LT-1509
H:185mm D:122mm



LT-1510
H:285mm D:120mm



LT-1511
H:330mm D:120mm



LT-1376
H:425mm D:200mm



LT-1512
H:185mm D:120mm



LT-1376
H:305mm D:130mm



LT-1536
H:167mm D:120mm



LT-1535
H:167mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 10% bright-
ness on-50%-100%-off.





FT3D114
H:156mm D:130mm



FT3D117
H:156mm D:120mm




Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled






FT3D131
H:228mm D:105mm




FT3D132
H:228mm D:105mm



Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



- *Physical button controlling on and off to prevent misoperation.
- *Touch-sensitive button: single touch sequence: 2000K-4000K-6000K-off. Long press to adjust brightness
- *Rotate the handle to adjust the light coverage.





LT-1668
H:99mm D:175mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



- *Physical button contorlling on and off to prevent misoperation.
- *Touch-sensitive button and top touch control: single-touch sequence: 2000K-4000K-6000K-off.
- *Long press touch-sensitive button and top touch control to adjust brightness.



THE FLORALUME COLLECTION

www.wj-fuxing.com



Botanical beauty meets cordless freedom

A vase for your creativity, a light for your mood. This unique lamp features a central frosted tube for DIY floral arrangements, blending nature with modern design. Powered by a built-in rechargeable battery, it offers total portability. Enjoy hours of warm, dimmable illumination anywhere you need it, without the clutter of cables.

www.wj-fuxing.com



LT-1557
H:168mm D:125mm



LT-1558
H:143mm D:120mm



LT-1559
H:168mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 30% and 100%





LT-1577
H:210mm D:120mm



LT-1578
H:210mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.3W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 30% and
100%



2200K



LT-1575
H:180mm D:130mm



LT-1618
H:175mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 30% and
100%



THE PEARL VALET SERIE



A warm welcome for you and your essentials

Elevate your daily routine with the Pearl Valet. Featuring a luminous, pearl-like marble sphere resting in a thick, ribbed glass tray, this portable lamp serves as the perfect landing spot for your keys, jewelry, or coins. With its warm 2200K glow and rechargeable battery, it transforms a cluttered entryway or bedside table into an elegant display of organized calm



LT-1567
H:135mm D:200mm




LT-1568
H:135mm D:200mm



LT-1569
H:135mm D:215mm



LT-1570
H:135mm D:220mm



LT-1525
H:135mm D:198mm




LT-1526
H:135mm D:202mm



LT-1527
H:135mm D:238mm



LT-1528
H:95mm D:205mm



LT-1529
H:95mm D:238mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.

*Single touch to adjust
brightness: 30% and
100%



2200K



LT-1531
H:146mm D:111mm



LT-1532
H:146mm D:111mm



LT-1533
L:106mm W:106mm H:135mm



LT-1534
H:146mm D:111mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Touch-sensitive button:
single-touch sequence:
2000K-4000K-6000K-off.
*Long press to adjust
brightness.





LT-1560
H:166mm D:125mm



LT-1561
H:163mm D:124mm



LT-1562
H:145mm D:113mm



LT-1563
H:145mm D:113mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 30% and
100%



THE ARTISAN TOUCH FLAME COLLECTION



Master Your Ambiance with a Single Touch

Discover the perfect harmony of modern technology and artistic design. Featuring an elegant brushed metal base and exquisitely crafted geometric shades, this cordless table lamp transforms any space with captivating light and shadows. With just a gentle touch, effortlessly switch between a mesmerizing flickering flame or a steady, warm glow. Enjoy seamless stepless dimming and rapid 1-hour charging, bringing sophisticated, untethered illumination to your bedside, dining table, or patio.



LT-1622
H:104mm D:83mm



LT-1623
H:85mm D:73mm



LT-1624
H:111mm D:85mm




LT-1625
H:88mm D:80mm



LT-1626
H:88mm D:80mm




LT-1627
H:88mm D:80mm



LT-1628
H:105mm D:85mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W (for turn on light 100%)	20lm
300mAh	1H	7H	20	0.2W (for flickering effect)	20lm



*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.



LT-1540(Table lamp-Copper)
H:160mm D:125mm



Wall lamp



LT-1541(Table lamp-Brass)
H:160mm D:125mm



Wall lamp

*One lamp with two functions: table lamp and wall lamp

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.

*Single touch to adjust
brightness: 10%-50%-
100%





LT-1434
H:175mm D:110mm



LT-1435
H:175mm D:110mm



LT-1436
H:175mm D:110mm




LT-1437
H:175mm D:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled





LT-1317
H:150mm D:80mm



LT-1405
H:150mm D:80mm



LT-1356
H:150mm D:80mm



LT-1407
H:150mm D:80mm



LT-1358
H:150mm D:80mm



LT-1408
H:150mm D:80mm



LT-1453
H:152mm D:80mm



FT3D133
H:152mm D:80mm



FT3D134
H:152mm D:80mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 10%-50%-
100%





LT-1659
H:154mm D:84mm



LT-1657
H:197mm D:104mm



LT-1658
H:197mm D:104mm



Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to adjust
brightness: 10%-50%-
100%





LT-1601
H:127mm D:150mm



LT-1650
H:204mm D:135mm



LT-1603
H:177mm D:100mm



LT-1604
H:177mm D:100mm



LT-1607
H:215mm D:158mm



LT-1599
H:155mm D:150mm



LT-1600
H:105mm D:100mm



LT-1605
H:160mm D:123mm



LT-1609
H:170mm D:124mm

Capacity Charging time Use time IP Wattage Lumen

2000mAh 6H 20H 20 0.3W 30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.

*Single touch to adjust
brightness: 30% and
100%





LT-1564
H:202mm D:135mm



LT-1565
H:204mm D:135mm



LT-1566
H:185mm D:126mm



LT-1649
H:202mm D:135mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm

*Rotary button: on/off and dimmable

Lithium

on-off

usb



Metal+Glass

Metal+Fabric





LT-1434
H:175mm D:110mm



LT-1435
H:175mm D:110mm



LT-1436
H:175mm D:110mm



LT-1437
H:175mm D:110mm



LT-1428
L:104mm W:100mm H:180mm



LT-1429
L:104mm W:100mm H:180mm



LT-1387
H:211mm D:110mm



LT-1386
H:211mm D:110mm



LT-1090
H:211mm D:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm

*Rotary button: on/off and dimmable





LT-1450
H:212mm D:110mm



LT-1451 (Flame effect)
H:196mm D:110mm



LT-1456
H:212mm D:110mm



LT-1457
H:212mm D:110mm



LT-1458
H:212mm D:110mm



LT-1459
H:212mm D:110mm



LT-1454
H:215mm D:110mm



LT-1455
H:215mm D:110mm



LT-1449
H:215mm D:110mm



LT-1380
H:215mm D:110mm



LT-1382
H:215mm D:110mm



LT-1363
H:215mm D:110mm



LT-1383
H:215mm D:110mm



LT-1384
H:215mm D:110mm



LT-1385
H:215mm D:110mm



LT-1430
L:127mm W:131mm H:260mm



LT-1177
H:222mm D:125mm



LT-1179
H:222mm D:125mm



LT-1651
H:220mm D:128mm



LT-1652
H:217mm D:126mm



LT-1653
H:202mm D:104mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm

Lithium

on-off

usb

IP 44

Metal+Glass


Metal+Fabric

*Rotary button: on/off and dimmable







LT-1571
H:280mm D:110mm



LT-1572
H:288mm D:106mm



LT-1573
H:221mm D:104mm



LT-1647
H:338mm D:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Physical button,
function sequence: 10%
brightness on-50%-
100%-off.

*Long press the button
until the indicator light
turns blue to activate the
timer function(6H on,
18H off), if the light turns
off, the timer function is



THE VINTAGE DUAL-MODE LANTERN COLLECTION



Step into a world of sophisticated atmosphere with our collection of vintage-inspired LED lanterns. This range seamlessly blends classic aesthetics with advanced technology, providing the ultimate control over your lighting experience. Each lantern, whether featuring a rustic jar or an industrial iron body, is a masterpiece of design and functionality, perfect for adding character to your home, patio, or next adventure.



LT-1654
H:272mm D:128mm



LT-1655
H:269mm D:162mm



LT-1656
H:254mm D:128mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	44	0.3W	30lm



✳Dual Lighting Modes:
Easily switch between a steady "Solid On" light and a realistic "Flickering Flame" effect to suit any mood.

✳Stepless Dimming:
Use the intuitive rotary knob to smoothly adjust brightness and seamlessly transition between light modes

✳Authentic Vintage Design:
Crafted with a matte black iron body, clear glass chimney, and metal handle for a classic hurricane lantern look.

✳Safe LED Tech:
Enjoy the nostalgic charm of a traditional oil lamp without the smoke or fire hazard.



2200K



FT3D135
L:250mm W:80mm H:196mm



FT3D136
L:250mm W:80mm H:196mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.5W	30lm



*Rotary button: on/off and dimmable





FT3D118
H:195mm D:125mm



FT3D119
H:195mm D:125mm



FT3D120
H:195mm D:125mm



FT3D121
H:204mm D:125mm



FT3D122
H:204mm D:125mm



FT3D123
H:204mm D:125mm



FT3D124
H:211mm D:125mm



FT3D125
H:211mm D:125mm



FT3D126
H:211mm D:125mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled





LT-1460
H:162mm D:60mm



LT-1461
H:140mm D:60mm



LT-1462
H:162mm D:80mm



LT-1463
H:162mm D:80mm



LT-1518
H:120mm D:60mm



LT-1519
H:125mm D:80mm



LT-1520
H:138mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.3W	30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to
adjust brightness: 10%
brightness on-50%-
100%-off.





LT-1464
H:212mm D:100mm



LT-1465
H:212mm D:100mm



LT-1466
H:152mm D:120mm



LT-1467
H:152mm D:120mm



LT-1499
H:90mm D:135mm



LT-1500
H:90mm D:135mm

Capacity Charging time Use time IP Wattage Lumen

2000mAh 6H 16H 20 0.3W 30lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.

*Single touch to
adjust brightness: 10%
brightness on-50%-
100%-off.





LT-1443
H:280mm D:150mm



LT-1447
H:290mm D:150mm



LT-1446
H:225mm D:125mm



LT-1452
H:340mm D:150mm



***Luminous base & E14 LED lamp, both glow solo & together**

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	12H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2200K



LT-1579
H:154mm D:70mm



LT-1580
H:154mm D:70mm



LT-1581
H:154mm D:70mm



LT-1582
H:154mm D:70mm



LT-1583
H:154mm D:70mm



LT-1584
H:154mm D:70mm



LT-1585
H:154mm D:70mm



LT-1586
H:154mm D:70mm



LT-1587
H:154mm D:70mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)





LT-1592
H:131mm D:100mm



LT-1593
H:131mm D:100mm



LT-1594
H:131mm D:100mm



LT-1595
H:131mm D:100mm



LT-1597
H:127mm D:80mm



LT-1598
H:131mm D:80mm

IP	Wattage	Lumen
20	0.3W	30lm

Battery

on-timer-off



Metal+Glass

* Toggle button: on,off and timer (6H on and 18H off)





LT-1468
H:135mm D:130mm



LT-1469
H:135mm D:130mm



LT-1470
H:180mm D:160mm



LT-1471
H:180mm D:160mm



LT-1410
H:154mm D:132mm



LT-1414
H:154mm D:132mm



LT-1415
H:154mm D:132mm



LT-1412
H:154mm D:132mm



LT-1413
H:154mm D:132mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button:
long press 1.5s to switch
on and off.
*Single touch to
adjust brightness: 10%-
brightness on-50%-
100%-off.





LT-1596
H:241mm D:241mm



LT-1590
H:184mm D:144mm



LT-1591
H:151mm D:129mm

IP	Wattage	Lumen
20	0.5W	30lm




* Toggle button: on,off and timer (6H on and 18H off)






LT-1629
H:139mm D:130mm



LT-1630
H:139mm D:130mm



LT-1631
H:139mm D:130mm



LT-1632
H:139mm D:130mm



LT-1633
H:139mm D:130mm



LT-1634
H:139mm D:130mm



LT-1635
H:139mm D:130mm



LT-1636
H:139mm D:130mm



LT-1637
H:139mm D:130mm

IP	Wattage	Lumen
20	0.5W	30lm



* Toggle button: on,off and timer (6H on and 18H off)



RGB



LT-1638
H:139mm D:130mm



LT-1639
H:139mm D:130mm



LT-1640
H:139mm D:130mm



LT-1641
H:139mm D:130mm



LT-1642
H:139mm D:130mm



LT-1643
H:139mm D:130mm



LT-1644
H:139mm D:130mm




LT-1645
H:139mm D:130mm

IP	Wattage	Lumen
20	0.5W	30lm




* Toggle button: on,off and timer (6H on and 18H off)






LT-875
H:110mm D:120mm



LT-876
H:110mm D:120mm




LT-877
H:110mm D:120mm



LT-878
H:110mm D:120mm



LT-879
H:110mm D:120mm



LT-880
H:110mm D:120mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)





LT-1537
H:160mm D:86mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled





LT-1497
H:40mm D:90mm



LT-1498
H:40mm D:90mm



LT-1418
H:60mm D:100mm



LT-1419
H:60mm D:100mm



LT-1420
H:75mm D:120mm



LT-1421
H:75mm D:120mm



LT-1422
H:75mm D:120mm



LT-1423
H:75mm D:120mm


Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Pat lamp body to adjust brightness 10%-50%-100%.

*Press physical button once to active ON/OFF, press physical button 1.5s to active timer.






LT-1549
H:114mm D:120mm



LT-1550
H:114mm D:120mm



LT-1551
H:114mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Pat lamp body to adjust brightness 10%-50%-100%.

*Press physical button once to active ON/OFF, press physical button 1.5s to active timer.





LT-821-1
H:60mm D:80mm



LT-921-1
L:86mm H:60mm W:86mm



LT-818
H:45mm D:90mm



LT-818-1
H:45mm D:90mm



LT-1114
H:60mm D:80mm



LT-820
H:40mm D:86mm



LT-820-1
H:40mm D:86mm



LT-1175
H:100mm D:85mm



LT-821
H:60mm D:86mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)





LT-1476
H:34mm D:60mm



LT-1477
H:34mm D:60mm



LT-1478
H:34mm D:60mm




LT-1479
H:34mm D:60mm



LT-1480
H:52mm D:62mm



LT-1481
H:52mm D:62mm



LT-1482
H:52mm D:62mm



LT-1483
H:52mm D:62mm



LT-1484
H:52mm D:62mm



LT-1485
H:40mm D:54mm



LT-1486
H:40mm D:54mm



LT-1487
H:40mm D:54mm



LT-1488
H:40mm D:54mm



LT-1489
H:60mm D:54mm



LT-1490
H:60mm D:54mm



LT-1491
H:60mm D:54mm



LT-1492
H:60mm D:54mm



LT-1493
H:80mm D:54mm



LT-1494
H:80mm D:54mm



LT-1495
H:80mm D:54mm



LT-1496
H:80mm D:54mm

IP	Wattage	Lumen
20	0.3W	30lm



*Button cell: LR44



THE ENCHANTED CAROUSEL MUSIC BOX LAMP

Evoked a sense of wonder with our Enchanted Carousel Music Box. This beautifully crafted piece seamlessly blends the nostalgic charm of a classic carousel with gentle ambient illumination and soothing melodies. Designed to be both a decorative centerpiece and a comforting night light, it adds a touch of timeless magic to any bedside or living space.



LT-1669
H:185mm D:109mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1200mAh	4H	10H	20	3W	30lm
Input	Rated power	LED power	Speaker specs		
5V=1A	3W	0.2W (11 x 0.2W / LED Module)	16Ω/0.25W		



***Audio-Visual Harmony:** Integrated with a precision-tuned speaker to deliver crisp, clear melodies while casting a soft, warm glow.

***Energy Efficient Design:** Designed for modern living, this piece operates efficiently on a standard 5V power supply, ensuring low energy consumption without compromising on performance.

***Premium LED Illumination:** Features a specialized multi-chip LED module crafted to provide a steady, glare-free light output that is gentle on the eyes.



3000K



LT-1670
H:242mm D:72mm

Capacity	Charging time	Use time	IP	Wattage
2400mAh	4H	16H	20	5W
Input	Rated power		LED power	
5V=1A	3W		1.5W (5 x 0.2W+3W / LED Module)	



✳3-Way Switch: Easily toggle between ON (steady), AUTO (sensor), and OFF modes.

✳AUTO Motion Sensor: Automatically activates when motion is detected in the dark.

✳1.5s Gentle Fade Effect: Smoothly fades in to 100% brightness in 1.5 seconds, and gradually fades out to protect your eyes

✳60s Illumination Timer: Stays brightly lit for 60 seconds before slowly turning off.



THE MOONLIT BEACON SMART SENSOR LAMP

PORTABLE BLUETOOTH SPEAKER LAMP



A perfect blend of sound and light.

This cordless speaker lamp delivers rich audio and a warm 2200K ambient glow. Featuring TWS (True Wireless Stereo) technology, you can pair two units for an immersive stereo experience.



LT-1666
H:197mm D:136mm




LT-1667
H:218mm D:125mm



LT-1668
H:210mm D:150mm

Capacity	Wattage	Lumen
2000mAh	0.35W	30lm
Max Playtime (Audio + Light)		Stand-alone Playtime
3Hours		Audio up to 4 hrs / Light up to 7 hrs
Bluetooth Status		
Rapid flash (Pairing) / Solid light (Connected)		



- *2-in-1 Design: Seamlessly combines ambient lighting with a high-quality Bluetooth speaker.
- *TWS Enabled: Connect two lamps simultaneously for surround sound.
- *Multiple Modes: Easily switch between Bluetooth streaming and FM radio.
- *Portable & Cordless: Built-in 2000mAh battery for anywhere use.



2200K


TABLE LAMP




Table lamps can come in a variety of shapes, sizes, and styles, ranging from traditional to modern designs. They can be used for ambient lighting to create a warm and cozy atmosphere in a room. Some table lamps allow you to adjust the brightness level or color temperature of the light to suit your needs.




① Table Lamp



LT-1513
H:210mm D:144mm



LT-1514
H:210mm D:144mm




LT-1516
H:210mm D:144mm




LT-1517
H:210mm D:144mm




② Wall Lamp



* two-in-one lamp functioning as both a table lamp and a wall lamp



LT-1538
H:102mm D:100mm



LT-1539
H:102mm D:100mm



LT-765
H:94mm D:93mm



LT-751
H:94mm D:93mm



LT-752
H:94mm D:93mm



LT-913
H:95mm D:65mm



LT-916
H:95mm D:65mm





LT-1613
H:177mm D:121mm




LT-1615
H:177mm D:121mm



LT-1616
H:175mm D:135mm




LT-1617
H:177mm D:133mm



LT-1474
H:140mm D:153mm



LT-1475
H:168mm D:148mm



LT-1434
L:115mm W:115mm H:200mm



LT-1435
L:115mm W:115mm H:200mm



LT-1437
H:200mm D:130mm



FT3D007
H:185mm D:153mm



FT3D011
H:200mm D:180mm



FT3D009
H:260mm D:143mm



FT3D012
H:265mm D:188mm




FT3D010
H:193mm D:188mm



LT-1431
H:402mm D:141mm



LT-1432
H:402mm D:141mm





FT3D013
H:242mm D:178mm



FT3D008
H:145mm D:11.7mm



FT3D012
H:265mm D:188mm



MUSKAT-05
H:184mm D:199mm



MUSKAT-02
H:274mm D:217mm



NAVAR-04
H:560mm D:219mm



LT-1380
Sound-absorbing foam
H:232mm D:250mm

KD MODE





LT-1384
H:185mm D:150mm



LT-1386
H:185mm D:150mm



LT-919
H:185mm D:150mm



LT-1388
H:185mm D:150mm



LT-1472
H:200mm D:157mm



LT-906
H:180mm D:150mm



LT-1295
H:250mm D:200mm



LT-1473
H:200mm D:157mm



LT-938
H:230mm D:180mm



LT-902
H:230mm D:180mm



Glass



LT-453
H:232mm D:152mm



LT-037
H:100mm D:100mm



LT-1258
H:88mm D:80mm



LT-006
H:100mm D:100mm



LT-1193
H:220mm D:150mm



LT-1106
H:193mm D:200mm




LT-1212
H:220mm D:135mm



LT-1093
H:205mm D:150mm



LT-402
H:95mm



LT-596
H:85mm D:80mm



LT-595
H:85mm D:80mm



LT-041-1
H:115mm D:80mm



LT-1524
H:265mm D:150mm



LT-1094
H:205mm D:150mm



LT-1090
H:220mm D:135mm



LT-1092
H:205mm D:150mm



LT-1614
H:250mm D:215mm





FX-AL-MT420
H:395mm D:112mm



FX-AL-MT420
H:395mm D:112mm



FX-MG-1300
H:350mm D:87mm



FX-AL-TU3500
H:375mm D:130mm



FX-AG-TU3500
H:375mm D:130mm



FX-MG-1300
H:350mm D:87mm



FX-AL-1300-1
H:350mm D:87mm



FX-AL-1300-2
H:350mm D:87mm



PENDANT & WALL LAMPS

Pendant & Wall lamps come in a wide variety of styles, shapes, and sizes, ranging from small and simple to large and elaborate. They can be used for general lighting purposes or as a statement piece to enhance the decor of a room. Pendant & Wall lamps are commonly used in dining rooms, living rooms, and bedrooms, but they can also be used in commercial spaces such as restaurants and hotels.





COLVILLE
H:244mm D:200mm



EPPING-01
H:272mm D:223mm



EPPING-02
H:258mm D:223mm



MUSKAT-01
H:259mm D:217mm



MUSKAT-03
H:274mm D:217mm



MUSKAT-04
H:189mm D:199mm



MUSKAT-06
H:184mm D:199mm





NAVAR-01
L:1200mm D:219mm H:482mm



NAVAR-02
H:600mm D:445mm



NAVAR-03
H:370mm D:219mm





FP3D043
H:267mm D:203mm



FP3D044
H:261mm D:237mm



FP3D047
H:257mm D:238mm



FP3D045
H:234mm D:236mm



FP3D046
H:197mm D:227mm



FP3D001
H:160mm D:171mm



FP3D002
H:225mm D:180mm



FP3D010
H:235mm D:198mm



FP3D009
H:232mm D:205mm



FP3D003
H:205mm D:136mm



FP3D004
L:145mm H:140mm W:205mm






FP3D011
H:214mm D:150mm



FP3D006
H:245mm D:160mm



FP3D017
H:231mm D:201mm



FP3D012
H:235mm D:178mm



FP3D007
H:234mm D:132mm



FP3D008
H:255mm D:235mm



FP3D013
H:214mm D:164mm



FP3D018
H:215mm D:161mm



FP3D019
H:140mm D:170mm



FP3D020
H:160mm D:195mm




FP3D021
H:190mm D:195mm




FP3D022
H:230mm D:188mm






3DSD01-1(Large)
H:303mm
D:204mm




3DSD01-2(Medium)
H:245mm
D:153mm




3DSD01-3(Small)
H:201mm
D:115mm



3DSD02-1(Large)
H:249mm
D:154mm



3DSD02-2(Medium)
H:231mm
D:138mm



3DSD02-3(Small)
H:214mm
D:125mm



Package



Transport costs

36%-45%

*Three-sized lamp shades nest for compact packaging, reducing transport costs



*This is specifically designed for linear LEDs. It has 4 lamp heads, each symmetrically arranged, and the lamp heads can be adjusted to any angle to achieve different configurations of the linear LED.



LP-1068
L:320mm W:320mm H:55mm



*This is specifically designed for linear LEDs, allowing them to be positioned as close to the wall as possible. The lamp heads can be adjusted vertically by 180 degrees.



LW-043
H:135mm D:100mm



LW-044


L:420mm W:80mm H:150 mm



LW-045

L:420mm W:80mm H:150mm





LP-1085
H:380mm D:45mm



LP-1086
H:380mm D:45mm



LP-1087
H:380mm D:45mm



LMP-01
Ceiling diameter: 250mm
Layout: 3 on the sides



LMP-02
Ceiling diameter: 250mm
Layout: 1 in the middle,
3 on the sides



LMP-03
Ceiling diameter: 300mm
Layout: 5 on the sides



LMP-04
Ceiling diameter: 300mm
Layout: 1 in the middle, 5 on
the sides



LMP-05
Ceiling diameter: 380mm
Layout: 7 on the sides



LMP-06
Ceiling diameter: 380mm
Layout: 1 in the middle,
7 on the sides



Metal



Black Antique brass Brass Pearl black
LP-066
H:87mm D:50mm



Antique copper Antique brass
LP-488
H:80mm D:46mm



Black Silver Antique brass
LP-321
H:80mm D:48mm



Antique brass
LP-134
H:105mm D:47mm



Black Gun black
LP-759
H:89mm D:49mm



Bronze Antique brass
LP-063
H:77mm D:48mm



Antique brass
LP-752
H:80mm D:47mm



Antique brass
LP-1035
H:80mm D:48mm



Gun black
LP-324
H:90mm D:48mm



Gun black
LP-587
H:80mm D:49mm



Antique copper Antique brass
LP-761
H:95mm D:48mm



Pearl black Antique brass
LP-757
H:79mm D:52mm



Copper Pearl black
LP-722
H:86mm D:45mm



Bronze Antique brass
LP-450
H:100mm D:45mm



French gold Bronze Antique brass
LP-322
H:83mm D:47mm



Antique brass
LP-974
H:86mm D:56mm



Copper French gold Antique brass Black
LP-039
H:87mm D:42mm



LP-957
H:95mm D:50mm



LP-487
H:90mm D:50mm



LP-578
H:80mm D:47mm



LP-691
H:150mm D:52mm



LP-692
H:120mm D:62mm



LP-696
H:119mm D:51mm



LP-330
H:100mm D:46mm



LP-455
H:150mm D:80mm



LP-595
H:130mm D:45mm



LP-922
H:150mm D:40mm



LP-966
H:87mm D:50mm



LP-972
H:87mm D:50mm



LP-485
H:116mm D:47mm



LP-1027
H:95mm D:44mm



LP-1025
H:82mm D:45mm



LP-968
H:87mm D:53mm



LP-456
H:180mm D:120mm



LP-454
H:160mm D:80mm





LP-1080
H:145mm D:170mm



LP-1081
H:100mm D:142mm



LP-081
H:90mm D:56mm



LP-419
H:74mm D:42mm



LP-601
H:168mm D:108mm



LP-1082
H:200mm D:130mm



LP-1083
H:200mm D:130mm



LP-893
H:160mm D:70mm



LP-609
H:98mm D:90mm



LP-097
H:82mm D:60mm



LP-1059
H:212mm D:305mm



LP-996
H:225mm D:350mm



LP-995
H:225mm D:350mm



LP-1066
H:220mm D:280mm



LP-1065
H:254mm D:185mm



LP-1057
H:150mm D:220mm



LP-997
H:220mm D:280mm



LP-998
Φ28cm,H22cm



LP-1058
H:200mm D:120mm



LP-999
H:220mm D:200mm



LP-1000
H:220mm D:200mm




Felt is made of recycled plastic



Felt is made of recycled plastic

CARVED DECOR CEILING LAMPS




SL-R295CL-SK
H:25mm D:295mm



SL-R295CL-PT
H:25mm D:295mm



SL-R295CLSK RGB
H:25mm D:295mm



SL-R220CL-DT
H:25mm D:200mm

Voltage	Wattage	Lumen	DIM
220-240V	21W (for SL-R295CL-SK and SL-R295CL-PT)	1800lm	N
220-240V	21(MW+CW) +3(GRB) (for SL-R295CLSK RGB)	1300lm	N
220-240V	18W (for SL-R220CL-DT)	1800lm	N



※ Intricate patterns adorn light faces.
 ※ color-changing RGB shifts hues dynamically.
 ※ Soft, adaptable glow fits living rooms/bedrooms—merging decorative artistry with smart, vibrant lighting.

3000K-6500K
(for SL-R295CL-SK and SL-R295CL-PT)

RGB+(3000K-6500K)
(for SL-R295CLSK RGB)

3000K
(for SL-R220CL-DT)



INGLEBY-02
H:136mm D:243mm



INGLEBY-01
H:136mm D:243mm

THE NOMAD SCONCE SERIES



Wall lamp by day, table lamp by night


Rethink how you use light. The Nomad Sconce eliminates the need for hardwiring, offering the elegance of a permanent wall fixture with the freedom of a portable lamp. Its clever detachable design allows you to mount it instantly on any wall for an ambient sconce, or simply lift it off to use as a stylish table lamp. With 3-color temperature adjustment and a long-lasting battery, it follows you wherever the light is needed.



LW-046
H:117mm D:119mm



LW-047
H:104mm D:116mm



LW-048
H:95mm D:102mm



LW-050
H:117mm D:119mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 30% and 100%



2200K

DIMMER



Push On and Off/Rotary Dimming/Minimum brightness setting**EU-P22N01**

Operating Voltage:220-240V~

Frequency:50Hz

Maximum Load:300W

Minimum Load:3W

Dimming Mode:Trailing Edge

Control Method:1way/2way

Size:70*70*25mm

Dimmable LED lights:3-250W

Dimmable LED Power Supply:3-250W

Incandescent/Mains voltage Halogen Lamps:5-300W

Dimmable Electronic Halogen Lamp Transformer:5-300W

Operating Temperature:-30°C ~+55° C

Protection:Over-temperature/Overload/Over-current

**EU-P22N02**

Operating Voltage:220-240V~

Frequency:50Hz

Maximum Load:400W

Minimum Load:3W

Dimming Mode:Trailing Edge

Control Method:1way/2way

Size:70*70*30mm

Dimmable LED lights:3-300W

Dimmable LED Power Supply:3-300W

Incandescent/Mains voltage Halogen Lamps:5-400W

Dimmable Electronic Halogen Lamp Transformer:5-400W

Operating Temperature:-30°C ~+55° C

Protection:Over-temperature/Overload/Over-current

**UK-PRD22N01**

Operating Voltage:220-240V~

Frequency:50Hz

Maximum Load:150W

Minimum Load:3W

Dimming Mode:Trailing Edge

Incandescent/Mains voltage Halogen Lamps:5-150W

Dimmable Electronic Halogen Lamp Transformer:5-150W

Operating Temperature:-30°C ~+55° C

Protection:Over-temperature/Overload/Over-current

Control Method:1way/2way

Size:42*23*56mm

Dimmable LED lights:3-100W

Dimmable LED Power Supply:3-100W

DECO LIGHT CREATOR



常州市福兴电器有限公司

CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD



Add: No.288,West Taihu Avenue,Wujin Economic
Development Zone,Changzhou,Jiangsu,China
Hotline: +86-519-83665588 83665688 83665788
Fax: +86-519-83661077 83663333
E-mail: sales@wj-fuxing.com
Website: www.wj-fuxing.com



CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2026 B U L B

Patented Products
Counterfeiting Not Allowed



ABOUT US

1992

Founded in

60

International patent

80,000

Factory floor space(m²)

- Polish President Gold Award
- The best technology award in the highest award of the Chinese lighting industry
- A culture deeply rooted in innovation and driven by a relentless pursuit of creative solutions
- Specialist in decorative lamps
- iF Design Award 2025



CONTENTS

01 DECO LED SERIES

..... 03-220

02 SMART LED SERIES

..... 221-226

03 FUNCTIONAL LED

..... 227-244

04 HALOGEN SERIES

..... 245

1

DECO LED SERIES



HALO LUME SERIES

Meet the Halo Lume Series

Redefining decorative illumination, the Halo Lume Series presents a striking circular silhouette. While its radiant, warm glow stands perfectly on its own as a minimalist centerpiece, its true magic lies in its versatility.

Designed to be more than just a light source, the open ring structure serves as an elegant frame for personalization. Easily pair it with your favorite decorative accents—from elegant ribbons and bows to festive Christmas ornaments—instantly transforming your lighting into a bespoke masterpiece for any season or celebration.




HL-OR200A
L:200mm W:20mm H:250mm




HL-OR155W
L:155mm W:20mm H:210mm

Voltage	Wattage	Lumen	Dim
220-240V	4W	200lm	Y (for HL-OR200A)
220-240V	3W	180lm	N (for HL-OR155W)



180° Rotation



LUNE SERIES

Switch on, and watch light bloom into a large, glowing crescent. Instantly, your space glows with moonlit magic—no filter, just pure, sculptural radiance.


More than a bulb, it's art that turns ordinary moments into serene, dreamy scenes.



LN-G80A
H:122mm D:80mm



LN-G100A
H:144mm D:100mm




LN-G125A
H:166mm D:125mm



LN-G125AS
H:166mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for G100A & G125A)
220-240V /110-120V	3W	120lm	Y (for G80A)
220-240V /110-120V	4W	150lm	Y (for G125AS)



VISTA SERIES



LED lamp with centered O-shaped ring suspended within the ball. Dreamy spherical glow elevates modern spaces—minimalist, ethereal, celestial-inspired design for ambient brilliance



VS-G125TBOA
H:164mm D:125mm



VS-G125HBOA
H:164mm D:125mm



VS-G125MOA
H:164mm D:125mm




VS-G125HSOA
H:164mm D:125mm



VS-G125TSOA
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for TB and HB and M)
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for TB and HB and M)



1800K

VISTA SERIES

LED lamp with centered O-shaped ring suspended within the ball. Dreamy spherical glow elevates modern spaces—minimalist, ethereal, celestial-inspired design for ambient brilliance



VI-MCG108130
H:130mm D:108mm



VI-MCB108130
H:130mm D:108mm



VI-MCG113115
H:115mm D:113mm



VI-MCB113115
H:115mm D:113mm





VI-MCG120120
H:120mm D:120mm



VI-MCB120120
H:120mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for 108130)
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for 113115 and 120120)



1800K

VISTA SERIES

LED lamp with centered O-shaped ring suspended within the ball. Dreamy spherical glow elevates modern spaces—minimalist, ethereal, celestial-inspired design for ambient brilliance



VI-GO90112A
H:112mm D:90mm



VI-GO90112S
H:112mm D:90mm



VI-GO95102A
H:102mm D:95mm



VI-GO95102S
H:102mm D:95mm




VI-GO100106A
H:106mm D:100mm



VI-GO100106S
H:106mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for 90112 and 95102)
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for 100106)




1800K

THE NEON VINTAGE SERIES



Encased in rich amber glass, the vibrant RGB filament creates a stunning 'neon-in-a-jar' effect. It blends the warmth of vintage aesthetics with a pop of modern color, making it a perfect centerpiece for any space



VI-GO123163ARGB
H:163mm D:123mm



VI-GO125164ARGB01
H:164mm D:125mm



VI-GO125164ARGB02
H:164mm D:125mm



VI-GO121152ARGB
H:152mm D:121mm



VI-GO125116ARGB
H:116mm D:125mm



VI-GO100106ARGB
H:106mm D:100mm



VI-GO90112ARGB
H:112mm D:90mm



VI-GO95102ARGB
H:102mm D:95mm

Voltage

220-240V
/110-120V

Wattage

5W

Lumen

/



RGB

THE LEVITATING HALO SERIES



A mysterious glow from within

Light that floats. The innovative horizontal O-ring LED creates a sense of mystery, appearing to levitate within the woven structure. By eliminating the visual bulk of a traditional bulb, this design preserves the airy, organic silhouette of the shade, allowing the craftsmanship to take center stage without distraction




VI-LH200111
H:111mm D:200mm



VI-LH150111
H:111mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	N
220-240V /110-120V	4W	140lm	Y



ONE SERIES



Line illumination features a sleek design that is both minimalist and infused with a sense of technology
Unlimited customization: shade shape, material, color, and lighting design tailored to vision
High borosilicate glass offers unparalleled clarity and stylish design
Clever safety design allows it to be used with open lampshades
Using a slot structure for fixation to ensure the light source is centered, avoiding ghosting



A60OFA
H:117mm D:60mm



A60OFS
H:117mm D:60mm



G80OFA
H:122mm D:80mm



G80OFS
H:122mm D:80mm



T30OFA
H:187mm D:30mm



T30OFS
H:187mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	110lm	N
220-240V /110-120V	2W	65lm	Y (for amber)
220-240V /110-120V	2W	60lm	N
220-240V /110-120V	2W	40lm	Y (for smoke)

1800K



G95OFA
H:146mm D:95mm



G95OFS
H:146mm D:95mm



G125OFS
H:166mm D:125mm



G125OFA
H:166mm D:125mm



ST64OFA
H:144mm D:64mm



ST64OFS
H:144mm D:64mm



T130208OFA
H:208mm D:130mm



T130208OFS
H:208mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)



S100211OFA
H:211mm D:100mm



ST64200OFA
H:200mm D:64mm



ST60163OFA
H:163mm D:60mm



T30300OFA
H:300mm D:30mm



T30300OFS
H:300mm D:30mm



ONE-DS125148WSG
H:148mm D:125mm



ONE-DS125148WFG1
H:148mm D:125mm



ONE-DS123160WSG
H:160mm D:123mm



ONE-DS123160WFG1
H:160mm D:123mm



ONE-DS123160WFG2
H:160mm D:123mm



ONE-DS120180WFG2
H:180mm D:120mm



ONE-DS120180WAG
H:180mm D:120mm



ONE-DS125148WAG
H:148mm D:125mm



ONE-DS120180SG
H:180mm D:120mm



ONE-DS120180WFG1
H:180mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)

1800K



T60SOFA
H:308mm D:64mm



T60SOFS
H:308mm D:64mm



S120293OFA
H:293mm D:120mm



G200OFA
H:243mm D:200mm



G200OFS
H:243mm D:200mm



A165OFA
H:305mm D:168mm



A165OFS
H:305mm D:168mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm	Y (for amber)
220-240V /110-120V	4.5W	120lm	N
220-240V /110-120V	4.9W	100lm	Y (for smoke)

1800K



ONE-DS80120WFT
H:120mm D:80mm



ONE-DS125148WFG2
H:148mm D:125mm



ONE-DS95144AWAT
H:144mm D:95mm



ONE-DS95144CWAT
H:144mm D:95mm



ONE-DS60163CWAT
H:163mm D:60mm



ONE-DS60163CWFT
H:163mm D:60mm



ONE-DS64146CWAT
H:146mm D:64mm



ONE-DS125163AWAT
H:163mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)


E27/E26

Ra
>80



15000H

Glass



1800K



ONE-DS120180MWAG
H:180mm D:120mm



ONE-DS120180MWCG
H:180mm D:120mm



ONE-BRMC110160
H:160mm D:110mm



ONE-RMC125150
H:150mm D:125mm



ONE-BMC125150
H:150mm D:125mm



ONE-GMC110160
H:160mm D:110mm



ONE-RMC110160
H:160mm D:110mm



ONE-BMC110160
H:160mm D:110mm



ONE-BRMC100162
H:162mm D:100mm



ONE-GMC100162
H:162mm D:100mm



ONE-RMC100162
H:162mm D:100mm



ONE-BMC100162
H:162mm D:100mm



ONE-BRMC125150
H:150mm D:125mm



ONE-GMC125150
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	80lm	N
220-240V /110-120V	3.5W	80lm	Y (for black)
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm (for brass and gold and rose gold)	Y



ONE-DS125150MWFG
H:150mm D:125mm



ONE-DS125150MWCG
H:150mm D:125mm



ONE-DS110160MWAG
H:160mm D:110mm



ONE-DS110160MWFG
H:160mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for gold)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for black)





MRP-G95CL01
H:146mm D:95mm



MRP-G95CL02
H:146mm D:95mm



MRP-G95CL03
H:146mm D:95mm



MRP-ST64CL01
H:142mm D:64mm



MRP-ST64CL02
H:142mm D:64mm



MRP-ST64CL04
H:142mm D:64mm



MRP-G125CL01
H:166mm D:125mm



MRP-G125CL02
H:166mm D:125mm



MRP-G125CL03
H:166mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y



BURGEON SERIES

PATENT

The design features no brackets or cluttered wires inside, resulting in a cleaner appearance
Unlike traditional flexible lamps, it emits light from the bottom to the top, with the light area no longer restricted by the glass opening size, allowing it to match the shade's inner diameter
High borosilicate glass offers unparalleled clarity and stylish design
Unlimited customization: shade shape, material, color, and lighting design tailored to vision



BN8-G125A
H:164mm D:125mm



BN8-G125S
H:164mm D:125mm



BN8-CG125A
H:164mm D:125mm



BN8-CG125S
H:164mm D:125mm



BN8-CG125GDB
H:164mm D:125mm



BN8-S123163A
H:163mm D:123mm



BN8-S123163S
H:163mm D:123mm




BN8-S123163GDB
H:163mm D:123mm



BN9-S123163A
H:163mm D:123mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm	Y (for amber)
220-240V /110-120V	4.5W	140lm	N
220-240V /110-120V	4.9W	120lm	Y (for smoke)



1800K



BN9-G125A
H:164mm D:125mm



BN9-G125S
H:164mm D:125mm



BN8-G125GD2
H:164mm D:125mm



BN8-G125GD1
H:164mm D:125mm



BN9-G125GD2
H:164mm D:125mm



BN9-G125GD1
H:164mm D:125mm



BN8-S123163GD2
H:163mm D:123mm



BN8-S123163GD1
H:163mm D:123mm



BN9-S123163GD2
H:163mm D:123mm



BN9-S123163GD1
H:163mm D:123mm



BN5-S135225A
H:225mm D:135mm




BN5-S135225S
H:225mm D:135mm



BN10-G1300A
L:130mm W:80mm H:171mm



BN10-G1300S
L:130mm W:80mm H:171mm




BN5-S174239A
H:239mm D:174mm



BN5-S174239S
H:239mm D:174mm



BN5-S174239GDB
H:239mm D:174mm



BN3-CG200A
H:241mm D:200mm



BN3-CG200S
H:241mm D:200mm



BN3-CG200GDB
H:241mm D:200mm



BN3-G200A
H:241mm D:200mm



BN3-G200S
H:241mm D:200mm



BN3-G200GDB
H:241mm D:200mm



BN3-S190A
H:242mm D:190mm



BN3-S190GDB
H:242mm D:190mm



BN6-A165A
H:303mm D:168mm



BN6-A165S
H:303mm D:168mm



BN5-S173308A
H:308mm D:173mm



BN5-S173308S
H:308mm D:173mm




BN5-S173308GDB
H:308mm D:173mm



BN7-T60A
H:300mm D:60mm



BN7-T60S
H:300mm D:60mm



BN7-T60GDB
H:300mm D:60mm



BGN10-G95A
H:144mm D:95mm



BGN10-B75A
H:162mm D:75mm



BGN10-G125A
H:164mm D:125mm



BGN10-G125S
H:164mm D:125mm



BGN10-CM110A
H:158mm D:110mm



BGN10-CM110S
H:158mm D:110mm



BGN10-ST64A
H:142mm D:64mm



BGN10-SF100A
H:213mm D:100mm



BGN10-S121178S
H:178mm D:121mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	100lm	N (for amber)
220-240V /110-120V	2W	85lm	N (for smoke)





BGN1-BRMC110160
H:160mm D:110mm



BGN1-GMC110160
H:160mm D:110mm



BGN1-RMC110160
H:160mm D:110mm



BGN1-BMC110160
H:160mm D:110mm



BGN1-BRMC100162
H:162mm D:100mm



BGN1-GMC100162
H:162mm D:100mm



BGN1-RMC100162
H:162mm D:100mm



BGN1-BMC100162
H:162mm D:100mm



BGN1-BRMC125150
H:150mm D:125mm



BGN1-GMC125150
H:150mm D:125mm



BGN1-RMC125150
H:150mm D:125mm



BGN1-BMC125150
H:150mm D:125mm



BGN3-BMC200223
H:223mm D:200mm



BGN1-MGMC103161T
H:161mm D:103mm



BGN1-GCMC103161T
H:161mm D:103mm



BGN1-BMC103161T
H:161mm D:103mm



BGN1-MGMC125150T
H:150mm D:125mm



BGN1-GCMC125150T
H:150mm D:125mm



BGN1-BMC125150T
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm (for gold and brass and rose gold)	Y
220-240V /110-120V	4.5W	140lm	N
220-240V /110-120V	4.9W	120lm	Y (for black)



THE PALETTE SERIES

www.wj-fuxing.com


Paint your space with light

More than just a bulb, a statement piece. The Palette Series features stunning colored glass with smooth gradients and rich tones. Designed to be exposed, these bulbs add an artistic touch to any interior, casting a warm, atmospheric glow that transforms the mood of your room instantly

www.wj-fuxing.com


BN11-G130PS01
L:130mm W:80mm H:175mm



BN11-G130PS02
L:130mm W:80mm H:175mm



BN11-G130PS03
L:130mm W:80mm H:175mm



BN11-G130PS04
L:130mm W:80mm H:175mm



BN11-G130PS05
L:130mm W:80mm H:175mm



BN11-G130PS06
L:130mm W:80mm H:175mm



BN11-G130PS07
L:130mm W:80mm H:175mm



BN11-G130PS08
L:130mm W:80mm H:175mm



BN11-G130PS09
L:130mm W:80mm H:175mm

Voltage

220-240V
/110-120V

Wattage

3.5W

Lumen

/





BN11-G130PS10
L:130mm W:175mm H:80mm



BN11-G130PS11
L:130mm W:175mm H:80mm



BN11-G130PS12
L:130mm W:175mm H:80mm



BN11-G130PS13
L:130mm W:175mm H:80mm



BN11-G130PS14
L:130mm W:175mm H:80mm

Voltage	Wattage	Lumen
220-240V /110-120V	3.5W	/



BURGEON SERIES

PATENT




Offers a unique visual effect and a modern feel,
making it suitable for contemporary interiors as a
decorative element

High borosilicate glass offers unparalleled clarity
and stylish design

Rotated socket to adjust orientation as you like



O-O1000A
L:100mm W:66mm H:189mm



O-O1000S
L:100mm W:66mm H:189mm



O-G1300A
L:130mm W:80mm H:171mm



O-G1300S
L:130mm W:80mm H:171mm



O-G800A
L:80mm W:50mm H:120mm



O-G800S
L:80mm W:50mm H:120mm



O-A1101860S
H:186mm D:110mm



O-G130S0A
L:130mm W:80mm H:171mm




O-A1101860A
H:186mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)



180° Rotation



1800K
(for amber and smoke)

2700K
(for clear)



O-PB95A
L:95mm W:58mm H:135mm



O-PB95S
L:95mm W:58mm H:135mm



O-TS121A
H:183mm D:121mm



O-TS121S
H:183mm D:121mm



O-HX128S
L:128mm W:66mm H:125mm



O-HX128A
L:128mm W:66mm H:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)

1800K



180° Rotation



O-G1830A
L:183mm W:110mm H:232mm



O-G1830C
L:183mm W:110mm H:232mm



O-G1830S
L:183mm W:110mm H:232mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	Y (for amber)
220-240V /110-120V	4W	90lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)

1800K
(for amber and smoky)

2700K
(for clear)



180° Rotation

O SERIES COBBLE



O-CO119S
L:119mm W:75mm H:144mm



O-CO119C
L:119mm W:75mm H:144mm



O-CO119A
L:119mm W:75mm H:144mm



O-NS148S
L:148mm W:97mm H:171mm



O-NS148A
L:148mm W:97mm H:171mm



O-NS116A
L:116mm W:63mm H:140mm




O-NS116S
L:116mm W:63mm H:140mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)



180° Rotation



2700K

(for clear)

SATURN SERIES



O-shaped suspended glow mirrors Saturn's rings—ethereal, modern.

Celestial-inspired design blends art & function, casting a dreamy orbital light to elevate spaces with stellar charm



ST-G130MRA
H:164mm D:130mm



ST-G130MRS
H:164mm D:130mm



ST-G130MRAS
H:164mm D:130mm



ST-G130MRSA
H:164mm D:130mm



ST-G130SRA
H:164mm D:130mm



ST-G130UFOA
H:121mm D:129mm



ST-G130UFOAS
H:121mm D:129mm




ST-G103UFOA
H:105mm D:102mm



ST-G103UFOS
H:105mm D:102mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoke)





ST-G190MRA
H:223mm D:190mm



G190MRSA
H:223mm D:190mm



ST-G180SRA
H:223mm D:180mm



ST-G180SRS
H:223mm D:180mm



ST-CM110A
H:158mm D:110mm



ST-CM110S
H:158mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	120lm	N (for smoky)
220-240V /110-120V	4W	150lm	N (for mixed colour)



THE HORIZON GLOW SERIES



A sunset captured in glass

Minimalist design meets poetic lighting. This series features a unique colored glass dome rising from the base, illuminated by a floating horizontal LED ring. The warm 1800K light reflects off the curved surface below, creating a stunning visual effect reminiscent of the sun hovering over a colorful horizon.



HG-ST125148001
H:148mm D:125mm




HG-ST125148002
H:148mm D:125mm



HG-ST125148003
H:148mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	220lm	N



LINEAR LED SERIES



Introducing a sleek long-tube LED light crafted for the contemporary space. Combining modern design with exceptional functionality, it features a refined, elongated form that fits perfectly as a mirror light or an elegant addition to any home, hotel, or restaurant setting. It provides a sophisticated glow that enhances every environment.



LF-L500ESCL
L:500mm W:30mm H:72mm



LF-L500RBESCL
L:500mm W:30mm H:72mm



LF-L500ESA
L:500mm W:30mm H:72mm




LF-L300ESCL
L:300mm W:30mm H:72mm



LF-L300ESA
L:300mm W:30mm H:72mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	6W	350lm/490lm	Y (for 50cm transparent)
220-240V /110-120V	4W	200lm/320lm	Y (for 30cm transparent)
220-240V /110-120V	6W	300lm	Y (for 50cm amber)
220-240V /110-120V	4W	160lm	Y (for 30cm amber)



180° Rotation



LF-L500S14CL
L:500mm W:30mm H:72mm



LF-L500RBS14CL
L:500mm W:30mm H:72mm



LF-L500S14A
L:500mm W:30mm H:72mm



LF-L300S14CL
L:300mm W:30mm H:72mm



LF-L300S14A
L:300mm W:30mm H:72mm

Voltage	Wattage	Lumen	Dim						
220-240V /110-120V	6W	330lm	Y (for 50cm amber)						
220-240V /110-120V	4W	200lm	Y (for 30cm amber)						
220-240V /110-120V	6W	420lm/580lm	Y (for 50cm transparent)						
220-240V /110-120V	6W	250lm/400lm	Y (for 30cm transparent)	 1800K 2700K (for 50cm and 30cm transparent)					
				 1800K (for 50cm and 30cm amber)					



LNT30A
H:300mm D:34mm



LNT30HS
H:300mm D:34mm



LNT30RC
H:300mm D:34mm




LNT30RF
H:300mm D:34mm



LNT30C
H:300mm D:34mm

Voltage	Wattage	Lumen	Dim							
220-240V /110-120V	4W	190lm	Y (for LNT30A)							
220-240V /110-120V	4W	130lm	Y (for LNT30HS)							
220-240V /110-120V	4W	280lm	Y (for clear and frost)							
				 1800K (for LNT30A and LNT30HS)						
				 2700K (for clear and frost)						

MIRAGE SERIES



Ambient decorative lighting to enhance space
Unlimited customization: shade shape, material, color, and lighting design tailored to vision
Quick sampling without the need for molds
High borosilicate glass offers unparalleled clarity and stylish design
Clever safety design allows it to be used with open lampshades
Rotated socket to adjust orientation as you like



MR-BMCS65
L:200mm H:109mm W:65mm



MR-BMCR60
L:200mm H:104mm W:60mm



MR-BMCTR300
L:300mm H:114mm W:80mm



MR-BMCR80
L:300mm H:122mm W:80mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	100lm	N (for amber and gold)
220-240V /110-120V	2W	50lm	N (for smoky and black)



180° Rotation





180° Rotation



MR-G125ABN
H:164mm D:125mm



MR-G125YBN
H:164mm D:125mm



MR-G125GBN
H:164mm D:125mm



MR-G125SBN
H:164mm D:125mm



MR-G125AHT
H:164mm D:125mm



MR-G125GPHT
H:164mm D:125mm



MR-G125RHT
H:164mm D:125mm



MR-G125AO
H:164mm D:125mm



MR-G125ASQ
H:164mm D:125mm



MR-G125AFL
H:164mm D:125mm



MR-G125GRFL
H:164mm D:125mm



MR-G125RFL
H:164mm D:125mm



MR-G125ACT
H:164mm D:125mm



MR-G125AGU
H:164mm D:125mm



MR-G125GGU
H:164mm D:125mm



MR-G125ACL
H:164mm D:125mm



MR-G125AST
H:164mm D:125mm



MR-G125ABA
H:164mm D:125mm



MR-G125ABA
H:164mm D:125mm



MR-G125ALP
H:164mm D:125mm



MR-G125ALO
H:164mm D:125mm




RN LED LAMP



INTERNATIONAL DESIGN PATENT INTERNATIONAL PATENT FOR UTILITY MODEL INTERNATIONAL INVENTION PATENT



IF
DESIGN
AWARDS



LONDON
DESIGN
AWARDS



NEW YORK
DESIGN
AWARDS

Features:

- Superfine filament performance, closest to Edison carbon filament lamp
- High-end glasses adopted for envelope
- DIY structure realizable


Advantages:

- Mature, reliable and multi-functional with the SMD technique
- Soft and eye-friendly illumination
- Customized filaments and glass envelope
- Glass envelope resistant to dust, stain and impact and more glossy with varieties of styles and colors

After half a year of lighting under the same conditions.



DIY SERIES



RN MINI SERIES



RN-C35
H:104mm D:35mm




RN-A60
H:112mm D:60mm



RN-ST45
H:90mm D:45mm



RN-G45
H:84mm D:45mm



RN-T30
H:185mm D:30mm



RN-TK30192
H:192mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	65lm	N
220-240V /110-120V	2.3W	65lm	Y



*The specifications are for the bulb without the shade

RN CLASSIC SERIES



RN-ST64
H:142mm D:64mm



RN-A70T
H:150mm D:70mm



RN-G95
H:144mm D:95mm



RN-A049F125163
H:163mm D:125mm



RN-S130135
H:135mm D:130mm



RN-G80
H:120mm D:80mm



RN-T45
H:112mm D:45mm





RN-T45L
H:147mm D:45mm



RN-AX108158
H:158mm D:108 mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade





RN-B75
H:162mm D:75mm



RN-G125
H:164mm D:125mm



RN-CG125
H:164mm D:125mm



RN-G125TW
H:174mm D:130mm



RN-G125LF
H:174mm D:130mm



RN-D125Z
H:174mm D:125mm



RN-S121178
H:178mm D:121mm



RN-A310YX96187
L:100mm W:66mm H:189mm



RN-S135183
H:183mm D:135mm



RN-A052F96196
H:196mm D:96mm




RN-A100215
H:215mm D:100mm



RN-T60
H:300mm D:60mm



RN-G200
H:241mm D:200mm



RN-BT160
H:331mm D:160mm



RN-JP142225
H:225mm L:142mm W:62mm



RN-CG200
H:241mm D:200mm




RN-S190242
H:242mm D:190mm



RN-S173308
H:308mm D:173mm



RN-S156252
H:252mm D:156mm



RN-DP82293
H:293mm D:82mm



RN-A072G200T
H:241mm D:200mm



RN-A165ST
H:303mm D:168mm



RN-B180310
H:310mm D:180mm



RN-G200E CBF
H:217mm D:200mm



RN-S174239
H:239mm D:174mm



RN-S125305
H:305mm D:125mm



RN-S114232
H:232mm D:114mm




RN-ST94303
H:303mm D:94mm



RN-TCS125305
H:305mm D:125mm



RN-T130208
H:208mm D:130mm



RN-E115
H:345mm D:115mm



RN-A165
H:303mm D:168mm




RN-CGA165
H:303mm D:168mm



RN-A165DP
H:303mm D:168mm



RN-S135225
H:225mm D:135mm



RN-S165336
H:336mm D:165mm



RN-S180293
H:293mm D:180mm



RN-S120295
H:295mm D:120mm



RN-G125FC1979
H:164mm D:125mm



RN-G125FC1980
H:164mm D:125mm



RN-G125FC1980S
H:164mm D:125mm



RN-G125FC1978S
H:164mm D:125mm



RN-G125FC1979S
H:164mm D:125mm



RN8-ST64
H:142mm D:64mm



RN8-G95CL
H:144mm D:95mm



RN8-G125
H:164mm D:125mm




RN8-S123A
H:163mm D:123mm



RN8-A165
H:303mm D:168mm




RN8-G200
H:241mm D:200mm



RN8-T60
H:300mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step


*The specifications are for the bulb without the shade




RN CHAINMAIL SERIES

LIGHT WARRIOR


Making combination of perfect light and metal shade
Making luminaire easier



RN-BRMC125150
H:150mm D:125mm



RN-GMC125150
H:150mm D:125mm



RN-RMC125150
H:150mm D:125mm



RN-WMC125150
H:150mm D:125mm



RN-BMC125150
H:150mm D:125mm



RN-BRMC100162
H:162mm D:100mm



RN-GMC100162
H:162mm D:100mm





RN-RMC100162
H:162mm D:100mm



RN-WMC100162
H:162mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade






RN-BMC100162
H:162mm D:100mm



RN-BRMC110160
H:160mm D:110mm



RN-GMCM10160
H:160mm D:110mm



RN-RMC110160
H:160mm D:110mm




RN-WMC110160
H:160mm D:110mm



RN-BMC110160
H:160mm D:110mm



RN-BMC95120
H:120mm D:95mm



RN-BMC200215
H:215mm D:200mm



RN-MGMC125152T
H:150mm D:125mm



RN-GGMC125152T
H:150mm D:125mm



RN-BMC125152T
H:150mm D:125mm



RN-MGMC103161T
H:161mm D:103mm



RN-GGMC103161T
H:161mm D:103mm



RN-BMC103161T
H:161mm D:103mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade

3000K

(for 4.6W and 4.5W)

1800K

(for 4W and 3.5W and 1W/2.2W/4.3W)

RN DNA SERIES



RN-DNA G125
H:164mm D:125mm



RN-DNA S123
H:163mm D:123mm



RN-DNA CG125
H:164mm D:125mm



RN-DNA G1300S
L:130mm H:171mm W:80mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

**E27/E26**

**Ra**
>80




**15000H**

**Glass**

*The specifications are for the bulb without the shade





DNA-GMC125150
H:150mm D:125mm



DNA-RMC125150
H:150mm D:125mm



DNA-BMC125150
H:150mm D:125mm




DNA-GMC100162
H:162mm D:100mm



DNA-RMC100162
H:162mm D:100mm



DNA-BMC100162
H:162mm D:100mm



DNA-GMC110160
H:160mm D:110mm



DNA-RMC110160
H:160mm D:110mm



DNA-BMC110160
H:160mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade

1800K

RN
MINI U
SERIES



RN-MUOG125A
H:110mm D:125mm



RN-MUG80A
H:120mm D:80mm



RN-MUG100A
H:138mm D:100mm



RN-MUG125A
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade







RN MODERN SERIES



RN MOD-ST60C
H:155mm D:60mm



RN MOD-ST60A
H:155mm D:60mm



RN MOD-ST60S
H:155mm D:60mm



RN MOD-G80C
H:120mm D:80mm



RN MOD-G80A
H:120mm D:80mm



RN MOD-G80S
H:120mm D:80mm



RN MOD-T30C
H:185mm D:30mm




RN MOD-T30A
H:185mm D:30mm



RN MOD-T30S
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade





RN MOD-G95C
H:140mm D:95mm



RN MOD-G95A
H:140mm D:95mm



RN MOD-G95S
H:140mm D:95mm



RN MOD-G125 (Under FM mode)
H:160mm D:125mm




RN MOD-G125A
H:160mm D:125mm



RN MOD-G125S
H:160mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y



*The specifications are for the bulb without the shade



RN
T30
SERIES



RN T30 185MM
H:185mm D:30mm



RN T30 225MM
H:225mm D:30mm



RN T30 300MM
H:300mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y

E27/E26

Ra
>80



15000H





Project cases

- Assembled as a unit , creat various forms
- Low maintenance cost.

RN LED COLOURS

Gradient #1



Pink #1



Gradient #3



Smoke #1



Blue #1



Blue #2



Gradient #2



Green #1



NS LED SERIES




Compact size: Its compact design allows for easy integration into any lighting fixture
Thread structure: Convenient for installation and subsequent lampshade attachment
Transportation safety: Its sturdy build and durable materials ensure that it arrives intactly



NS-S-Bulb
H:45mm D:33mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y
220-240V /110-120V	3.5W	/	/



(for smart) RGB (for smart)



NS-M-Bulb
H:46mm D:43mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	3.5W	/	/



(for smart) RGBW(1800K) (for smart)



NS-L4.5
H:58mm D:35mm

Voltage	Wattage	Lumen	Dim
220-240V	4.5W	450lm	N
220-240V	4.5W	420lm	Y
220-240V	4.5W/2.5W/1W	420lm/230lm/60lm	N



NS-L-Bulb
H:81mm D:75mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y



NS-P23R
H:40mm D:23mm

Voltage	Wattage	Lumen	Dim
220-240V	2W	80lm	N
220-240V	2.3W	80lm	Y
220-240V	2W/1.2W/0.7W	110lm/55lm/12lm	N



NS-P31
H:55mm D:30.5mm

Voltage	Wattage	Lumen	Dim
220-240V	3.5W	320lm	N
220-240V	3.5W	220lm	Y
220-240V	3.5W/2W/0.9W	250lm/125lm/30lm	N





Organic Silk Effect

A stunning finish defined by its dense, fibrous structure. It captures the intricate detail and soft elegance of natural silk, adding a luxurious, artisanal touch to the fixture.



NS-FSG145184
H:184mm D:145mm



NS-FSG150105141
L:150mm W:105mm H:141mm



NS-FSG160145
H:145mm D:160mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y



*The specifications are for the bulb without the shade

NS-FLEXSHEER SERIES



NS-FSG125157
H:157mm D:125mm



NS-FSG106162
H:162mm D:106mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade







2700K

THE AURORA PRISM SERIES



Art by Night. Light by Day

Redefine your atmosphere with a single switch. The Aurora Prism Series utilizes a complex, 3D-printed organic structure to offer unmatched versatility. Keep the RGB glass liner in for a mesmerizing, colorful light show during parties, or remove it to enjoy the elegant simplicity of 2700K warm ambient lighting for everyday living.




NS-TDRGB
H:175mm D:160mm



NS-TD AURORA
H:175mm D:160mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



THE VELVET TOUCH COLLECTION



Diverse materials, unified soft touch

Where innovative form meets artisanal texture. Our Velvet Touch Collection applies a luxurious flocking finish across diverse materials, enveloping both intricate 3D printed structures and sleek glass surfaces in a soft, velvet-like layer. This cohesive finish transforms the cool touch of the base materials into a warm, inviting tactile experience, adding a sense of unified sophistication to your space.



NS-TD182225FLP
H:225mm D:182mm




NS-TD160227FLP
H:227mm D:160mm



NS-TD184228FLMB
H:228mm D:184mm



NS-TD145167FLO
H:167mm D:145mm



NS-TD123174FLB
H:174mm D:123mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y



*The specifications are for the bulb without the shade

MOJO SERIES



STRUCTURE SERIES



1 – All components included



2 – NS LED bulb

Regular LED bulb



LS3D002
H:190mm D:190mm



LS3D003
H:158mm D:137mm



LS3D004
H:150mm D:152mm



LS3D024
H:179mm D:117mm



LS3D025
H:173mm D:164mm



LS3D026
H:173mm D:140mm



LS3D027
H:193mm D:134mm




LS3D030
H:198mm D:142mm



LS3D029
H:199mm D:139mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade





LS3D034
H:199mm D:115mm



LS3D034
H:199mm D:115mm



LS3D033
H:179mm D:117mm



LS3D031
H:173mm D:140mm



LS3D032
H:173mm D:153mm



LS3D006
H:171mm D:140mm



LS3D007
H:197mm D:115mm



LS3D008
H:196mm D:142mm



LS3D009
H:171mm D:139mm



LS3D010
H:177mm D:117mm



LS3D011
H:191mm D:134mm



LS3D012
H:171mm D:164mm



LS3D013
H:201mm D:132mm



LS3D014
H:171mm D:153mm



LS3D015
H:186mm D:170mm



LS3D016
H:171mm D:173mm



LS3D017
H:197mm D:139mm



LS3D37
H:239mm D:130mm




LS3D38
H:200mm D:120mm



LS3D39
H:200mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade





NS-DS120195S
H:195mm D:120mm



NS-DS120195C
H:195mm D:120mm



NS-OT100AI3D
H:170mm D:100mm



NS-DS120195A
H:195mm D:120mm



NS-OT100CI3D
H:170mm D:100mm



NS-OT100SI3D
H:170mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y



E27/E26



Ra >80





15000H



Glass+3D-PETG



2700K

THE LATTICE SERIES



Precision printed. Perfectly diffused

Experience the impossible geometries of 3D printing. The Lattice Series features an intricate, high-density openwork design that traditional manufacturing cannot replicate. The complex mesh structure acts as a perfect diffuser, transforming the LED light into a soft, glare-free glow while adding a modern, architectural texture to your space



NS-LTD100112C01
H:112mm D:100mm



NS-LTD100112C02
H:112mm D:100mm



NS-LTD100112C03
H:112mm D:100mm



NS-LTD100112C04
H:112mm D:100mm



NS-LTD100112C05
H:112mm D:100mm



NS-LTD128166C
H:166mm D:128mm



NS-LTD128142C
H:142mm D:128mm



NS-LTD10098C
H:98mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



NS-MOJO SERIES



NSL-MJ115245C
L:115mm W:115mm H:245mm



NSL-MJ115245S
L:115mm W:115mm H:245mm



NSL-MJ115245W
L:115mm W:115mm H:245mm



NSL-MJ115245A
L:115mm W:115mm H:245mm



NSL-MJ130210C
H:210mm D:130mm



NSL-MJ130210W
H:210mm D:130mm



NSL-MJ130210S
H:210mm D:130mm



NSL-MJ130210A
H:210mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y

E27/E26

Ra
>80

15000H

3D-PETG

*The specifications are for the bulb without the shade





NS-MJ115189C
H:189mm D:115mm



NS-MJ120185W
H:185mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y





*The specifications are for the bulb without the shade



LATTICE DIAMOND COLLECTION



Prismatic Beauty, Modern Glow.

Elevate your ambiance with this unique E27 LED pendant. The intricately faceted 3D-printed shade transforms warm LED light into a mesmerizing dance of geometric shadows, adding a touch of contemporary elegance to any modern space.




NS-MJ12816501
H:165mm D:128mm



NS-MJ12816502
H:165mm D:128mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade



THE ENCHANTED ICE SERIES



Fire Within Ice.

Transform your space with the Crystal Frost G125 LED. Featuring an intricate, crystallized glass texture, this oversized globe diffuses an ultra-warm glow that mimics embers trapped in ice. A captivating centerpiece for any bare E27 pendant or table lamp.



NS-EIG125A
H:164mm D:125mm



NS-EIG125C
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



E27/E26



Ra

>80





15000H



Glass



2700K

THE VELVET TOUCH COLLECTION



Diverse materials, unified soft touch

Where innovative form meets artisanal texture. Our Velvet Touch Collection applies a luxurious flocking finish across diverse materials, enveloping both intricate 3D printed structures and sleek glass surfaces in a soft, velvet-like layer. This cohesive finish transforms the cool touch of the base materials into a warm, inviting tactile experience, adding a sense of unified sophistication to your space.



NS-G125FL001
H:164mm D:125mm



NS-G125FL002
H:164mm D:125mm



NS-G125FL003
H:164mm D:125mm



NS-G125FL004
H:164mm D:125mm



NS-G125FL005
H:164mm D:125mm



NS-G125FL006
H:164mm D:125mm



NS-G125FL007
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

+Flocking technology



*The specifications are for the bulb without the shade



NS-G125LFPS01
H:175mm D:130mm



NS-G125LFPS02
H:175mm D:130mm



NS-G125LFPS03
H:175mm D:130mm



NS-G125LFPS04
H:175mm D:130mm



NS-G125LFPS05
H:175mm D:130mm



NS-G125LFPS06
H:175mm D:130mm



NS-G125LFPS07
H:175mm D:130mm



NS-G125LFP08
H:175mm D:130mm



NS-G125LFPS09
H:175mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



NS-G125FGS
H:164mm D:125mm



NS-G125F
H:164mm D:125mm



NS-G125FGB
H:164mm D:125mm



NS-G125FMB
H:164mm D:125mm



NS-GT25FGY
H:164mm D:125mm



NS-G125FMY
H:164mm D:125mm



NS-G125FGP
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



THE GALAXY PLANET SERIES



Hold the universe in your room

A celestial masterpiece. Crafted from thick, heavyweight glass, each bulb in this series features unique, swirling patterns reminiscent of planetary surfaces—from the storms of Jupiter to the azure of Earth. When lit, the warm glow radiates through the dense glass, creating a moody, cosmic atmosphere that feels both solid and ethereal



NS-GP12515801
H:158mm D:125mm



NS-GP12515802
H:158mm D:125mm



NS-GP12515803
H:158mm D:125mm



NS-GP12515804
H:158mm D:125mm



NS-GP12515805
H:158mm D:125mm



NS-GP12515806
H:158mm D:125mm



NS-GP12515807
H:158mm D:125mm



NS-GP12515808
H:158mm D:125mm



NS-GP12515809
H:158mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



THE TORTOISE ART COLLECTION



Timeless pattern, warm embrace

Classic luxury reimagined. Inspired by the timeless beauty of tortoise shell, this series features a rich pattern of amber, chocolate, and gold tones. The complex, organic pattern filters the LED light to create a deep, warm glow, adding a touch of vintage sophistication and drama to any interior.



NS-TTA12515801
H:158mm D:125mm



NS-TTA12515802
H:158mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

2700K

THE SWIRL SERIES



Where Light Meets Art Glass

Elevate your lighting collection with our handcrafted Art Glass LED Bulbs. Each piece is a unique fusion of traditional mouth-blown artistry and modern LED technology. The vibrant red swirl pattern creates a mesmerizing focal point, turning a simple socket into a statement piece.



NS-AGRS01G125
H:159mm D:125mm



Top-down view



Side view

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



E27/E26



Ra
>80





15000H



Glass



2700K

NS-GEMSTONE SERIES



NS-CG9820801
H:208mm D:98mm



NS-CG9820802
H:208mm D:98mm



NS-CG9820803
H:208mm D:98mm



NS-CG9820804
H:208mm D:98mm



NS-CG9820805
H:208mm D:98mm



NS-CG9820806
H:208mm D:98mm



NS-CG9820807
H:208mm D:98mm



NS-CG98208GO-2
H:208mm D:98mm




NS-CG98208GO-1
H:208mm D:98mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

2700K



NS-MOTTLEGLOW SERIES



NS-CG15011601
H:116mm D:150mm



NS-CG15011602
H:116mm D:150mm



NS-CG15011603
H:116mm D:150mm



NS-CG15011604
H:116mm D:150mm



NS-CG15011605
H:116mm D:150mm



NS-UFO150GB25
H:116mm D:150mm



NS-UFO150GC25
H:116mm D:150mm



NS-CG150116GG-1
H:116mm D:150mm



NS-CG150116GB-1
H:116mm D:150mm



NS-CG150116G-1
H:116mm D:150mm



NS-CG150116O-1
H:116mm D:150mm



NS-UFO150CY25
H:116mm D:150mm



NS-UFO150M0125
H:116mm D:150mm



NS-UFO150M0225
H:116mm D:150mm



NS-UFO150M0325
H:116mm D:150mm



NS-CG9017504
H:175mm D:90mm



NS-CG9017505
H:175mm D:90mm




NS-CG9017501
H:175mm D:90mm



NS-CG9017502
H:175mm D:90mm



NS-CG9017503
H:175mm D:90mm



NS-E90GS25
H:175mm D:90mm



NS-E90GC25
H:175mm D:90mm



NS-E90CY25
H:175mm D:90mm



NS-E90M
H:175mm D:90mm



NS-E90M0325
H:175mm D:90mm



NS-E90M0225
H:175mm D:90mm



NS-E90M0125
H:175mm D:90mm



NS-CG12515801
H:158mm D:125mm



NS-CG12515802
H:158mm D:125mm



NS-CG12515803
H:158mm D:125mm



NS-CG12515804
H:158mm D:125mm



NS-TGG125G025
H:158mm D:125mm



NS-TGG125GP25
H:158mm D:125mm



NS-CKA271G125
H:159mm D:125mm



NS-CG125158B-1
H:158mm D:125mm



NS-CG125158GG-1
H:158mm D:125mm



NS-TG125MO225
H:158mm D:125mm



NS-TG125MO125
H:158mm D:125mm



NS-CDA263G125
H:159mm D:125mm



NS-CG100123G-1
H:123mm D:100mm



NS-CG100123B-1
H:123mm D:100mm



NS-CG100123B-2
H:123mm D:100mm



NS-CG1001230-2
H:123mm D:100mm



NS-CG148170GB-1
H:170mm D:148mm



NS-CG1481700-1
H:170mm D:148mm



NS-CG148170GG-2
H:170mm D:148mm



NS-CG148170GG-1
H:170mm D:148mm



NS-CG128150-1
H:150mm D:128mm



NS-CG128150-2
H:150mm D:128mm



NS-CG128150-3
H:150mm D:128mm



NS-CG120178-1
H:178mm D:120mm



NS-CG12016502
H:165mm D:120mm



NS-CG120178-2
H:178mm D:120mm



NS-CG120178-3
H:178mm D:120mm



NS-CG70206-1
H:206mm D:70mm



NS-CG70206-2
H:206mm D:70mm



NS-CG70206-3
H:206mm D:70mm



NS-CG16468
H:68mm D:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

Ra
>80



*The specifications are for the bulb without the shade

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

Ra
>80




*The specifications are for the bulb without the shade

GLIMMER MOSAIC SERIES




Designed to Dazzle


Hundreds of tiny glass mirrors catch every beam of light. Whether on or off, these bulbs act as stunning jewelry for your interior, delivering a spectacular sparkling effect




NS-GMS030
H:166mm D:127mm




NS-GMS031
H:166mm D:127mm



NS-GMS032
H:166mm D:127mm




NS-GMS033
H:166mm D:127mm




NS-GMS034
H:166mm D:127mm



NS-GMS035
H:166mm D:127mm



NS-GMS036
H:166mm D:127mm




NS-GMS037
H:166mm D:127mm



NS-GMS038
H:166mm D:127mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y


*The specifications are for the bulb without the shade



NS-MOSAIC SERIES



NS-GMS017
H:170mm D:130mm



NS-GMS018
H:170mm D:130mm



NS-GMS019
H:170mm D:130mm



NS-GMS020
H:170mm D:130mm



NS-GMS021
H:170mm D:130mm



NS-GMS022
H:170mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

E27/E26


Ra
>80

15000H

Glass

2700K

NS-CRYSTAL SERIES



NS-CR11613001
H:130mm D:116mm




NS-CR11613002
H:130mm D:116mm




NS-CR11613003
H:130mm D:116mm



NS-CR11613004
H:130mm D:116mm




NS-CR11613005
H:130mm D:116mm



NS-CR11613006
H:130mm D:116mm



NS-CR11613007
H:130mm D:116mm



NS-CR11613008
H:130mm D:116mm



NS-CR11613009
H:130mm D:116mm



NS-CR11213001
H:130mm D:112mm



NS-CR11213002
H:130mm D:112mm



NS-CR11213003
H:130mm D:112mm



NS-CR11213004
H:130mm D:112mm



NS-CR11213005
H:130mm D:112mm



NS-CR11213006
H:130mm D:112mm



NS-MG9113601
H:136mm D:91mm



NS-MG9113602
H:136mm D:91mm




NS-MG9113603
H:136mm D:91mm



NS-MG9113604
H:136mm D:91mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



NS-GSLFA175
H:141mm D:120mm



NS-GSGFA176
H:146mm D:125mm



NS-GSEFA177
H:158mm D:110mm



NS-GSLOA166
H:141mm D:120mm



NS-GSGOA167
H:146mm D:125mm



NS-GSEOA168
H:158mm D:110mm



NS-GSLCA190
H:141mm D:120mm




NS-GSGCA191
H:146mm D:125mm



NS-GSECA192
H:158mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



NS-MARBGLOW SERIES



Glass shades etched with marble-veined patterns, where warm light filters through, making stone textures dance. Sleek, minimal design fits living rooms or studies. A quiet luxury that turns light into art, grounding spaces in warmth and timeless texture



NS-MBCB14803
L:148mm W:97mm H:171mm



NS-MBCB11903
L:119mm W:75mm H:144mm



NS-MBCB11603
L:116mm W:63mm H:140mm



NS-MBWS11903
L:119mm W:89mm H:120mm



NS-MBG12501
H:164mm D:125mm



NS-MBG12502
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

E27/E26

Ra
>80

15000H

Glass

*The specifications are for the bulb without the shade



NS-GEODE SERIES



Affordable Crystal-Like Brilliance

Get the luxurious look of sparkling cut crystal at a fraction of the cost. This LED bulb features a durable, faceted faux-crystal shade that delivers a stunning high-end ambiance without the high-end price tag



NS-CRY04
H:110mm D:84mm



NS-CRY06
H:98mm D:49mm



NS-CRY11
H:133mm D:50mm



NS-CRY12
H:118mm D:54mm



NS-CRY13
H:127mm D:60mm



NS-CRY14
H:89mm D:80mm



NS-CRY15
H:130mm D:56mm



NS-CRY01
H:124mm D:55mm



NS-CRY02
H:124mm D:43mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y

E12/E14

E27/E26


Ra

>80

15000H

Aluminum
+Acrylic

3000K



NS-GEODE SERIES



NS-CRY16
H:120mm D:60mm



NS-CRY17
H:96mm D:48mm



NS-CRY18
L:45mm W:45mm H:106mm



NS-CRY19
H:153mm D:45mm



NS-CRY20
H:113mm D:39mm



NS-CRY21
H:102mm D:53mm



NS-CRY22
H:100mm D:48mm



NS-CRY23
H:111mm D:54mm



NS-CRY24
H:107mm D:53mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y



THE MOTIF CYLINDER SERIES



Your canvas of light

Transform your lighting fixture into a work of art. The Motif Collection features a straight cylindrical glass housing that serves as a canvas for endless creativity. Choose from our curated selection of textures or customize your own pattern to suit any interior style. Beneath the beautiful exterior lies a powerful heart, producing 1055lm of brilliant light.



NS10-MCS8013501
H:135mm D:80mm



NS10-MCS9012502
H:125mm D:90mm



NS10-MCB8013503
H:135mm D:80mm



NS10-MCS9013504
H:135mm D:90mm



NS10-MCS9012505
H:125mm D:90mm



NS10-MCB9013506
H:135mm D:90mm



NS10-MCB9012507
H:125mm D:90mm



NS10-MCG9012508
H:125mm D:90mm



NS10-WT8013509
H:135mm D:80mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y



*The specifications are for the bulb without the shade

THE SCULPTED GLASS SERIES

Artistry in Every Glow

Redefine your space with the Sculpted Glass Collection. Featuring intricate diamond and ribbed textures in diameters up to 220mm, these bulbs are designed to be standalone centerpieces—no shade required.



NS-SG1487001
H:70mm D:148mm



NS-SG1487002
H:70mm D:148mm



NS-SG1487003
H:70mm D:148mm



NS-SG1949304
H:93mm D:194mm



NS-SG1508305
H:83mm D:150mm



NS-SG1488306
H:83mm D:148mm



NS-SG1488307
H:83mm D:148mm



NS-SG14810608
H:106mm D:148mm



NS-SG2207109
H:71mm D:220mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

E27/E26

Ra


>80

15000H

Glass

2700K

NS-DAZZLE SERIES



LB-A095T30
H:184mm D:30mm



LB-A080G80
H:127mm D:80mm



LB-A098T60
H:308mm D:64mm



LB-A083G125
H:186mm D:130mm



LB-A089ST64
H:150mm D:67mm




LB-A086T45
H:117mm D:46mm



LB-A077A60
H:119mm D:62mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	120lm	N (for T30)
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



THE MOLTEN LAVA SERIES




NS-CG125MSRGBW
H:164mm D:125mm

Liquid light, trapped in glass

Ignite your space with the mesmerizing flow of the Molten Lava G125. Thanks to a specialized inner-electroplating technique, the light doesn't just shine out; it reflects internally, creating a deep, 3D illusion of flowing magma. With a dedicated 2700K mode for warm ambiance and vivid RGB options for dramatic flair, it looks like a sleek metallic orb by day and an erupting volcano of color by night.

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.2W	150lm	Y




RGBW(2700k)

NS-MELTING SERIES



NS-CG125MBR
H:164mm D:125mm



NS-CG125MRG
H:164mm D:125mm



NS-CG150MBR
H:191mm D:150mm




NS-CG150MBG
H:191mm D:150mm



NS-CG200MBS
H:241mm D:200mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade



NS-DUALAYER SERIES



NS-BIB12
H:211mm D:120mm



NS-BIB13
H:186mm D:119mm



NS-BIB04
H:160mm D:125mm



NS-BIB06
H:160mm D:125mm



NS-BIB04
H:160mm D:125mm



NS-B1B02
H:160mm D:125mm



NS-BIB01
H:120mm D:132mm



NS-BIB07
H:102mm D:102mm



NS-BIB08
H:102mm D:102mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

2700K



NS-BIB010
H:112mm D:125mm



NS-BIB011
H:180mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y





*The specifications are for the bulb without the shade



NS-METAL MESH SERIES



NS-BRMC110160
H:160mm D:110mm



NS-GMC110160
H:160mm D:110mm



NS-RMC110160
H:160mm D:110mm



NS-BMC110160
H:160mm D:110mm



NS-BRMC100162
H:162mm D:100mm



NS-GMC100162
H:162mm D:100mm



NS-RMC100162
H:162mm D:100mm



NS-BMC100162
H:162mm D:100mm



NS-BRMC125150
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

2700K



NS-GMC125150
H:150mm D:125mm



LS3D013
H:201mm D:132mm



LS3D014
H:171mm D:153mm



NS-WM125157
H:157mm D:125mm



NS-A514MDBC125
H:139mm D:125mm



NS-A513MDBC100
H:139mm D:100mm



NS-A512MDBH125
H:99mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



NS-BOBM200150T3
H:150mm D:200mm



NS-BMWD153T4
H:229mm D:153mm



NS-GMG125T3
H:150mm D:125mm



NS-BMCL103T3
H:161mm D:103mm



NS-IRWM195158T4
H:158mm D:195mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade





The new metal mesh design features a significantly finer weave, creating a sophisticated, high-quality appearance compared to previous models. This tighter mesh offers enhanced glare reduction for a softer, more ambient light effect, perfectly complementing the LED bulb for a premium aesthetic



NS-GMC100123
H:123mm D:100mm



NS-BMC100123
H:123mm D:100mm



NS-GMC85138
H:138mm D:85mm



NS-BMC85138
H:138mm D:85mm



NS-GMC86132
H:132mm D:86mm



NS-BMC86132
H:132mm D:86mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



E27/E26



Ra
>80



House



15000H



Metal



2700K

NS-METAL CAGE SERIES



NSL-MCW15093
H:93mm D:150mm



NSL-MCB15093
H:180mm D:93mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y

**E27/E26**

**Ra**
>80



**15000H**

**Metal**

*The specifications are for the bulb without the shade





NS-GM110P3D
H:158mm D:110mm



NS-WM100P3D
H:165mm D:100mm



NS-BM125P3D
H:151mm D:125mm



NS-2GM125P3D
H:286mm D:125mm



NS-2WM125P3D
H:286mm D:125mm



NS-2BM125P3D
H:286mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade



E27/E26



Ra
>80



15000H



3D-PETG



Glass



2700K

NS-MARBLELUME SERIES



NS-MB01
H:98mm D:86mm



NS-MB02
H:98mm D:86mm



NS-MB03
H:98mm D:86mm



NS-MB04
H:100mm D:92mm



NS-MB05
H:100mm D:92mm



NS-MB06
H:100mm D:92mm



NS-MB07
H:100mm D:92mm



NS-MB08
H:118mm D:86mm



NS-MB09
H:118mm D:86mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade

Marble

2700K

NS-DREAM SERIES

Environmentally Friendly Material



NS-BRA223
H:139mm D:130mm



NS-BRA225
H:139mm D:130mm



NS-A345PBWM104
H:150mm D:104mm



NS-BRA241
H:165mm D:95mm



NS-BRA240
H:153mm D:120mm



NS-BRA240
H:153mm D:120mm



NS-BRA242
H:160mm D:125mm



NS-A342FWM104
H:150mm D:104mm



NS-FWA159
H:139mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	300lm	N
220-240V /110-120V	3.5W	210lm	Y

*The specifications are for the bulb without the shade



2700K

NS-TEXTILEPAPER SERIES



NS-PP01
H:185mm D:150mm



NS-PP02
H:185mm D:150mm



NS-PP03
H:185mm D:150mm



NS-PP04
H:185mm D:150mm




NS-PP05
H:185mm D:150mm



NS-PP06
H:185mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade



NS-WOVENPAPER SERIES



NS-PP07
H:200mm D:195mm



NS-PP08
H:200mm D:195mm



NS-PP09
H:175mm D:140mm




NS-PP10
H:195mm D:188mm




NS-PP11
H:145mm D:145mm



NS-PP12
H:158mm D:150mm




NS-PP13
H:250mm D:165mm



NS-PP14
H:213mm D:180mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

*The specifications are for the bulb without the shade



NS-WHISPERING SERIES



NS-PP15
H:182mm D:180mm




NS-PP16
H:182mm D:150mm



NS-PP17
H:182mm D:180mm



NS-PP18
H:182mm D:150mm



*Flexible paper is foldable, reducing transport costs.

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	380lm	N
220-240V /110-120V	4.5W	320lm	Y

E27/E26

Ra
>80


15000H

Paper

*The specifications are for the bulb without the shade



SERENE SERIES



SR-NAWCB160
L:160mm H:229mm W:160mm



SR-NABCB160
L:160mm H:229mm W:160mm



SR-NAYCB160
L:160mm H:229mm W:160mm



SR-NAGG262
H:238mm D:262mm



SR-NABG262
H:238mm D:262mm



SR-NAGS300
H:300mm D:300mm



SR-NABS300
H:300mm D:300mm



E27/E26



Ra
>80



15000H



Sound-absorbing foam



KD
MODE

FESTIVE MAGICIAN SERIES



Celebrate in color

Bring the holidays to life with light! These unique bulbs feature a matte black or golden coating with precision-cut festive patterns. Whether it's a spooky Halloween cat or a cheerful Christmas snowflake, the vivid RGB light shines through the stencil, creating a glowing silhouette that adds instant joy and atmosphere to any celebration.



FMRGB-G125BET
H:164mm D:125mm



FMRGB-G125BSM
H:164mm D:125mm



FMRGB-G125BCM
H:164mm D:125mm



FMRGB-G125BHW
H:164mm D:125mm

Voltage	Wattage	Lumen
220-240V /110-120V	3.5W	/



MAGICIAN
SERIES



G125B2106
H:170mm D:125mm



G125B2103
H:170mm D:125mm



G125B2110
H:170mm D:125mm



G125B2110
H:170mm D:125mm



G125BM2006
H:172mm D:125mm



G125BD
H:172mm D:125mm



G125BN
H:172mm D:125mm



G125B-Christmas-1
H:164mm D:125mm



G125B-Meteor
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	6W	/	N

E27/E26

Ra
>80


House

15000H

Glass



SUPER FINE FLEXIBLE LED FILAMENT SERIES



ST64TSF
H:145mm D:64mm



T45TSF
H:115mm D:45mm



A60TSF
H:106mm D:60mm



G95TSF
H:140mm D:95mm



G125TSF
H:170mm D:125mm



T30SF
H:185mm D:30mm



C35TSF
H:98mm D:35mm



G45TSF
H:80mm D:45mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	165lm	Y (for c35)
220-240V /110-120V	6W	500lm	N (for vertical pattern)
220-240V /110-120V	4W	265lm	N (for vertical pattern)



DECO STRAIGHT LED FILAMENT SERIES



G125175PT2FEC01
H:175mm D:125mm



G125175LFFEC1
H:175mm D:125mm



G125175LRFC01
H:175mm D:125mm



G125175LXFEC01
H:175mm D:125mm



G125175-WZTFC1
H:175mm D:125mm



ST60160ZTEC01
H:147mm D:60mm



D128180-SXFEC1
H:180mm D:128mm



S100170-FEC1
H:178mm D:100mm



G125175QXFEC1
H:175mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	250lm	N
220-240V /110-120V	4W	400lm	N
220-240V /110-120V	4W	350lm	Y
220-240V /110-120V	5.5W	500lm	Y
220-240V /110-120V	5.5W	550lm	N

2200K

2700K

(for 5.5W 550lm)

MATT OPAL LED FILAMENT SERIES



G125MO
H:170mm D:125mm



G80MO
H:120mm D:80mm



A60MO
H:106mm D:60mm



G95MO
H:140mm D:95mm



G45MO
H:80mm D:45mm




S160147PL
H:147mm D:160mm



V132178PL
H:178mm D:132mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	7W	806lm	Y (for G125/G80/A60/G95)
220-240V /110-120V	4W	420lm	N (for G45)
220-240V /110-120V	5W	550lm	Y



MATT OPAL LED FILAMENT SERIES



G125180PTMO
H:180mm D:125mm



G125180ASFMO
H:180mm D:125mm



G12575LKMO
H:175mm D:125mm



G125175WZTMO
H:175mm D:125mm



G125175LFMO
H:175mm D:125mm



ST60147ZTMO
H:147mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	450lm	N



3000K

DECO SOFT LED FILAMENT SERIES



UFO125180SFA
H:180mm D:125mm



UFO125180SFS
H:180mm D:125mm



AX108158SFA
H:158mm D:108mm



AX108158SFS
H:158mm D:108mm



SF100SFA
H:211mm D:100mm




SF100SFS
H:211mm D:100mm



SF100SFGDB
H:211mm D:100mm




S173308GFA
H:308mm D:173mm



S173308GFS
H:308mm D:173mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	50lm	N (for smoky)
220-240V /110-120V	4W	150lm	Y (for gradient color)





S173308GFGDB
H:308mm D:173mm



S135225GFA
H:225mm D:135mm



S135225GFS
H:225mm D:135mm



S135225GFGDB
H:225mm D:135mm



S174239GFA
H:239mm D:174mm



S174239GFS
H:239mm D:174mm



A165GFA
H:303mm D:168mm



A165GFS
H:303mm D:168mm



CA165GFA
H:303mm D:168mm



CA165GFS
H:303mm D:168mm



CG200GFA
H:241mm D:200mm



CG200GFS
H:241mm D:200mm



G200GFA
H:241mm D:200mm



G200GFS
H:241mm D:200mm



G200GFGDB
H:241mm D:200mm



S190GFA
H:242mm D:190mm




S190GFS
H:242mm D:190mm




S190GFGDB
H:242mm D:190mm



TB120380GFA
H:380mm D:120mm



TB120380GFS
H:380mm D:120mm



TB120380GFGDB
H:380mm D:120mm



S156GFA
H:252mm D:156mm



S156GFS
H:252mm D:156mm



S156GFGDB
H:252mm D:156mm



ST94303GFA
H:303mm D:94mm



ST94303GFS
H:303mm D:94mm



ST94303GFGDB
H:303mm D:94mm



T60GFA
H:300mm D:60mm



T60GFS
H:300mm D:60mm



T60GFGDB
H:300mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	50lm	N (for smoky)
220-240V /110-120V	4W	150lm	Y (for gradient color)

1800K



HO160305GF Fog
H:305mm D:160mm



SF100SF Fog
H:211mm D:100mm



ST64SF Fog
H:142mm D:64mm



G125SF Fog
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	300lm	N

2000K



C35
H:104mm D:35mm



G45
H:80mm D:45mm



ST64
H:142mm D:64mm



G95
H:144mm D:95mm



A60
H:106mm D:60mm




G125
H:172mm D:125mm



G45
H:78mm D:45mm



T30185
H:185mm D:30mm



T30300
H:300mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	165lm	Y (for C35 and G45)
220-240V /110-120V	5W	400lm	Y





O220GB
H:225mm D:220mm



FT110B
H:305mm D:110mm



RG150A
H:195mm D:150mm



S140GB
H:200mm D:140mm



PL125140
H:140mm D:125mm



OA165B
H:280mm D:165mm



OA165A
H:280mm D:165mm



PL125180
H:180mm D:125mm



OG125A
H:176mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	150lm	Y

E27/E26

Ra
>80



15000H





G125 SMILE
H:172mm D:125mm



G125 MOM
H:172mm D:125mm



G125 MOON
H:172mm D:125mm



G125 SKULL
H:172mm D:125mm



G125 HAPPY
H:172mm D:125mm



G125 STAR 2
H:172mm D:125mm



G125 HOME
H:172mm D:125mm



G125 LOVE-2
H:172mm D:125mm



G125 LOVE
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	100lm	N (for amber)
220-240V /110-120V	2W	60lm	N (for smoky)

2000K

(for amber)

2200K

(for smoky)



T45 (amber)
H:115mm D:45mm



ST64 (amber)
H:142mm D:64mm



G125 (amber)
H:172mm D:125mm



G95 (amber)
H:142mm D:95mm



A60(amber)
H:106mm D:60mm





T30 (amber)
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	5W	500lm	Y
220-240V /110-120V	4W	500lm	N (for t30)

2700K

SMART LED SERIES





Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm (for G125 and larger size)



RGB+1800K

RN SMART WIFI+BLUETOOTH RGBW




Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm



RGB

RN SMART WIFI+BLUETOOTH RGB



Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm





RGB

G125WZTRGB
H:175mm D:125mm

ST60ZTRGB
H:147mm D:60mm

OPAL SMART RGB WIFI+BLUETOOTH



Voltage	Wattage	Lumen
220-240V /110-120V	7W	750lm
	(for straight LED filament)	
220-240V /110-120V	6.5W	500lm
	(for soft LED filament)	



2700K

(for straight LED filament)



RGB+(2000K-2500K)

(for soft LED filament)

"Ok google, turn on the light."

"Alexa, turn on the light."



FILAMENT SMART WIFI+BLUETOOTH LED



SRN-G125
H:164mm D:125mm



SRN-G95
H:144mm D:95mm



SRN-ST64
H:142mm D:64mm




SRN-G200
H:241mm D:200mm




SRN-A165
H:303mm D:168mm

Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	220lm




1800K-6500K

**RN SMART WIFI +
BLUETOOTH CCT CHANGEABLE**



Voltage	Wattage	Lumen
220-240V /110-120V	4.8W	400lm



1800K-6500K

GU10 SMART WIFI+BLUETOOTH CCT



Voltage	Wattage	Lumen
220-240V /110-120V	4.8W	400lm



RGB+(2700K-6500K)

GU10 SMART WIFI+BLUETOOTH RGB CCT

"Ok google, turn on the light."

"Alexa, turn on the light."



3 FUNCTIONAL LED





A60
H:106mm D:60mm




G95
H:140mm D:95mm



G125
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V	7W	1500lm	Y
220-240V	3.8W	806lm	Y



T30130
H:130mm D:30mm




T30185
H:185mm D:30mm



T30300
H:300mm D:30mm

Voltage	Wattage	Lumen	Dim
230V	9W	1300lm	Y



C35
H:98mm D:35mm



F35
H:118mm D:35mm



A60
H:106mm D:60mm



G125
H:172mm D:125mm




G95
H:140mm D:95mm



G45
H:80mm D:45mm

Voltage	Wattage	Lumen	Dim
220-240V	2W	250lm	N
220-240V	4W	470lm	N
220-240V	2.5W	250lm	Y
220-240V	4.5W	470lm	Y
220-240V	6W	806lm	N
220-240V	7W	1055lm	N
220-240V	7W	806lm	Y
220-240V	8W	1055lm	Y
220-240V	12W	1300lm	Y





E27 G45 TOP MIRROR BRASS
H:78mm D:45mm



G125 TOP MIRROR COPPER
H:172mm D:125mm



G95 TOP MIRROR BRASS
H:140mm D:95mm



A60 TOP MIRROR BRASS
H:106mm D:60mm



G95 HALF MIRROR SILVER
H:140mm D:95mm




G95 BOTTOM MIRROR SILVER
H:140mm D:95mm



ST26
H:60mm D:26mm

Voltage	Wattage	Lumen	Dim
220-240V	6W	550lm	N
220-240V	4W	500lm	Y
220-240V	2W	170lm	N

(for ST26)



2700K



T20-2-L
H:120mm D:20mm




T20-3-S
H:165mm D:20mm



T25
H:95mm D:25mm

Voltage	Wattage	Lumen	Dim
220-240V	2W	160lm	N
220-240V	4W	400lm	Y
220-240V	4W	350lm	N

(for T25)
(for T20-2-L)
(for T20-3-S)



2700K



T30-12-S
H:300mm D:30mm




T30-8-S
H:225mm D:30mm



T30-4-S
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V	4W	450lm	Y
220-240V	6W	750lm	N
220-240V	7W	800lm	N

(for T30-4-S)
(for T30-8-S)
(for T30-12-S)



2700K



GU10 LED CLASS A
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	2.5W	450lm	N

GU10

Ra >80

House

15000H

Glass

A

A 100°

2700K



GU10 LED CLASS D
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	3W	450lm	Y

GU10

Ra >80

House

15000H

Glass

D

A 36°

2700K



DECO GU10
H:52mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	5.5W	345lm	Y

GU10

Ra >80

House

15000H


Plastic


A

A 38°

2700K


* A circle of light on the top to prevent from direct light






FULL GLASS GU10 COB
H:54mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.6W	345lm	Y (Used in enclosed luminaire)




GLASS GU10
H:55mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	3W	345lm	N
220-240V	3.6W	300lm	N
220-240V	4.6W	400lm	N




FULL GLASS GU10
H:54mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.6W	345lm	N
220-240V	4.6W	345lm	Y




PLASTIC GU10
H:54mm D:50mm



Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.2W	200lm	Y



DIM TO WARM GU10
H:52mm D:50mm



Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.2W	300lm	Y





PLASTIC GU10
H:55mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.9W	345lm	N
220-240V	6.3W	450lm	N
220-240V	4.9W	345lm	Y
220-240V	6.3W	450lm	Y
220-240V	4W	345lm	N

GU10

Ra >80

House

15000H

PC

A 38°

3000K



FULL GLASS MR16
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
12V	4W	345lm	Y

GU5.3

Ra >80

House

15000H

Glass

A 36°

3000K



FULL GLASS MR11 GU10
H:48mm D:35mm

Voltage	Wattage	Lumen	Dim
220-240V	3.5W	200lm	N

GU10

Ra >80

House

15000H

Glass

A 36°

3000K



PLASTIC MR16
H:50mm D:49mm

GU5.3

Ra >80

House

15000H

Plastic

A 38°

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.8W	300lm	Y

3000K



MR11 FG
H:38mm D:35mm

GU4

Ra >80

House

15000H

Glass

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	345lm	Y

2700K



G9COB-2.2
H:52.5mm D:14.5mm



G9COB-3.2
H:57mm D:16mm



G9COB-4.2
H:55.5mm D:17.5mm



G9COB-4.6D
H:60mm D:17.5mm



G9COB-2.5W
H:61mm D:14mm



G9N-3
H:50mm D:16mm



G9N-3.5
H:50mm D:16mm



G9ND-3.5
H:49mm D:16mm




G9ND-3.7
H:49mm D:16mm




G9D-600
H:59mm D:18mm
(Used in enclosed luminaire)



G9PC
H:48mm D:16mm

Voltage	Wattage	Lumen	Dim				
220-240V	2.2W	250lm	N (for G9COB-2.2)				
220-240V	3.2W	350lm	N (for G9COB-3.2)				
220-240V	4.2W	470lm	N (for G9COB-4.2)				
220-240V	4.6W	630lm	Y (for G9COB-4.6D)				
220-240V	2.5W	270lm	N (for G9COB-2.5W)				

Voltage	Wattage	Lumen	Dim				
220-240V	3W	350lm	N (for G9N-3)				
220-240V	3.5W	500lm	N (for G9N-3.5)				
220-240V	3.5W	320lm	Y (for G9ND-3.5)				
220-240V	3.7W	470lm	Y (for G9ND-3.7)				
220-240V	4.4W	600lm	Y (for G9D-600)				
220-240V	2W	200lm	N (for G9PC)				



R7s78-P470
H:78mm D:20mm



R7s118-P1055
H:118mm D:20mm




R7s118-P2000
H:118mm D:28mm



R7s118-P806
H:118mm D:20mm



R78COB-4.2
H:78mm D:17mm



R118COB-7.7
H:118mm D:17.4mm




R118COB-9.6
H:118mm D:21.5mm




R118COB-12
H:118mm D:25mm

Voltage	Wattage	Lumen	Dim				
240V	4.2W	470lm	N (for R7s78-P470)	Ra>80 3000K			
240V	9.5W	1055lm	N (for R7s118-P1055)				
220-240V	15W	2000lm	N (for R7s118-P2000)				
240V	7W	806lm	N (for R7s118-P806)				


Voltage	Wattage	Lumen	Dim				
220-240V	4.2W	470lm	N (for R78COB-4.2)	Ra>80 2700K			
220-240V	7.7W	850lm	N (for R118COB-7.7)				
220-240V	9.6W	1055lm	N (for R118COB-9.6)				
220-240V	12W	1320lm	Y (for R118COB-12)				



G4-SMD-2W
H:31mm D:20mm



G4-COB-1.5W
H:41mm D:10mm



G4-COB-1.2W
H:34mm D:11mm



G4S-2
H:37mm D:10mm

Voltage	Wattage	Lumen	Dim
12V	2W	180lm	N (for G4-SMD-2W)
12V	1.5W	155lm	Y (for G4-COB-1.5W)
12V	1.2W	110lm	Y (for G4-COB-1.2W)
12V	2W	200lm	N (for G4S-2)

Ra>80

House icon

15000H

PCB

Silica gel

3000K



A60
H:108mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V	9W	820lm	N
220-240V	11W	1055lm	N
220-240V	15W	1055lm	N
220-240V	8.8W	806lm	Y

E27

Ra>80

House icon

15000H

PC

3000K



G45
H:80mm D:45mm



C38
H:103mm D:38mm

Voltage	Wattage	Lumen	Dim
220-240V	5W	470lm	N
220-240V	8W	806lm	N
220-240V	5.8W	470lm	Y

E27

Ra>80

House icon

15000H

PC

3000K

4

HALOGEN SERIES



DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CTCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J78	R7S	220-240V	80W	2900K	1375	99	/	C	2000H	/	8*78MM	QUARTZ	Y
HALOGEN	J78	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	8*78MM	QUARTZ	Y

DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CTCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J118	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	10*118MM	QUARTZ	Y