DECO LIGHT CREATOR

常州市福兴电器有限公司
CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

Fulite 福雷特

Add: No.288,West Taihu Avenue,Wujin Economic Development Zone,Changzhou,Jiangsu,China
Hotline: +86-519-83665588 83665688 83665788
Fax: +86-519-83661077 83663333
E-mail: sales@wj-fuxing.com
Website: www.wj-fuxing.com

CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2027 BULB

Patented Products
Counterfeiting Not Allowed

DESIGN AWARD 2025



amfori Trade with purpose BSCI Sedex CE ETL LISTED SAA APPROVALS RoHS COMPLIANT REACH ERP

ABOUT US

1992
Founded in

60
International patent

36,000
Factory floor space(㎡)

- Polish President Gold Award
- The best technology award in the highest award of the Chinese lighting industry
- A culture deeply rooted in innovation and driven by a relentless pursuit of creative solutions
- Specialist in decorative lamps
- iF Design Award 2025



CONTENTS

01 DECO LED SERIES 03-302

02 SMART LED SERIES 303-308

03 FUNCTIONAL LED 309-326

04 HALOGEN SERIES 327

www.wj-fuxing.com



DECO LED SERIES

HALO LUME SERIES

Meet the Halo Lume Series

Redefining decorative illumination, the Halo Lume Series presents a striking circular silhouette . While its radiant, warm glow stands perfectly on its own as a minimalist centerpiece, its true magic lies in its versatility.

Designed to be more than just a light source, the open ring structure serves as an elegant frame for personalization. Easily pair it with your favorite decorative accents—from elegant ribbons and bows to festive Christmas ornaments—instantly transforming your lighting into a bespoke masterpiece for any season or celebration.



HL-OR200A
L:200mm W:20mm H:250mm



HL-OR155W
L:155mm W:20mm H:210mm

Voltage	Wattage	Lumen	Dim
220-240V	4W	200lm	Y (for HL-OR200A)
220-240V	3W	180lm	N (for HL-OR155W)



180° Rotation



THE CHROMALOOP COLLECTION

180° Rotating RGB Woven LED Bulb

Step into the future of atmospheric lighting with The ChromaLoop Collection. This innovative E27 LED bulb features a flexible, circular loop light core entirely enclosed in a premium woven rope sheath, mounted on a clever 180-degree rotating base for flexible positioning. Infused with advanced RGB technology, the bulb utilizes a simple three-step switch control to completely shift your space's mood. Cycle effortlessly from a dynamic Chasing Mode to a shifting Color-Gradient Mode, or settle into a beautifully blended 2700K Warm White ambient glow. It is the ultimate fusion of modern textile craftsmanship and interactive smart illumination.



HL-OR125RGB
L:155mm W:20mm H:210mm

Voltage	Wattage	
220-240V /110-120V	5W	3 step dimmable



180° Rotation



THE SERPENTINE GLOW COLLECTION

Elevate your space with The Serpentine Glow Collection, a perfect blend of rustic craftsmanship and modern lighting innovation. At the heart of this standard E27 LED bulb lies a unique, energy-efficient filament beautifully encased in a textured woven rope. This intricate mesh naturally diffuses the light, casting a remarkably soft, warm, and inviting ambient glow. Designed for total aesthetic versatility, these captivating bulbs look strikingly elegant as a standalone statement piece or paired seamlessly with a glass shade. Experience the charm of artisanal texture powered by long-lasting modern technology.



AWC-G95A
H:144mm D:95mm



AWC-G125A
H:164mm D:125mm



AWC-ST64A
H:142mm D:64mm



AWC-G95S
H:144mm D:95mm



AWC-G125S
H:164mm D:125mm



AWCB
H:160mm D:33mm



AWCW
H:160mm D:33mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	N

*The specifications are for the bulb without the shade



THE ARTISAN KNOT COLLECTION

Flexible Woven LED Filament Bulb

Redefine the boundaries of lighting design with The Artisan Knot Collection. This revolutionary E27 LED bulb features an extra-long, ultra-flexible filament wrapped in a textured woven rope sheath. Merging sculptural art with modern illumination, the pliable glowing cord can be effortlessly bent, twisted, or knotted into any custom shape you desire. The artisanal woven jacket beautifully diffuses the light, casting a soft, textured, and glare-free amber warmth. It is no longer just a light source—it is a personal piece of glowing sculpture that puts complete creative freedom in your hands.

LL60
H:615mm D:33mm



Voltage	Wattage	Lumen	Dim
220-240V	4W	100lm	Y





1800K

LUNE SERIES

Switch on, and watch light bloom into a large, glowing crescent. Instantly, your space glows with moonlit magic—no filter, just pure, sculptural radiance.
More than a bulb, it's art that turns ordinary moments into serene, dreamy scenes.



LN-G80A
H:122mm D:80mm



LN-G100A
H:144mm D:100mm



LN-G125A
H:166mm D:125mm



LN-G125AS
H:166mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for G100A & G125A)
220-240V /110-120V	3W	120lm	Y (for G80A)
220-240V /110-120V	4W	150lm	Y (for G125AS)



VISTA SERIES



LED lamp with centered O-shaped ring suspended within the ball. Dreamy spherical glow elevates modern spaces—minimalist, ethereal, celestial-inspired design for ambient brilliance



VS-G125TBOA
H:164mm D:125mm



VS-G125HBOA
H:164mm D:125mm



VS-G125MOA
H:164mm D:125mm



VS-G125HSOA
H:164mm D:125mm



VS-G125TSOA
H:164mm D:125mm



VS-G125HSOAS
H:164mm D:125mm



VS-G125UAS
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for TB and HB and M)
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for HS and TS)



VISTA SERIES





VI-GO121152A
H:152mm D:121mm



VI-GO125116
H:116mm D:125mm



VI-GO150160A
H:160mm D:150mm



VI-GO150162A
H:162mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y

*The specifications are for the bulb without the shade



VISTA SERIES



VI-GO90112S
H:112mm D:90mm



VI-GO90112A
H:102mm D:95mm



VI-GO95102S
H:102mm D:95mm



VI-GO95102A
H:102mm D:95mm



VI-GO100106S
H:106mm D:100mm



VI-GO100106A
H:106mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for 90112 and 95102)
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for 100106)



VISTA SERIES





VI-MCG108130
H:130mm D:108mm



VI-MCB108130
H:130mm D:108mm



VI-MCG113115
H:115mm D:113mm



VI-MCB113115
H:115mm D:113mm



VI-MCG120120
H:120mm D:120mm



VI-MCB120120
H:120mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	160lm	N
220-240V /110-120V	3.5W	150lm	Y (for 108130)
220-240V /110-120V	4W	220lm	N
220-240V /110-120V	4W	170lm	Y (for 113115 and 120120)







VI-GO125116BE
D:125mm H:116mm



VI-G125MEC
D:125mm H:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y



THE NEON VINTAGE SERIES

Encased in rich amber glass, the vibrant RGB filament creates a stunning 'neon-in-a-jar' effect. It blends the warmth of vintage aesthetics with a pop of modern color, making it a perfect centerpiece for any space



VI-GO123163ARGB
H:163mm D:123mm



VI-GO125164ARGB01
H:164mm D:125mm



VI-GO125164ARGB02
H:164mm D:125mm



VI-GO121152ARGB
H:152mm D:121mm



VI-GO125116ARGB
H:116mm D:125mm



VI-GO100106ARGB
H:106mm D:100mm



VI-GO90112ARGB
H:112mm D:90mm



VI-GO95102ARGB
H:102mm D:95mm

Voltage	Wattage	Lumen
220-240V /110-120V	5W	/



RGB

THE LEVITATING HALO SERIES

A mysterious glow from within

Light that floats. The innovative horizontal O-ring LED creates a sense of mystery, appearing to levitate within the woven structure. By eliminating the visual bulk of a traditional bulb, this design preserves the airy, organic silhouette of the shade, allowing the craftsmanship to take center stage without distraction



VI-LH200111
H:111mm D:200mm



VI-LH150111
H:111mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	N
220-240V /110-120V	4W	140lm	Y



THE FLUID FORMS SERIES

Where advanced 3D printing meets artistic illumination. Featuring elongated, organic contours and intricate surface textures, this collection transforms light into a living sculpture. The delicate geometric layerings diffuse a soft, warm radiance, adding elegance and quiet sophistication to any contemporary interior.



NS-FF85414C01
D:85mm H:414mm



NS-FF85414C02
D:85mm H:414mm



NS-FF75414W
D:75mm H:414mm



NS-FF90414W
D:90mm H:414mm



NS-FF105414W
D:105mm H:414mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	Y



*The specifications are for the bulb without the shade



1800K

THE TOTEM COLLECTION

Sculptural silhouettes, layered with light. The Totem Collection redefines lighting as a vertical art form. Inspired by modern architectural sculptures, this series uses advanced 3D printing to stack playful geometric shapes into a singular, cohesive statement. Marked by fine, precision-printed vertical ribs, it creates a striking silhouette that commands attention both when illuminated and when standing as a silent art piece.



ONE-TC142305T
H:305mm D:142mm



ONE-TC142238T
H:238mm D:142mm



ONE-TC142238R
H:238mm D:142mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y



ONE SERIES

PATENT

Line illumination features a sleek design that is both minimalist and infused with a sense of technology
Unlimited customization: shade shape、material、color, and lighting design tailored to vision
High borosilicate glass offers unparalleled clarity and stylish design
Clever safety design allows it to be used with open lampshades
Using a slot structure for fixation to ensure the light source is centered, avoiding ghosting



A60OFA
H:117mm D:60mm



A60OFS
H:117mm D:60mm



G80OFA
H:122mm D:80mm



G80OFS
H:122mm D:80mm



T30OFA
H:187mm D:30mm



T30OFS
H:187mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	110lm	N
220-240V /110-120V	2W	65lm	Y (for amber)
220-240V /110-120V	2W	60lm	N
220-240V /110-120V	2W	40lm	Y (for smoke)





G95OFA
H:146mm D:95mm



G95OFS
H:146mm D:95mm



G125OFS
H:166mm D:125mm



G125OFA
H:166mm D:125mm



ST64OFA
H:144mm D:64mm



ST64OFS
H:144mm D:64mm



T1302080FA
H:208mm D:130mm



T1302080FS
H:208mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)





S100211OFA
H:211mm D:100mm



ST64200OFA
H:200mm D:64mm



ST60163OFA
H:163mm D:60mm



T30300OFA
H:300mm D:30mm



T30300OFS
H:300mm D:30mm



ONE-DS125148WSG
H:148mm D:125mm



ONE-DS125148WFG1
H:148mm D:125mm



ONE-DS123160WSG
H:160mm D:123mm



ONE-DS123160WFG1
H:160mm D:123mm



ONE-DS123160WFG2
H:160mm D:123mm



ONE-DS120180WFG2
H:180mm D:120mm



ONE-DS120180WAG
H:180mm D:120mm



ONE-DS125148WAG
H:148mm D:125mm



ONE-DS120180SG
H:180mm D:120mm



ONE-DS120180WFG1
H:180mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)





T60SOFA
H:308mm D:64mm



T60SOFS
H:308mm D:64mm



S120293OFA
H:293mm D:120mm



G200OFA
H:243mm D:200mm



G200OFS
H:243mm D:200mm



A165OFA
H:305mm D:168mm



A165OFS
H:305mm D:168mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm	Y (for amber)
220-240V /110-120V	4.5W	120lm	N
220-240V /110-120V	4.9W	100lm	Y (for smoke)







ONE-DS80120WFT
H:120mm D:80mm



ONE-DS125148WFG2
H:148mm D:125mm



ONE-DS95144AWAT
H:144mm D:95mm



ONE-DS95144CWAT
H:144mm D:95mm



ONE-DS60163CWAT
H:163mm D:60mm



ONE-DS60163CWFT
H:163mm D:60mm



ONE-DS64146CWAT
H:146mm D:64mm



ONE-DS125163AWAT
H:163mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for amber)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for smoke)





ONE-DS120180MWAG
H:180mm D:120mm



ONE-DS120180MWCG
H:180mm D:120mm



ONE-BRMC110160
H:160mm D:110mm



ONE-GMC110160
H:160mm D:110mm



ONE-RMC110160
H:160mm D:110mm



ONE-BMC110160
H:160mm D:110mm



ONE-BRMC100162
H:162mm D:100mm



ONE-GMC100162
H:162mm D:100mm



ONE-RMC100162
H:162mm D:100mm



ONE-BMC100162
H:162mm D:100mm



ONE-BRMC125150
H:150mm D:125mm



ONE-GMC125150
H:150mm D:125mm



ONE-RMC125150
H:150mm D:125mm



ONE-BMC125150
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	80lm	N
220-240V /110-120V	3.5W	80lm	Y (for black)
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for brass and gold and rose gold)







ONE-DS125150MWFG
H:150mm D:125mm



ONE-DS125150MWCG
H:150mm D:125mm



ONE-DS110160MWAG
H:160mm D:110mm



ONE-DS110160MWFG
H:160mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y (for gold)
220-240V /110-120V	3W	70lm	N
220-240V /110-120V	3.5W	70lm	Y (for black)



1800K





MRP-G95CL01
H:146mm D:95mm



MRP-G95CL02
H:146mm D:95mm



MRP-G95CL03
H:146mm D:95mm



MRP-ST64CL01
H:142mm D:64mm



MRP-ST64CL02
H:142mm D:64mm



MRP-ST64CL04
H:142mm D:64mm



MRP-G125CL01
H:166mm D:125mm



MRP-G125CL02
H:166mm D:125mm



MRP-G125CL03
H:166mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	120lm	N
220-240V /110-120V	3.5W	100lm	Y



BURGEON SERIES

PATENT

The design features no brackets or cluttered wires inside, resulting in a cleaner appearance
Unlike traditional flexible lamps, it emits light from the bottom to the top,with the light area no longer restricted by the glass opening size, allowing it to match the shade's inner diameter
High borosilicate glass offers unparalleled clarity and stylish design
Unlimited customization: shade shape、material、color, and lighting design tailored to vision



BN8-G125A
H:164mm D:125mm



BN8-G125S
H:164mm D:125mm



BN8-CG125A
H:164mm D:125mm



BN8-CG125S
H:164mm D:125mm



BN8-CG125GDB
H:164mm D:125mm



BN8-S123163A
H:163mm D:123mm



BN8-S123163S
H:163mm D:123mm



BN8-S123163GDB
H:163mm D:123mm



BN9-S123163A
H:163mm D:123mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm	Y (for amber)
220-240V /110-120V	4.5W	140lm	N
220-240V /110-120V	4.9W	120lm	Y (for smoke)





BN9-G125A
H:164mm D:125mm



BN9-G125S
H:164mm D:125mm



BN8-G125GD2
H:164mm D:125mm



BN8-G125GD1
H:164mm D:125mm



BN9-G125GD2
H:164mm D:125mm



BN9-G125GD1
H:164mm D:125mm



BN8-S123163GD2
H:163mm D:123mm



BN8-S123163GD1
H:163mm D:123mm



BN9-S123163GD2
H:163mm D:123mm



BN9-S123163GD1
H:163mm D:123mm



BN5-S135225A
H:225mm D:135mm



BN5-S135225S
H:225mm D:135mm



BN10-G1300A
L:130mm W:80mm H:171mm



BN10-G1300S
L:130mm W:80mm H:171mm



BN5-S174239A
H:239mm D:174mm



BN5-S174239S
H:239mm D:174mm



BN5-S174239GDB
H:239mm D:174mm



BN3-CG200A
H:241mm D:200mm



BN3-CG200S
H:241mm D:200mm



BN3-CG200GDB
H:241mm D:200mm



BN3-G200A
H:241mm D:200mm



BN3-G200S
H:241mm D:200mm



BN3-G200GDB
H:241mm D:200mm



BN3-S190A
H:242mm D:190mm



BN3-S190GDB
H:242mm D:190mm



BN6-A165A
H:303mm D:168mm



BN6-A165S
H:303mm D:168mm



BN5-S173308A
H:308mm D:173mm



BN5-S173308S
H:308mm D:173mm



BN5-S173308GDB
H:308mm D:173mm



BN7-T60A
H:300mm D:60mm



BN7-T60S
H:300mm D:60mm



BN7-T60GDB
H:300mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm	Y (for amber)
220-240V /110-120V	4.5W	140lm	N
220-240V /110-120V	4.9W	120lm	Y (for smoke)





BGN10-G95A
H:144mm D:95mm



BGN10-B75A
H:162mm D:75mm



BGN10-G125A
H:164mm D:125mm



BGN10-G125S
H:164mm D:125mm



BGN10-CM110A
H:158mm D:110mm



BGN10-CM110S
H:158mm D:110mm



BGN10-ST64A
H:142mm D:64mm



BGN10-SF100A
H:213mm D:100mm



BGN10-S121178S
H:178mm D:121mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	100lm	N (for amber)
220-240V /110-120V	2W	85lm	N (for smoke)





BGN1-BRMC110160
H:160mm D:110mm



BGN1-GMC110160
H:160mm D:110mm



BGN1-RMC110160
H:160mm D:110mm



BGN1-BMC110160
H:160mm D:110mm



BGN1-BRMC100162
H:162mm D:100mm



BGN1-GMC100162
H:162mm D:100mm



BGN1-RMC100162
H:162mm D:100mm



BGN1-BMC100162
H:162mm D:100mm



BGN1-BRMC125150
H:150mm D:125mm



BGN1-GMC125150
H:150mm D:125mm



BGN1-RMC125150
H:150mm D:125mm



BGN1-BMC125150
H:150mm D:125mm



BGN3-BMC200223
H:223mm D:200mm



BGN1-MGMC103161T
H:161mm D:103mm



BGN1-GCMC103161T
H:161mm D:103mm



BGN1-BMC103161T
H:161mm D:103mm



BGN1-MGMC125150T
H:150mm D:125mm



BGN1-GCMC125150T
H:150mm D:125mm



BGN1-BMC125150T
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	240lm	N
220-240V /110-120V	4.9W	200lm (for gold and brass and rose gold)	Y
220-240V /110-120V	4.5W	140lm	N
220-240V /110-120V	4.9W	120lm (for black)	Y



O SERIES



Offers a unique visual effect and a modern feel, making it suitable for contemporary interiors as a decorative element
High borosilicate glass offers unparalleled clarity and stylish design
Rotated socket to adjust orientation as you like



O-O100OA
L:100mm W:66mm H:189mm



O-O100OS
L:100mm W:66mm H:189mm



O-G130OA
L:130mm W:80mm H:171mm



O-G130OS
L:130mm W:80mm H:171mm



0-G130SOA
L:130mm W:80mm H:171mm



O-G80OA
L:80mm W:50mm H:120mm



O-G80OS
L:80mm W:50mm H:120mm



O-A110186OA
H:186mm D:110mm



O-A110186OS
H:186mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)



180° Rotation





O-PB95A
L:95mm W:58mm H:135mm



O-PB95S
L:95mm W:58mm H:135mm



O-TS121A
H:183mm D:121mm



O-TS121S
H:183mm D:121mm



O-HX128S
L:128mm W:66mm H:125mm



O-HX128A
L:128mm W:66mm H:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)





180° Rotation



O-G183OA
L:183mm W:110mm H:232mm



O-G183OC
L:183mm W:110mm H:232mm



O-G183OS
L:183mm W:110mm H:232mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	Y (for amber)
220-240V /110-120V	4W	90lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)





180° Rotation

O SERIES COBBLE





O-CO119S
L:119mm W:75mm H:144mm



O-CO119C
L:119mm W:75mm H:144mm



O-CO119A
L:119mm W:75mm H:144mm



O-NS148S
L:148mm W:97mm H:171mm



O-NS148A
L:148mm W:97mm H:171mm



O-NS116A
L:116mm W:63mm H:140mm



O-NS116S
L:116mm W:63mm H:140mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoky)
220-240V /110-120V	4W	320lm	Y (for clear)



180° Rotation



SATURN SERIES

O-shaped suspended glow mirrors Saturn's rings-ethereal, modern.
Celestial-inspired design blends art & function, casting a dreamy orbital light to elevate spaces with stellar charm



ST-G130MRA
H:164mm D:130mm



ST-G130MRS
H:164mm D:130mm



ST-G130MRAS
H:164mm D:130mm



ST-G130MRSA
H:164mm D:130mm



ST-G130SRA
H:164mm D:130mm



ST-G130UFOA
H:121mm D:129mm



ST-G130UFOAS
H:121mm D:129mm



ST-G103UFOA
H:105mm D:102mm



ST-G103UFOS
H:105mm D:102mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	170lm	Y (for amber)
220-240V /110-120V	4W	85lm	Y (for smoke)







ST-G190MRA
H:223mm D:190mm



G190MRSA
H:223mm D:190mm



ST-G180SRA
H:223mm D:180mm



ST-G180SRS
H:223mm D:180mm



ST-CM110A
H:158mm D:110mm



ST-CM110S
H:158mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	120lm	N (for smoky)
220-240V /110-120V	4W	150lm	N (for mixed colour)



NOCTURNE COLLECTION

WOVEN IN SHADOW, GLOWING FROM WITHIN.

The NOCTURNE Collection wraps a glowing core in fine woven black metal mesh — lanterns for the modern home, where darkness becomes texture and light becomes alive. No glare, only atmosphere: a standard E27 socket turned into a quiet piece of night.



NT01(PETG+Metal)
D:125mm H:150mm



NT02(PETG+Glass+Metal)
D:125mm H:150mm



NT03(PETG+Glass+Metal)
D:125mm H:150mm



NT04(PETG+Glass+Metal)
D:121mm H:175mm



NT05(PETG+Glass+Metal)
D:121mm H:175mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	35lm	N (for NT01/NT04)
220-240V /110-120V	2W	90lm	N (for NT02/NT03/NT05)





2700K
(for NT01/NT02/NT03/NT05)



1100K
(for NT04)

ORBIS COLLECTION

A LIGHT WITHIN THE LIGHT.

The ORBIS Collection nests a glowing orb inside a clear glass shade — a moon inside a dewdrop. Layered light without glare, presence without weight: a standard E27 socket turned into a small, quiet universe.



ORB01
D:121mm H:187mm



ORB02
D:121mm H:187mm



ORB03
D:121mm H:187mm



ORB04
D:121mm H:187mm



ORB05
D:125mm H:157mm



ORB06
D:125mm H:157mm



ORB07
D:125mm H:157mm



ORB08
D:125mm H:157mm



ORB09
D:125mm H:157mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	170lm	N (for ORB01/ORB05)
220-240V /110-120V	2W	65lm	N (for ORB02/ORB03/ORB06/OBR09)
220-240V /110-120V	2W	130lm	Y (for ORB04)
220-240V /110-120V	2W	140lm	Y (for ORB07)
220-240V /110-120V	2W	90lm	Y (for ORB08



3000K (for ORB01/ORB05)

1400K (for ORB02/ORB03/ORB06/OBR09)

2700K (for ORB04/ORB08)

2500K (for ORB07)

FLORA COLLECTION

A GARDEN THAT GLOWS.

The FLORA Collection seals a glowing garden inside clear glass — a succulent in everlasting bloom, potted in light. A plant that asks for no water, only a switch: a standard E27 socket turned into a small, living sculpture.



FL125157
D:125mm H:157mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	80lm	N



THE HORIZON GLOW SERIES

A sunset captured in glass

Minimalist design meets poetic lighting. This series features a unique colored glass dome rising from the base, illuminated by a floating horizontal LED ring. The warm 1800K light reflects off the curved surface below, creating a stunning visual effect reminiscent of the sun hovering over a colorful horizon



HG-ST125148O01
H:148mm D:125mm



HG-ST125148O02
H:148mm D:125mm



HG-ST125148O03
H:148mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	220lm	N





1800K

LINEAR LED SERIES

Introducing a sleek long-tube LED light crafted for the contemporary space. Combining modern design with exceptional functionality, it features a refined, elongated form that fits perfectly as a mirror light or an elegant addition to any home, hotel, or restaurant setting. It provides a sophisticated glow that enhances every environment.



LF-L500ESCL
L:500mm W:30mm H:72mm



LF-L500RBESCL
L:500mm W:30mm H:72mm



LF-L500ESA
L:500mm W:30mm H:72mm



LF-L300ESCL
L:300mm W:30mm H:72mm



LF-L300ESA
L:300mm W:30mm H:72mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	6W	350lm/490lm	Y (for 50cm transparent)
220-240V /110-120V	4W	200lm/320lm	Y (for 30cm transparent)
220-240V /110-120V	6W	300lm	Y (for 50cm amber)
220-240V /110-120V	4W	160lm	Y (for 30cm amber)



180° Rotation





1800K 2700K
(for 50cm and 30cm transparent)



1800K
(for 50cm and 30cm amber)



LF-L500S14CL
L:500mm W:30mm H:72mm



LF-L500RBS14CL
L:500mm W:30mm H:72mm



LF-L500S14A
L:500mm W:30mm H:72mm



LF-L300S14CL
L:300mm W:30mm H:72mm



LF-L300S14A
L:300mm W:30mm H:72mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	6W	330lm	Y (for 50cm amber)
220-240V /110-120V	4W	200lm	Y (for 30cm amber)
220-240V /110-120V	6W	420lm/580lm	Y (for 50cm transparent)
220-240V /110-120V	6W	250lm/400lm	Y (for 30cm transparent)



LINEA COLLECTION

LIGHT, DRAWN IN ONE LINE.

The LINEA Collection traces a single line of light around the edge of a stone-finish plate — minimal, architectural, and quietly precise. Circles and squares, each outlined in glow: a standard E27 socket drawn into a shape of light.



LE01
D:200mm H:49mm



LE02
D:215mm H:49mm



LE03
D:200mm H:49mm



LE04
D:190mm H:49mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	80lm	Y



COSMOS COLLECTION



PLANETS, WEARING RINGS OF LIGHT.

The COSMOS Collection pairs a ring of light with a glowing glass planet — stone above, orb below, a warm glow between. A small solar system on a single E27 socket.



CM01
D:200mm H:118mm



CM02
D:200mm H:138mm



CM03
D:200mm H:138mm



CM04
D:200mm H:138mm

- **Lighting: Segmented · 2 zones (halo ring + center orb), 3 modes**

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	3-step (for halo ring + center orb)
220-240V /110-120V	4.2W	100lm	3-step (for halo ring)
220-240V /110-120V	3W	140lm	3-step (for center orb)

*The specifications are for the bulb without the shade



FORGE COLLECTION

The FORGE Collection pairs a mineral-rough, hammered texture with a ring of molten light at its mouth. Two tones — pale alabaster and burnt umber — rough in the day, molten-warm at night



FC15091W
D:150mm H:91mm



FC15091B
D:150mm H:91mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	80lm	Y





1800K

www.wj-fuxing.com



RN LED LAMP



RN SERIES: PERFORMANCE-BOOSTED REFINED VINTAGE LIGHTING.

ELEVATING ATMOSPHERE AND RETAIL FUNCTIONALITY.

NEXT-GENERATION:
RN 2700K (HIGH-LUMEN CLEAR)



Kelvin: 2700K

Lumens: 470lm

+292% LUMEN BOOST

Why It Works:

- AUTHENTIC CARBON-FILAMENT REPLICA
- MASSIVE LUMEN BOOST FOR BROADER FUNCTIONALITY
- HIGH-IMPACT FUNCTIONALITY & VERSATILITY

LUMEN PERFORMANCE UPGRADE:
VINTAGE STANDARD vs HIGH-PERFORMANCE



LIMITED APPLICATION:
Moody Only, Deep Ambiance

EXPANDED APPLICATION
Dining,Accent,Task, General Lighting

SUMMARY OF BENEFITS

- **+292% Lumen Boost**
  Delivers 470lm of bright, functional illumination, breaking the brightness limits of traditional vintage bulbs.
- **Expanded Applications**
  Upgraded from moody ambiance to highly versatile lighting, perfect for dining, task, accent, and general spaces.
- **Authentic Micro-Filament Design**
  Features a unique linear micro-filament column, perfectly replicating the classic carbon-filament look with a clean, refined appearance.

EXPLORE THE PERFORMANCE-BOOSTED COLLECTION



Pinnacle Luminosity: Your Ambiance, Reimagined as Functional Light.

Preserving the timeless vintage aesthetic you love, now engineered with high-lumen LED technology to effortlessly illuminate entire living and dining spaces.



RN-ST64
D:64mm H:142mm



RN-G95
D:95mm H:144mm



RN-G125
D:125mm H:164mm

Key Highlights:

- **High-Lumen Output LEDs (Vintage-Style Clear Glass)**
- **Functional Utility Lighting**
- **Preserved Vintage Aesthetics**
- **Energy Efficient (Up to 104 lm/W)**
- **Smooth Dimming Capable**

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y



INTERNATIONAL DESIGN PATENT
INTERNATIONAL PATENT FOR UTILITY MODEL
INTERNATIONAL INVENTION PATENT



IF DESIGN AWARDS

LONDON DESIGN AWARDS

NEW YORK DESIGN AWARDS

Features:

- Superfine filament performance, closest to Edison carbon filament lamp
- High-end glasses adopted for envelope
- DIY structure realizable

Advantages:

- Mature, reliable and multi-functional with the SMD technique
- Soft and eye-friendly illumination
- Customized filaments and glass envelope
- Glass envelope resistant to dust, stain and impact and more glossy with varieties of styles and colors

After half a year of lighting under the same conditions.



DIY SERIES



RN MINI SERIES





RN-C35
H:104mm D:35mm



RN-A60
H:112mm D:60mm



RN-ST45
H:90mm D:45mm



RN-G45
H:84mm D:45mm



RN-T30
H:185mm D:30mm



RN-TK30192
H:192mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	65lm	N
220-240V /110-120V	2.3W	65lm	Y

*The specifications are for the bulb without the shade



RN CLASSIC SERIES





RN-ST64
H:142mm D:64mm



RN-A70T
H:150mm D:70mm



RN-G95
H:144mm D:95mm



RN-A049F125163
H:163mm D:125mm



RN-S130135
H:135mm D:130mm



RN-G80
H:120mm D:80mm



RN-T45
H:112mm D:45mm



RN-T45L
H:147mm D:45mm



RN-AX108158
H:158mm D:108 mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade





RN-B75
H:162mm D:75mm



RN-G125
H:164mm D:125mm



RN-CG125
H:164mm D:125mm



RN-G125TW
H:174mm D:130mm



RN-G125LF
H:174mm D:130mm



RN-D125Z
H:174mm D:125mm



RN-S121178
H:178mm D:121mm



RN-A310YX96187
L:100mm W:66mm H:189mm



RN-S135183
H:183mm D:135mm



RN-A052F96196
H:196mm D:96mm



RN-A100215
H:215mm D:100mm



RN-T60
H:300mm D:60mm



RN-G200
H:241mm D:200mm



RN-BT160
H:331mm D:160mm



RN-JP142225
H:225mm L:142mm W:62mm



RN-CG200
H:241mm D:200mm



RN-S190242
H:242mm D:190mm



RN-S173308
H:308mm D:173mm



RN-S156252
H:252mm D:156mm



RN-DP82293
H:293mm D:82mm



RN-A072G200T
H:241mm D:200mm



RN-A165ST
H:303mm D:168mm



RN-B180310
H:310mm D:180mm



RN-G200E CBF
H:217mm D:200mm



RN-S174239
H:239mm D:174mm



RN-S125305
H:305mm D:125mm



RN-S114232
H:232mm D:114mm



RN-ST94303
H:303mm D:94mm



RN-TCS125305
H:305mm D:125mm



RN-T130208
H:208mm D:130mm



RN-E115
H:345mm D:115mm



RN-A165
H:303mm D:168mm



RN-CGA165
H:303mm D:168mm



RN-A165DP
H:303mm D:168mm



RN-S135225
H:225mm D:135mm



RN-S165336
H:336mm D:165mm



RN-S180293
H:293mm D:180mm



RN-S120295
H:295mm D:120mm



RN-G125FC1979
H:164mm D:125mm



RN-G125FC1980
H:164mm D:125mm



RN-G125FC1980S
H:164mm D:125mm



RN-G125FC1978S
H:164mm D:125mm



RN-G125FC1979S
H:164mm D:125mm





RN8-ST64
H:142mm D:64mm



RN8-G95CL
H:144mm D:95mm



RN8-G125
H:164mm D:125mm



RN8-S123A
H:163mm D:123mm



RN8-A165
H:303mm D:168mm



RN8-G200
H:241mm D:200mm



RN8-T60
H:300mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade



RN CHAINMAIL SERIES

LIGHT WARRIOR

Making combination of perfect light and metal shade
Making luminaire easier



RN-BRMC125150
H:150mm D:125mm



RN-GMC125150
H:150mm D:125mm



RN-RMC125150
H:150mm D:125mm



RN-WMC125150
H:150mm D:125mm



RN-BMC125150
H:150mm D:125mm



RN-BRMC100162
H:162mm D:100mm



RN-GMC100162
H:162mm D:100mm



RN-RMC100162
H:162mm D:100mm



RN-WMC100162
H:162mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade





RN-BMC100162
H:162mm D:100mm



RN-BRMC110160
H:160mm D:110mm



RN-GMC110160
H:160mm D:110mm



RN-RMC110160
H:160mm D:110mm



RN-WMC110160
H:160mm D:110mm



RN-BMC110160
H:160mm D:110mm



RN-BMC95120
H:120mm D:95mm



RN-BMC200215
H:215mm D:200mm



RN-MGMC125152T
H:150mm D:125mm



RN-GGMC125152T
H:150mm D:125mm



RN-BMC125152T
H:150mm D:125mm



RN-MGMC103161T
H:161mm D:103mm



RN-GGMC103161T
H:161mm D:103mm



RN-BMC103161T
H:161mm D:103mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.6W	400lm	N
220-240V /110-120V	4.5W	320lm	Y
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y
220-240V /110-120V	1W/2.2W/4.3W	40lm/100lm/200lm	3-step

*The specifications are for the bulb without the shade



RN DNA SERIES







RN-DNA G125
H:164mm D:125mm



RN-DNA S123
H:163mm D:123mm



RN-DNA CG125
H:164mm D:125mm



RN-DNA G130OS
L:130mm H:171mm W:80mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade







DNA-GMC125150
H:150mm D:125mm



DNA-RMC125150
H:150mm D:125mm



DNA-BMC125150
H:150mm D:125mm



DNA-GMC100162
H:162mm D:100mm



DNA-RMC100162
H:162mm D:100mm



DNA-BMC100162
H:162mm D:100mm



DNA-GMC110160
H:160mm D:110mm



DNA-RMC110160
H:160mm D:110mm



DNA-BMC110160
H:160mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade



THE AURELIA COLLECTION

A stunning fusion of vintage nostalgia and cutting-edge optical artistry. Designed with an elegant open-bottom silhouette, this collection features a precision-bent, U-shaped acrylic core. Delicately laser-engraved with ultra-fine lines that mirror the intricate beauty of classic carbon filaments, the acrylic is powered from the base by advanced LED SMDs. The edge-lit technology seamlessly guides the light upward, bringing the glowing faux-filaments to life with mesmerizing clarity. Paired with tinted glass shades, the Mini U Series delivers the perfect harmony of targeted downward illumination and a warm, textured ambient glow.



RN-MUOG125GB
H:110mm D:125mm



RN-MUO90112GS
H:112mm D:90mm



RN-MUO121152GS
H:152mm D:121mm



RN-MUO100106A
H:106mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade





RN MODERN SERIES



RN MOD-ST60C
H:155mm D:60mm



RN MOD-ST60A
H:155mm D:60mm



RN MOD-ST60S
H:155mm D:60mm



RN MOD-G80C
H:120mm D:80mm



RN MOD-G80A
H:120mm D:80mm



RN MOD-G80S
H:120mm D:80mm



RN MOD-T30C
H:185mm D:30mm



RN MOD-T30A
H:185mm D:30mm



RN MOD-T30S
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade







RN MOD-G95C
H:140mm D:95mm



RN MOD-G95A
H:140mm D:95mm



RN MOD-G95S
H:140mm D:95mm



RN MOD-G125 (Under FM mode)
H:160mm D:125mm



RN MOD-G125A
H:160mm D:125mm



RN MOD-G125S
H:160mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	130lm	N
220-240V /110-120V	3.5W	110lm	Y

*The specifications are for the bulb without the shade



RN T30 SERIES





RN T30 185MM
H:185mm D:30mm



RN T30 225MM
H:225mm D:30mm



RN T30 300MM
H:300mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	200lm	N
220-240V /110-120V	3.5W	120lm	Y







Project cases

- Assembled as a unit , creat various forms
- Low maintenance cost.

www.wj-fuxing.com

RN LED COLOURS



DUOLUX HYBRID SERIES



Compact size: Its compact design allows for easy integration into any lighting fixture
Thread structure: Convenient for installation and subsequent lampshade attachment
Transportation safety: Its sturdy build and durable materials ensure that it arrives intactly



NS-DHA60RGB
H:45mm D:33mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y
220-240V /110-120V	4.5W	470lm	N
220-240V /110-120V	3.5W	/	/ (for smart)
220-240V /110-120V	3.5W	210lm	Y (Dim to warm)

E27/E26 | Ra >80 | 15000H

2700K

RGB (for smart)

2200K-2700K (Dim to warm)

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H

2700K

Key Highlights:

- **High-Lumen Output LEDs**
- **Energy Efficient (Up to 104 lm/W)**
- **Smooth Dimming Capable**



NS-L4.5
H:58mm D:35mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	N
220-240V /110-120V	4.5W	470lm	Y
220-240V /110-120V	4.5W/2.5W/1W	420lm/230lm/60lm	N

E27/E26 | Ra >80 | 15000H

2700K



NS-L-Bulb
H:81mm D:75mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	10W	1055lm	Y

E27/E26 | Ra >80 | 15000H

2700K



NS-M-Bulb
H:46mm D:43mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	N
220-240V /110-120V	4.5W	470lm	Y
220-240V /110-120V	3.5W	/	/ (for smart)

E27/E26 | Ra >80 | 15000H

2700K



NS-P23R
H:40mm D:23mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	80lm	N
220-240V /110-120V	2.3W	80lm	Y
220-240V /110-120V	2W/1.2W/0.7W	110lm/55lm/12lm	N

E14/E12 | Ra >80 | 15000H

2700K



NS-P31
H:55mm D:30.5mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	N
220-240V /110-120V	4.5W	470lm	Y
220-240V /110-120V	3.5W/2W/0.9W	250lm/125lm/30lm	N

E27/E26 | Ra >80 | 15000H

2700K

NS-THE BLOOM SERIES

One Bulb, Two Distinct Worlds. Experience the versatility of the Duolux Hybrid series. Featuring a unique removable shade design, it provides an instant transition between colorful ambient accent lighting and essential warm white illumination. Elevate your catalog with this perfect blend of form and utility.



NS-P23R
D:60mm H:113mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y
220-240V /110-120V	4.5W	470lm	N





2-in-1 Detachable Design

- With Glass Shade: Ambient RGB Lighting
- Without Glass Shade: 2700K Warm White Light

AURELIA COLLECTION

ONE BULB, TWO LIGHTS — A BEAM BELOW, A HALO ALL AROUND.

The AURELIA Collection is a family of disc-shaped E27 bulbs in embossed glass, each pressing pattern and light into a single glowing object. Where most bulbs light in one direction, AURELIA lights in two — and turns the humble socket into a small piece of ambient art.



AR01
D:160mm H:112mm



AR02
D:160mm H:110mm



AR03
D:200mm H:92mm



AR04
D:215mm H:80mm



AR05
D:158mm H:97mm



AR06
D:154mm H:92mm



AR07
D:150mm H:62mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.5W	70lm	N



- **Not ErP-compliant and not suitable for the European market**



2700K

THE NS-CRYSTAL LATTICE SERIES

Inspired by the timeless brilliance of diamonds, this collection features intricately woven faceted crystals formed into captivating spherical light sources. When illuminated, the hand-crafted lattice mesh scatters a soft, glamorous glow across surrounding surfaces, transforming any room into a sanctuary of refined luxury and warmth.



NS-CL30146B
D:130mm H:146mm



NS-CL130170B
D:130mm H:170mm



NS-CL80155B
D:80mm H:155mm



NS-CL30146C
D:130mm H:146mm



NS-CL130170C
D:130mm H:170mm



NS-CL80155C01
D:80mm H:155mm



NS-CL80155C02
D:80mm H:155mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE SCULPT-CORE SERIES

Customizable 3D-Printed E27 LED Bulb

Step into the future of bespoke illumination with The Sculpt-Core Series. Housed within a classic, crystal-clear G125 glass globe, this innovative E27 LED bulb features a striking internal pillar crafted through advanced 3D printing technology. Emitting a flawless 2700K warm white radiance, the fluid geometric cores act as a modern canvas for light, transforming a functional bulb into a mesmerizing desktop or pendant centerpiece. Offering fully customizable inner pillar designs, this series allows you to sculpt light to match any brand identity, architectural theme, or personal aesthetic.



AN-G125C10
H:164mm D:125mm



LAN-G125C11
H:164mm D:125mm



AN-G125C12
H:164mm D:125mm



AN-G125C13
H:164mm D:125mm



AN-G125C14
H:164mm D:125mm



AN-G125C15
H:164mm D:125mm



AN-G125C16
H:164mm D:125mm



AN-G125C17
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K





AN-G125C01
H:164mm D:125mm



AN-G125C02
H:164mm D:125mm



AN-G125C03
H:164mm D:125mm



AN-G125C04
H:164mm D:125mm



AN-G125C05
H:164mm D:125mm



AN-G125C06
H:164mm D:125mm



AN-G125C07
H:164mm D:125mm



AN-G125C08
H:164mm D:125mm



AN-G125C09
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





2700K

*The specifications are for the bulb without the shade



Organic Silk Effect

A stunning finish defined by its dense, fibrous structure. It captures the intricate detail and soft elegance of natural silk, adding a luxurious, artisanal touch to the fixture.



NS-FSG145184
H:184mm D:145mm



NS-FSG150105141
L:150mm W:105mm H:141mm



NS-FSG160145
H:145mm D:160mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





2700K

*The specifications are for the bulb without the shade

NS-FLEXSHEER SERIES



NS-FSG125157
H:157mm D:125mm



NS-FSG106162
H:162mm D:106mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

NS CYBERWEAVE COLLECTION SERIES

Where technology weaves nature. The CyberWeave Collection redefines traditional craftsmanship through the lens of modern innovation. Utilizing precision 3D printing technology, this series recreates the warm texture of natural wood grain and the intricate patterns of artisanal weaving. When lit, it casts an enchanting tapestry of light, bringing an organic, high-tech soul to your space.



NS-CW12015801
H:158mm D:120mm



NS-CW12016402
H:164mm D:120mm



NS-CW12016403
H:164mm D:120mm



NS-CW12016404
H:164mm D:120mm



NS-CW11516405
H:164mm D:115mm



NS-CW11516406
H:164mm D:115mm



NS-CW11516407
H:164mm D:115mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-THE BLOOM SERIES

Experience the perfect blend of technology and art. Crafted with precision 3D-printing, the translucent shade offers a graceful, organic silhouette. The eco-friendly KD (Knock-Down) design ensures highly efficient flat-pack shipping. Paired with an inner G80 glass sphere, it delivers a comfortable, glare-free ambient light perfect for contemporary interiors.



NS-BS285168
D:285mm H:168mm





Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-LUMINACREST COLLECTION

Artisan 3D sculpted shads casts delicate woven light patterns



NS-LC3D145189
D:145mm H:189mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H | 3D-PETG

*The specifications are for the bulb without the shade

2700K

Prism 3D Collection: Light Reimagined

Witness light take shape with the Prism 3D Collection.

Each shade is crafted via advanced 3D printing to create subtlelight-refracting surfaces, tuming a simple LED light source into adramatic, directional beam. The translucent finish diffuses harshlight whilepreserving the dean, warm glowlightsource,balancing modern precision with



NS-PD125250C
H:250mm D:125mm



NS-PD125173C
H:173mm D:125mm



NS-PD125174C
H:174mm D:125mm



NS-PD125175C
H:175mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





THE AURORA PRISM SERIES

Art by Night. Light by Day

Redefine your atmosphere with a single switch. The Aurora Prism Series utilizes a complex, 3D-printed organic structure to offer unmatched versatility. Keep the RGB glass liner in for a mesmerizing, colorful light show during parties, or remove it to enjoy the elegant simplicity of 2700K warm ambient lighting for everyday living.



NS-TDRGB
H:175mm D:160mm



NS-TD AURORA
H:175mm D:160mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

THE VELVET TOUCH COLLECTION

Diverse materials, unified soft touch

Where innovative form meets artisanal texture. Our Velvet Touch Collection applies a luxurious flocking finish across diverse materials, enveloping both intricate 3D printed structures and sleek glass surfaces in a soft, velvet-like layer. This cohesive finish transforms the cool touch of the base materials into a warm, inviting tactile experience, adding a sense of unified sophistication to your space.



NS-TD182225FLP
H:225mm D:182mm



NS-TD160227FLP
H:227mm D:160mm



NS-TD184228FLMB
H:228mm D:184mm



NS-TD145167FLO
H:167mm D:145mm



NS-TD123174FLB
H:174mm D:123mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





2700K

*The specifications are for the bulb without the shade

NS-SERAPHINE COLLECTION

WHERE SILK MEETS LIGHT

The SERAPHINE Collection reimagines the bulb as a 3D-printed sculpture. Two families — organic Scalloped Shell and kinetic Spiral Swirl — bloom from a single printed form, glowing from within.



NS-SP01
D:105mm H:172mm



NS-SP02
D:110mm H:152mm



NS-SP03
D:118mm H:160mm



NS-SP04
D:102mm H:183mm



NS-SP05
D:118mm H:160mm



NS-SP06
D:102mm H:183mm



NS-SP07
D:145mm H:235mm



NS-SP08
D:158mm H:270mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-HM3D240279
D:240mm H:279mm



NS-HM3D128164
D:128mm H:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





MOJO SERIES

STRUCTURE SERIES



1 – All components included







Regular LED bulb



2 – NS LED bulb





LS3D002
H:190mm D:190mm



LS3D003
H:158mm D:137mm



LS3D004
H:183mm D:152mm



LS3D024
H:179mm D:117mm



LS3D025
H:173mm D:164mm



LS3D026
H:173mm D:140mm



LS3D027
H:193mm D:134mm



LS3D030
H:198mm D:142mm



LS3D029
H:199mm D:139mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y



*The specifications are for the bulb without the shade



2700K



LS3D034
H:199mm D:115mm



LS3D034(01)
H:199mm D:115mm



LS3D033
H:179mm D:117mm



LS3D031
H:173mm D:140mm



LS3D032
H:173mm D:153mm



LS3D006
H:171mm D:140mm



LS3D007
H:197mm D:115mm



LS3D008
H:196mm D:142mm



LS3D009
H:171mm D:139mm



LS3D010
H:177mm D:117mm



LS3D011
H:191mm D:134mm



LS3D012
H:171mm D:164mm



LS3D013
H:201mm D:132mm



LS3D014
H:171mm D:153mm



LS3D015
H:186mm D:170mm



LS3D016
H:171mm D:173mm



LS3D017
H:197mm D:139mm



LS3D37
H:239mm D:130mm



LS3D38
H:200mm D:120mm



LS3D39
H:200mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

NS-VITROCORE COLLECTION

A warm soul within a crystalline shell. The VitroCore Collection achieves a flawless balance of modern clarity and rustic warmth. By nesting an intricate, 3D-printed wood-grain lattice inside a perfectly clear glass silhouette, this series celebrates the beauty of internal structure. The transparent glass beautifully showcases the woven details, transforming the bulb itself into a glowing, warm-toned centerpiece.



NS-VC8016401
H:164mm D:80mm



NS-VC8016402
H:164mm D:80mm



NS-VC8016403
H:164mm D:80mm



NS-VC8016404
164mm D:80mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade







NS-DS120195S
H:195mm D:120mm



NS-DS120195C
H:195mm D:120mm



NS-OT100AI3D
H:170mm D:100mm



NS-DS120195A
H:195mm D:120mm



NS-OT100CI3D
H:170mm D:100mm



NS-OT100SI3D
H:170mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





2700K

THE LATTICE SERIES

Precision printed. Perfectly diffused

Experience the impossible geometries of 3D printing. The Lattice Series features an intricate, high-density openwork design that traditional manufacturing cannot replicate. The complex mesh structure acts as a perfect diffuser, transforming the LED light into a soft, glare-free glow while adding a modern, architectural texture to your space



NS-LTD100112C01
H:112mm D:100mm



NS-LTD100112C02
H:112mm D:100mm



NS-LTD100112C03
H:112mm D:100mm



NS-LTD100112C04
H:112mm D:100mm



NS-LTD100112C05
H:112mm D:100mm



NS-LTD128166C
H:166mm D:128mm



NS-LTD128142C
H:142mm D:128mm



NS-LTD10098C
H:98mm D:100mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-MOJO SERIES



NSL-MJ115245C
L:115mm W:115mm H:245mm



NSL-MJ115245S
L:115mm W:115mm H:245mm



NSL-MJ115245W
L:115mm W:115mm H:245mm



NSL-MJ115245A
L:115mm W:115mm H:245mm



NSL-MJ130210C
H:210mm D:130mm



NSL-MJ130210W
H:210mm D:130mm



NSL-MJ130210S
H:210mm D:130mm



NSL-MJ130210A
H:210mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



NS-MJ115189C
H:189mm D:115mm



NS-MJ120185W
H:185mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





LATTICE DIAMOND COLLECTION

Prismatic Beauty, Modern Glow.

Elevate your ambiance with this unique E27 LED pendant. The intricately faceted 3D-printed shade transforms warm LED light into a mesmerizing dance of geometric shadows, adding a touch of contemporary elegance to any modern space.



NS-MJ12816501
H:165mm D:128mm



NS-MJ12816502
H:165mm D:128mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE NS VERTEX SERIES

Capturing light in motion. Inspired by the timeless elegance of a spinning top, the Gyro Collection blends sculptural glass forms with a soft, milky glow. A perfect harmony of retro charm and contemporary minimalist design, crafting an atmospheric warmth for any elevated space.



NS-VT125186
H:186mm D:125mm



NS-VT70186
H:186mm D:70mm



NS-VT150121
H:121mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE NS-CREST SPHERE SERIES

Combining modern 3D-printing precision with classic G125 glass globe aesthetic, this collection redefines ambient lighting. A intricate, filigree 3D-printed top cap crowns a glowing spherical diffuser, casting intriguing shadow patterns while softening the overhead light. Perfect for adding a touch of contemporary craftsmanship to refined living spaces.



NS-CS12516401
D:125mm H:164mm



NS-CS12516402
D:125mm H:164mm



NS-CS12516403
D:125mm H:164mm



NS-CS12516404
D:125mm H:164mm



NS-CS12516405
D:125mm H:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-MELTING SERIES





NS-VFG15OMS
D:150mm H:184mm



NS-VFG125MS
D:125mm H:158mm



NS-DFG15OMS
D:150mm H:184mm



NS-DFG125MS
D:125mm H:158mm



NS-DFG150MBR
D:150mm H:184mm



NS-DFG125MBR
D:125mm H:158mm



NS-DFG15OMB
D:150mm H:184mm



NS-DFG125MB
D:125mm H:158mm



NS-VFG15OMRG
D:150mm H:184mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

NS-MELTING SERIES



NS-CG125MBR
H:164mm D:125mm



NS-CG125MRG
H:164mm D:125mm



NS-CG150MBR
H:191mm D:150mm



NS-CG150MBG
H:191mm D:150mm



NS-CG200MBS
H:241mm D:200mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE MOLTEN LAVA SERIES

Liquid light, trapped in glass

Ignite your space with the mesmerizing flow of the Molten Lava G125. Thanks to a specialized inner-electroplating technique, the light doesn't just shine out; it reflects internally, creating a deep, 3D illusion of flowing magma. With a dedicated 2700K mode for warm ambiance and vivid RGB options for dramatic flair, it looks like a sleek metallic orb by day and an erupting volcano of color by night



NS-CG125MSRGBW
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.2W	150lm	Y



RGBW(2700k)





NS-G150DFC
D:150mm H:184mm



NS-G125DFC
D:125mm H:158mm



NS-G15OVFC
D:150mm H:184mm



NS-G125VFC
D:125mm H:158mm



NS-G150VFS
D:150mm H:184mm



NS-G125VFS
D:125mm H:158mm



NS-G150DFS
D:150mm H:184mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-MEANDER COLLECTION



NS-MEC125164
D:125mm H:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-MARBGLOW SERIES

Glass shades etched with marble-veined patterns, where warm light filters through, making stone textures dance.
Sleek, minimal design fits living rooms or studies.
A quiet luxury that turns light into art, grounding spaces in warmth and timeless texture



NS-MBG12505
H:158mm D:125mm



NS-MBG12506
H:158mm D:125mm



NS-MBG12507
H:158mm D:125mm



NS-MBG12508
H:158mm D:125mm



NS-MBG12509
H:164mm D:125mm



NS-MBG12510
H:164mm D:125mm



NS-MBG15010
H:191mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE ENCHANTED ICE SERIES

Fire Within Ice.

Transform your space with the Crystal Frost G125 LED. Featuring an intricate, crystallized glass texture, this oversized globe diffuses an ultra-warm glow that mimics embers trapped in ice. A captivating centerpiece for any bare E27 pendant or table lamp.



NS-EIG125A
H:164mm D:125mm



NS-EIG125C
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE VELVET TOUCH COLLECTION



Diverse materials, unified soft touch

Where innovative form meets artisanal texture. Our Velvet Touch Collection applies a luxurious flocking finish across diverse materials, enveloping both intricate 3D printed structures and sleek glass surfaces in a soft, velvet-like layer. This cohesive finish transforms the cool touch of the base materials into a warm, inviting tactile experience, adding a sense of unified sophistication to your space.



NS-G125FL001
H:164mm D:125mm



NS-G125FL002
H:164mm D:125mm



NS-G125FL003
H:164mm D:125mm



NS-G125FL004
H:164mm D:125mm



NS-G125FL005
H:164mm D:125mm



NS-G125FL006
H:164mm D:125mm



NS-G125FL007
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





2700K

*The specifications are for the bulb without the shade



NS-G125LFPS01
H:175mm D:130mm



NS-G125LFPS02
H:175mm D:130mm



NS-G125LFPS03
H:175mm D:130mm



NS-G125LFPS04
H:175mm D:130mm



NS-G125LFPS05
H:175mm D:130mm



NS-G125LFPS06
H:175mm D:130mm



NS-G125LFPS07
H:175mm D:130mm



NS-G125LFP08
H:175mm D:130mm



NS-G125LFPS09
H:175mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H | Glass

*The specifications are for the bulb without the shade

2700K



NS-G125FGS
H:164mm D:125mm



NS-G125F
H:164mm D:125mm



NS-G125FGB
H:164mm D:125mm



NS-G125FMB
H:164mm D:125mm



NS-GT25FGY
H:164mm D:125mm



NS-G125FMY
H:164mm D:125mm



NS-G125FGP
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H | Glass

*The specifications are for the bulb without the shade

2700K

THE GALAXY PLANET SERIES

Hold the universe in your room

A celestial masterpiece. Crafted from thick, heavyweight glass, each bulb in this series features unique, swirling patterns reminiscent of planetary surfaces—from the storms of Jupiter to the azure of Earth. When lit, the warm glow radiates through the dense glass, creating a moody, cosmic atmosphere that feels both solid and ethereal



NS-GP12515801
H:158mm D:125mm



NS-GP12515802
H:158mm D:125mm



NS-GP12515803
H:158mm D:125mm



NS-GP12515804
H:158mm D:125mm



NS-GP12515805
H:158mm D:125mm



NS-GP12515806
H:158mm D:125mm



NS-GP12515807
H:158mm D:125mm



NS-GP12515808
H:158mm D:125mm



NS-GP12515809
H:158mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE TORTOISE ART COLLECTION

Timeless pattern, warm embrace

Classic luxury reimagined. Inspired by the timeless beauty of tortoise shell, this series features a rich pattern of amber, chocolate, and gold tones. The complex, organic pattern filters the LED light to create a deep, warm glow, adding a touch of vintage sophistication and drama to any interior.



NS-TTA12515801
H:158mm D:125mm



NS-TTA12515802
H:158mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



THE SWIRL SERIES



Where Light Meets Art Glass

Elevate your lighting collection with our handcrafted Art Glass LED Bulbs. Each piece is a unique fusion of traditional mouth-blown artistry and modern LED technology. The vibrant red swirl pattern creates a mesmerizing focal point, turning a simple socket into a statement piece.



NS-AGRS01G125
H:159mm D:125mm



Top-down view



Side view

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y



*The specifications are for the bulb without the shade



2700K

NS-GEMSTONE SERIES





NS-CG9820801
H:208mm D:98mm



NS-CG9820802
H:208mm D:98mm



NS-CG9820803
H:208mm D:98mm



NS-CG9820804
H:208mm D:98mm



NS-CG9820805
H:208mm D:98mm



NS-CG9820806
H:208mm D:98mm



NS-CG9820807
H:208mm D:98mm



NS-CG98208GO-2
H:208mm D:98mm



NS-CG98208GO-1
H:208mm D:98mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-MOTTLEGLOW SERIES



NS-CG15011601
H:116mm D:150mm



NS-CG15011602
H:116mm D:150mm



NS-CG15011603
H:116mm D:150mm



NS-CG15011604
H:116mm D:150mm



NS-CG15011605
H:116mm D:150mm



NS-UFO150GB25
H:116mm D:150mm



NS-UFO150GC25
H:116mm D:150mm



NS-CG150116GG-1
H:116mm D:150mm



NS-CG150116GB-1
H:116mm D:150mm



NS-CG150116G-1
H:116mm D:150mm



NS-CG150116O-1
H:116mm D:150mm



NS-UFO150CY25
H:116mm D:150mm



NS-UFO150M0125
H:116mm D:150mm



NS-UFO150MO225
H:116mm D:150mm



NS-UFO150MO325
H:116mm D:150mm



NS-CG9017504
H:175mm D:90mm



NS-CG9017505
H:175mm D:90mm



NS-CG9017501
H:175mm D:90mm



NS-CG9017502
H:175mm D:90mm



NS-CG9017503
H:175mm D:90mm



NS-E90GS25
H:175mm D:90mm



NS-E90GC25
H:175mm D:90mm



NS-E90CY25
H:175mm D:90mm



NS-E90M
H:175mm D:90mm



NS-E90M0325
H:175mm D:90mm



NS-E90M0225
H:175mm D:90mm



NS-E90M0125
H:175mm D:90mm



NS-CG12515801
H:158mm D:125mm



NS-CG12515802
H:158mm D:125mm



NS-CG12515803
H:158mm D:125mm



NS-CG12515804
H:158mm D:125mm



NS-TGG125G025
H:158mm D:125mm



NS-TGG125GP25
H:158mm D:125mm



NS-CKA271G125
H:159mm D:125mm



NS-CG125158B-1
H:158mm D:125mm



NS-CG125158GG-1
H:158mm D:125mm



NS-TG125MO225
H:158mm D:125mm



NS-TG125MO125
H:158mm D:125mm



NS-CDA263G125
H:159mm D:125mm



NS-CG100123G-1
H:123mm D:100mm



NS-CG100123B-1
H:123mm D:100mm



NS-CG100123B-2
H:123mm D:100mm



NS-CG100123O-2
H:123mm D:100mm



NS-CG148170GB-1
H:170mm D:148mm



NS-CG148170O-1
H:170mm D:148mm



NS-CG148170GG-2
H:170mm D:148mm



NS-CG148170GG-1
H:170mm D:148mm



NS-CG128150-1
H:150mm D:128mm



NS-CG128150-2
H:150mm D:128mm



NS-CG128150-3
H:150mm D:128mm



NS-CG120178-1
H:178mm D:120mm



NS-CG120178-2
H:178mm D:120mm



NS-CG120178-3
H:178mm D:120mm



NS-CG70206-1
H:206mm D:70mm



NS-CG70206-2
H:206mm D:70mm



NS-CG70206-3
H:206mm D:70mm



NS-CG16468
H:68mm D:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



NS-CG12016502
H:165mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-SHELLGLOBE COLLECTION

Handcrafted mosaic shell globes casting warm, organic ambient light.



NS-SG12916601
D:129mm H:166mm



NS-SG12916602
D:125mm H:166mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



GLIMMER MOSAIC SERIES

Designed to Dazzle

Hundreds of tiny glass mirrors catch every beam of light. Whether on or off, these bulbs act as stunning jewelry for your interior, delivering a spectacular sparkling effect



NS-GMS030
H:166mm D:127mm



NS-GMS031
H:166mm D:127mm



NS-GMS032
H:166mm D:127mm



NS-GMS033
H:166mm D:127mm



NS-GMS034
H:166mm D:127mm



NS-GMS035
H:166mm D:127mm



NS-GMS036
H:166mm D:127mm



NS-GMS037
H:166mm D:127mm



NS-GMS038
H:166mm D:127mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-MOSAIC SERIES





NS-GMS017
H:170mm D:130mm



NS-GMS018
H:170mm D:130mm



NS-GMS019
H:170mm D:130mm



NS-GMS020
H:170mm D:130mm



NS-GMS021
H:170mm D:130mm



NS-GMS022
H:170mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-MOSAIC SERIES





NS-GMS040
D:125mm H:145mm



NS-GMS041
D:125mm H:145mm



NS-GMS042
D:150mm H:168mm



NS-GMS043
D:150mm H:168mm



NS-GMS044
D:125mm H:145mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-AQUARELLE COLLECTION

WATERCOLORS OF LIGHT.

The AQUARELLE Collection pours color onto glass — marble and bloom flowing across every cone shade like ink in water



NS-AQ12015101
D:120mm H:151mm



NS-AQ12015102
D:120mm H:151mm



NS-AQ12015103
D:120mm H:151mm



NS-AQ12015104
D:120mm H:151mm



NS-AQ12015105
D:120mm H:151mm



NS-AQ12015106
D:120mm H:151mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-CRYSTAL SERIES



NS-CR108107
D:108mm H:107mm



NS-CR93106
D:93mm H:106mm



NS-CR74104
D:74mm H:104mm



NS-CR75103
D:75mm H:103mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-CRYSTAL SERIES



NS-CR11613001
H:130mm D:116mm



NS-CR11613002
H:130mm D:116mm



NS-CR11613003
H:130mm D:116mm



NS-CR11613004
H:130mm D:116mm



NS-CR11613005
H:130mm D:116mm



NS-CR11613006
H:130mm D:116mm



NS-CR11613007
H:130mm D:116mm



NS-CR11613008
H:130mm D:116mm



NS-CR11613009
H:130mm D:116mm



NS-CR11213001
H:130mm D:112mm



NS-CR11213002
H:130mm D:112mm



NS-CR11213003
H:130mm D:112mm



NS-CR11213004
H:130mm D:112mm



NS-CR11213005
H:130mm D:112mm



NS-CR11213006
H:130mm D:112mm



NS-MG9113601
H:136mm D:91mm



NS-MG9113602
H:136mm D:91mm



NS-MG9113603
H:136mm D:91mm



NS-MG9113604
H:136mm D:91mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H | Glass

*The specifications are for the bulb without the shade

2700K



NS-GSLFA175
H:141mm D:120mm



NS-GSGFA176
H:146mm D:125mm



NS-GSEFA177
H:158mm D:110mm



NS-GSLOA166
H:141mm D:120mm



NS-GSGOA167
H:146mm D:125mm



NS-GSEOA168
H:158mm D:110mm



NS-GSLCA190
H:141mm D:120mm



NS-GSGCA191
H:146mm D:125mm



NS-GSECA192
H:158mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

E27/E26 | Ra >80 | 15000H | Glass

*The specifications are for the bulb without the shade

2700K

NS-GEO SHERE SERIES

Nature Sculpted, Light Inspired.

Introduce the raw beauty of the natural world into your space with the GEO SHERE Series. Each G125 globe features a meticulous spray-painting process that mimics the organic textures of stone, earth, and volcanic rock.

When lit, the imperfect pattern filters the light, creating a mesmerizing, warm glow that feels both primitive and undeniably sophisticated. More than just a bulb, it's a piece of luminous art.



NS-GSG125P01
D:125mm H:164mm



NS-GSG125P02
D:125mm H:164mm



NS-GSG125P03
D:125mm H:164mm



NS-GSG125P04
D:125mm H:164mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

NS-MARBGLOW SERIES

Glass shades etched with marble-veined patterns, where warm light filters through, making stone textures dance.
Sleek, minimal design fits living rooms or studies.
A quiet luxury that turns light into art, grounding spaces in warmth and timeless texture



NS-MBCB14803
L:148mm W:97mm H:171mm



NS-MBCB11903
L:119mm W:75mm H:144mm



NS-MBCB11603
L:116mm W:63mm H:140mm



NS-MBWS11903
L:119mm W:89mm H:120mm



NS-MBG12501
H:164mm D:125mm



NS-MBG12502
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-LUCENT SERIES



NS-LC4818701
D:48mm H:187mm



NS-LC4818702
D:48mm H:187mm



NS-LC4818703
D:48mm H:187mm



NS-LC4818704
D:48mm H:187mm



NS-LC4818705
D:48mm H:187mm



NS-LC3818701
D:38mm H:187mm



NS-LC3818702
D:38mm H:187mm



NS-LC3818703
D:38mm H:187mm



NS-LC4814701
D:48mm H:147mm



NS-LC4814702
D:48mm H:147mm



NS-LC3814701
D:38mm H:147mm



NS-LC3814702
D:38mm H:147mm

www.wj-fuxing.com



NS-LC3814703
D:38mm H:147mm



NS-LC3814704
D:38mm H:147mm



NS-LC4810701
D:48mm H:107mm



NS-LC4810702
D:48mm H:107mm



NS-LC4810703
D:48mm H:107mm



NS-LC3810701
D:38mm H:107mm



NS-LC3810702
D:38mm H:107mm



NS-LC3810703
D:38mm H:107mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-GEODE SERIES

Affordable Crystal-Like Brilliance

Get the luxurious look of sparkling cut crystal at a fraction of the cost. This LED bulb features a durable, faceted faux-crystal shade that delivers a stunning high-end ambiance without the high-end price tag



NS-CRY04
H:110mm D:84mm



NS-CRY06
H:98mm D:49mm



NS-CRY11
H:133mm D:50mm



NS-CRY12
H:118mm D:54mm



NS-CRY13
H:127mm D:60mm



NS-CRY14
H:89mm D:80mm



NS-CRY15
H:130mm D:56mm



NS-CRY01
H:124mm D:55mm



NS-CRY02
H:124mm D:43mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y





3000K

NS-GEODE SERIES





NS-CRY16
H:120mm D:60mm



NS-CRY17
H:96mm D:48mm



NS-CRY18
L:45mm W:45mm H:106mm



NS-CRY19
H:153mm D:45mm



NS-CRY20
H:113mm D:39mm



NS-CRY21
H:102mm D:53mm



NS-CRY22
H:100mm D:48mm



NS-CRY23
H:111mm D:54mm



NS-CRY24
H:107mm D:53mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y





NS-CRY25
H:125mm D:58mm



NS-CRY26
H:91mm D:55mm



NS-CRY27
H:116mm D:68mm



NS-CRY28
H:123mm D:56mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y





3000K

NS-GEODE SERIES





NS-CRY29
D:41mm H:110mm



NS-CRY30
L:70mm W:71mm H:137mm



NS-CRY31
L:68mm W:64mm H:128mm



NS-CRY32
D:55mm H:104mm



NS-CRY33
L:49mm W:56mm H:123mm



NS-CRY34
D:69mm H:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y





3000K

NS-GEODE SERIES



NS-CRY35
D:50mm H:127mm



NS-CRY36
D:59mm H:108mm



NS-CRY37
D:49mm H:117mm



NS-CRY38
D:63mm H:104mm



NS-CRY39
D:59mm H:108mm



NS-CRY40
D:81mm H:91mm



NS-CRY41
D:73mm H:99mm



NS-CRY42
D:59mm H:127mm



NS-CRY43
D:59mm H:107mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	130lm	N
220-240V /110-120V	2.3W	120lm	Y





3000K

THE MOTIF CYLINDER SERIES

Your canvas of light

Transform your lighting fixture into a work of art. The Motif Collection features a straight cylindrical glass housing that serves as a canvas for endless creativity. Choose from our curated selection of textures or customize your own pattern to suit any interior style. Beneath the beautiful exterior lies a powerful heart, producing 1055lm of brilliant light.



NS10-MCS8013501
H:135mm D:80mm



NS10-MCS9012502
H:125mm D:90mm



NS10-MCB8013503
H:135mm D:80mm



NS10-MCS9013504
H:135mm D:90mm



NS10-MCS9012505
H:125mm D:90mm



NS10-MCB9013506
H:135mm D:90mm



NS10-MCB9012507
H:125mm D:90mm



NS10-MCG9012508
H:125mm D:90mm



NS10-WT8013509
H:135mm D:80mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y





2700K

*The specifications are for the bulb without the shade

THE SCULPTED GLASS SERIES

Artistry in Every Glow

Redefine your space with the Sculpted Glass Collection. Featuring intricate diamond and ribbed textures in diameters up to 220mm, these bulbs are designed to be standalone centerpieces—no shade required.



NS-SG1487001
H:70mm D:148mm



NS-SG1487002
H:70mm D:148mm



NS-SG1487003
H:70mm D:148mm



NS-SG1949304
H:93mm D:194mm



NS-SG1508305
H:83mm D:150mm



NS-SG1488306
H:83mm D:148mm



NS-SG1488307
H:83mm D:148mm



NS-SG14810608
H:106mm D:148mm



NS-SG2207109
H:71mm D:220mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-DAZZLE SERIES



LB-A095T30
H:184mm D:30mm



LB-A080G80
H:127mm D:80mm



LB-A098T60
H:308mm D:64mm



LB-A083G125
H:186mm D:130mm



LB-A089ST64
H:150mm D:67mm



LB-A086T45
H:117mm D:46mm



LB-A077A60
H:119mm D:62mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-DUALLAYER SERIES



NS-BIB12
H:211mm D:120mm



NS-BIB13
H:186mm D:119mm



NS-BIB04(01)
H:160mm D:125mm



NS-BIB06
H:160mm D:125mm



NS-BIB04
H:160mm D:125mm



NS-B1B02
H:160mm D:125mm



NS-BIB01
H:120mm D:132mm



NS-BIB07
H:102mm D:102mm



NS-BIB08(01)
H:102mm D:102mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



NS-BIB08
H:165mm D:110mm



NS-BIB09
H:194mm D:110mm



NS-BIB10
H:165mm D:110mm



NS-BIB11
H:194mm D:110mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y



*The specifications are for the bulb without the shade

THE WIRE-LUXE COLLECTION

Experience the striking contrast of industrial texture and refined elegance with The Wire-Luxe Collection. This series features an innovative design where a mini, energy-efficient LED source illuminates an intricate metal mesh cylinder, all safely suspended within a sleek, protective outer glass shade. The metallic net beautifully diffuses the light, scattering a rich, textured, and glare-free glow throughout the room. Perfectly balancing industrial edge with vintage luxury, this collection creates a captivating focal point in any sophisticated interior layout.



NS-DLMRG
H:184mm D:120mm



NS-DLMRB
H:184mm D:120mm



NS-DLMS
H:184mm D:120mm



NS-DLMG
H:184mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-BIB010
H:112mm D:125mm



NS-BIB011
H:180mm D:120mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-METAL MESH SERIES





NS-BRMC110160
H:160mm D:110mm



NS-GMC110160
H:160mm D:110mm



NS-RMC110160
H:160mm D:110mm



NS-BMC110160
H:160mm D:110mm



NS-BRMC100162
H:162mm D:100mm



NS-GMC100162
H:162mm D:100mm



NS-RMC100162
H:162mm D:100mm



NS-BMC100162
H:162mm D:100mm



NS-BRMC125150
H:150mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



NS-GMC125150
H:150mm D:125mm



LS3D013
H:201mm D:132mm



LS3D014
H:171mm D:153mm



NS-WM125157
H:157mm D:125mm



NS-A514MDBC125
H:139mm D:125mm



NS-A513MDBC100
H:139mm D:100mm



NS-A512MDBH125
H:99mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



NS-BOBM200150T3
H:150mm D:200mm



NS-BMWD153T4
H:229mm D:153mm



NS-GMG125T3
H:150mm D:125mm



NS-BMCL103T3
H:161mm D:103mm



NS-IRWM195158T4
H:158mm D:195mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-METAL MESH SERIES



NS-GMC130151N26
D:130mm H:151mm



NS-GMC118165N26
D:118mm H:165mm



NS-BMC130151N26
D:130mm H:151mm



NS-BMC118165N26
D:118mm H:165mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade



The new metal mesh design features a significantly finer weave, creating a sophisticated, high-quality appearance compared to previous models. This tighter mesh offers enhanced glare reduction for a softer, more ambient light effect, perfectly complementing the LED bulb for a premium aesthetic



NS-GMC100123
H:123mm D:100mm



NS-BMC100123
H:123mm D:100mm



NS-GMC85138
H:138mm D:85mm



NS-BMC85138
H:138mm D:85mm



NS-GMC86132
H:132mm D:86mm



NS-BMC86132
H:132mm D:86mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y



*The specifications are for the bulb without the shade

NS-METAL CAGE SERIES



NSL-MCW15093
H:93mm D:150mm



NSL-MCB15093
H:180mm D:93mm

Voltage	Wattage	Lumen	Dim
220-240V	10W	1055lm	Y

*The specifications are for the bulb without the shade













2700K





NS-GM110P3D
H:158mm D:110mm



NS-WM100P3D
H:165mm D:100mm



NS-BM125P3D
H:151mm D:125mm



NS-2GM125P3D
H:286mm D:125mm



NS-2WM125P3D
H:286mm D:125mm



NS-2BM125P3D
H:286mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





NS-MARBLELUME SERIES





NS-MB01
H:98mm D:86mm



NS-MB02
H:98mm D:86mm



NS-MB03
H:98mm D:86mm



NS-MB04
H:100mm D:92mm



NS-MB05
H:100mm D:92mm



NS-MB06
H:100mm D:92mm



NS-MB07
H:100mm D:92mm



NS-MB08
H:118mm D:86mm



NS-MB09
H:118mm D:86mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-DREAM SERIES

Environmentally Friendly Material





NS-BRA223
H:139mm D:130mm



NS-BRA225
H:139mm D:130mm



NS-A345PBWM104
H:150mm D:104mm



NS-A342FWM104
H:150mm D:104mm



NS-BRA240
H:153mm D:120mm



NS-BRA242
H:160mm D:125mm



NS-BRA241
H:165mm D:95mm



NS-FWA159
H:139mm D:130mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

NS-TEXTILEPAPER SERIES



NS-PP01
H:185mm D:150mm



NS-PP02
H:185mm D:150mm



NS-PP03
H:185mm D:150mm



NS-PP04
H:185mm D:150mm



NS-PP05
H:185mm D:150mm



NS-PP06
H:185mm D:150mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade





2700K

NS-WOVENPAPER SERIES



NS-PP07
H:200mm D:195mm



NS-PP08
H:200mm D:195mm



NS-PP09
H:175mm D:140mm



NS-PP10
H:195mm D:188mm



NS-PP11
H:145mm D:145mm



NS-PP12
H:158mm D:150mm



NS-PP13
H:250mm D:165mm



NS-PP14
H:213mm D:180mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y

*The specifications are for the bulb without the shade



NS-WHISPERING SERIES



NS-PP15
H:182mm D:180mm



NS-PP16
H:182mm D:150mm



NS-PP17
H:182mm D:180mm



NS-PP18
H:182mm D:150mm



Package Transport costs

*Flexible paper is foldable, reducing transport costs.

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	470lm	Y





*The specifications are for the bulb without the shade

SERENE SERIES





SR-NAWCB160
L:160mm H:229mm W:160cm



SR-NABCB160
L:160mm H:229mm W:160cm



SR-NAYCB160
L:160mm H:229mm W:160cm



SR-NAGG262
H:238mm D:262mm



SR-NABG262
H:238mm D:262mm



SR-NAGS300
H:300mm D:300mm



SR-NABS300
H:300mm D:300mm



FESTIVE MAGICIAN SERIES

Celebrate in color

Bring the holidays to life with light! These unique bulbs feature a matte black or golden coating with precision-cut festive patterns. Whether it's a spooky Halloween cat or a cheerful Christmas snowflake, the vivid RGB light shines through the stencil, creating a glowing silhouette that adds instant joy and atmosphere to any celebration.



FMRGB-G125BET
H:164mm D:125mm



FMRGB-G125BSM
H:164mm D:125mm



FMRGB-G125BCM
H:164mm D:125mm



FMRGB-G125BHW
H:164mm D:125mm

Voltage	Wattage	Lumen
220-240V /110-120V	3.5W	/





RGB

MAGICIAN SERIES





G125B2106
H:170mm D:125mm



G125B2103
H:170mm D:125mm



G125B2111
H:170mm D:125mm



G125B2110
H:170mm D:125mm



G125BM2006
H:172mm D:125mm



G125BD
H:172mm D:125mm



G125BN
H:172mm D:125mm



G125B-Christmas-1
H:164mm D:125mm



G125B-Meteor
H:164mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	6W	/	N





1800K

SUPER FINE FLEXIBLE LED FILAMENT SERIES





ST64TSF
H:145mm D:64mm



T45TSF
H:115mm D:45mm



A60TSF
H:106mm D:60mm



G95TSF
H:140mm D:95mm



G125TSF
H:170mm D:125mm



T30SF
H:185mm D:30mm



C35TSF
H:98mm D:35mm



Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	165lm	Y (for c35)
220-240V /110-120V	6W	500lm	N (for vertical pattern)
220-240V /110-120V	4W	265lm	N (for vertical pattern)



DECO STRAIGHT LED FILAMENT SERIES





G125175PT2FEC01
H:175mm D:125mm



G125175LFFEC1
H:175mm D:125mm



G125175LRFC01
H:175mm D:125mm



G125175LXFEC01
H:175mm D:125mm



G125175-WZTFC1
H:175mm D:125mm



ST60160ZTEC01
H:147mm D:60mm



D128180-SXFEC1
H:180mm D:128mm



S100170-FEC1
H:178mm D:100mm



G125175QXFEC1
H:175mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	250lm	N
220-240V /110-120V	4W	400lm	N
220-240V /110-120V	4W	350lm	Y
220-240V /110-120V	5.5W	500lm	Y
220-240V /110-120V	5.5W	550lm	N



MATT OPAL LED FILAMENT SERIES





G125MO
H:170mm D:125mm



G80MO
H:120mm D:80mm



A60MO
H:106mm D:60mm



G95MO
H:140mm D:95mm



G45MO
H:80mm D:45mm



S160147PL
H:147mm D:160mm



V132178PL
H:178mm D:132mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	7W	806lm	Y (for G125/G80/A60/G95)
220-240V /110-120V	4W	420lm	N (for G45)
220-240V /110-120V	5W	550lm	Y



MATT OPAL LED FILAMENT SERIES



G125180PTMO
H:180mm D:125mm



G125180ASFMO
H:180mm D:125mm



G12575LKMO
H:175mm D:125mm



G125175WZTMO
H:175mm D:125mm



G125175LFMO
H:175mm D:125mm



ST60147ZTMO
H:147mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	450lm	N





3000K



DECO SOFT LED FILAMENT SERIES



UFO125180SFA
H:180mm D:125mm



UFO125180SFS
H:180mm D:125mm



AX108158SFA
H:158mm D:108mm



AX108158SFS
H:158mm D:108mm



SF100SFA
H:211mm D:100mm



SF100SFS
H:211mm D:100mm



SF100SFGDB
H:211mm D:100mm



S173308GFA
H:308mm D:173mm



S173308GFS
H:308mm D:173mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	50lm	N (for smoky)
220-240V /110-120V	4W	150lm	Y (for gradient color)





S173308GFGDB
H:308mm D:173mm



S135225GFA
H:225mm D:135mm



S135225GFS
H:225mm D:135mm



S135225GFGDB
H:225mm D:135mm



S174239GFA
H:239mm D:174mm



S174239GFS
H:239mm D:174mm



A165GFA
H:303mm D:168mm



A165GFS
H:303mm D:168mm



CA165GFA
H:303mm D:168mm



CA165GFS
H:303mm D:168mm



CG200GFA
H:241mm D:200mm



CG200GFS
H:241mm D:200mm



G200GFA
H:241mm D:200mm



G200GFS
H:241mm D:200mm



G200GFGDB
H:241mm D:200mm



S190GFA
H:242mm D:190mm



S190GFS
H:242mm D:190mm



S190GFGDB
H:242mm D:190m



TB120380GFA
H:380mm D:120mm



TB120380GFS
H:380mm D:120mm



TB120380GFGDB
H:380mm D:120mm



S156GFA
H:252mm D:156mm



S156GFS
H:252mm D:156mm



S156GFGDB
H:252mm D:156mm



ST94303GFA
H:303mm D:94mm



ST94303GFS
H:303mm D:94mm



ST94303GFGDB
H:303mm D:94mm



T60GFA
H:300mm D:60mm



T60GFS
H:300mm D:60mm



T60GFGDB
H:300mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	265lm	N (for amber)
220-240V /110-120V	4W	50lm	N (for smoky)
220-240V /110-120V	4W	150lm	Y (for gradient color)





HO160305GF Fog
H:305mm D:160mm



SF100SF Fog
H:211mm D:100mm



ST64SF Fog
H:142mm D:64mm



G125SF Fog
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	300lm	N





C35
H:104mm D:35mm



G45
H:80mm D:45mm



ST64
H:142mm D:64mm



G95
H:144mm D:95mm



A60
H:106mm D:60mm



G125
H:172mm D:125mm



G45
H:78mm D:45mm



T30185
H:185mmD:30mm



T30300
H:300mmD:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3W	165lm	Y (for C35 and G45)
220-240V /110-120V	5W	400lm	Y





O220GB
H:225mm D:220mm



FT110B
H:305mm D:110mm



RG150A
H:195mm D:150mm



S140GB
H:200mm D:140m



PL125140
H:140mm D:125mm



OA165B
H:280mm D:165mm



OA165A
H:280mm D:165mm



PL125180
H:180mm D:125mm



OG125A
H:176mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4W	150lm	Y





G125 SMILE
H:172mm D:125mm



G125 MOM
H:172mm D:125mm



G125 MOON
H:172mm D:125mm



G125 SKULL
H:172mm D:125mm



G125 HAPPY
H:172mm D:125mm



G125 STAR 2
H:172mm D:125mm



G125 HOME
H:172mm D:125mm



G125 LOVE-2
H:172mm D:125mm



G125 LOVE
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	2W	100lm	N (for amber)
220-240V /110-120V	2W	60lm	N (for smoky)





(for amber)



(for smoky)



T45 (amber)
H:115mm D:45mm



ST64 (amber)
H:142mm D:64mm



G125 (amber)
H:172mm D:125mm



G95 (amber)
H:142mm D:95mm



A60(amber)
H:106mm D:60mm



T30 (amber)
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	5W	500lm	Y
220-240V /110-120V	4W	500lm	N (for t30)





www.wj-fuxing.com

2 SMART LED SERIES









Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm
	(for G125 and larger size)	

RGB+1800K

RN SMART WIFI+BLUETOOTH RGBW





Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm

RGB

RN SMART WIFI+BLUETOOTH RGB





G125WZTRGB
H:175mm D:125mm



ST60ZTRGB
H:147mm D:60mm

Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	140lm

RGB

OPAL SMART RGB WIFI+BLUETOOTH







"Ok google,turn on the light ."

"Alexa,turn on the light ."



Voltage	Wattage	Lumen
220-240V /110-120V	7W	750lm
	(for straight LED filament)	
220-240V /110-120V	6.5W	500lm
	(for soft LED filament)	

2700K
(for straight LED filament)

RGB+(2000K-2500K)
(for soft LED filament)

FILAMENT SMART WIFI+BLUETOOTH LED



Voltage	Wattage	Lumen
220-240V /110-120V	3.8W	220lm



1800K-6500K



SRN-G125
H:164mm D:125mm



SRN-G95
H:144mm D:95mm



SRN-ST64
H:142mm D:64mm



SRN-G200
H:241mm D:200mm



SRN-A165
H:303mm D:168mm

RN SMART WIFI + BLUETOOTH CCT CHANGEABLE



Voltage	Wattage	Lumen
220-240V /110-120V	4.8W	400lm



1800K-6500K





GU10 SMART WIFI+BLUETOOTH CCT



Voltage	Wattage	Lumen
220-240V /110-120V	4.8W	400lm



RGB+(2700K-6500K)



GU10 SMART WIFI+BLUETOOTH RGBCCT

www.wj-fuxing.com

3

FUNCTIONAL LED









A60
H:106mm D:60mm



G95
H:140mm D:95mm



G125
H:172mm D:125mm

Voltage	Wattage	Lumen	Dim
220-240V	7W	1500lm	Y
220-240V	3.8W	806lm	Y





T30130
H:130mm D:30mm



T30185
H:185mm D:30mm



T30300
H:300mm D:30mm

Voltage	Wattage	Lumen	Dim
230V	9W	1300lm	Y





C35
H:98mm D:35mm



F35
H:118mm D:35mm



A60
H:106mm D:60mm



G125
H:172mm D:125mm



G95
H:140mm D:95mm



G45
H:80mm D:45mm

Voltage	Wattage	Lumen	Dim
220-240V	2W	250lm	N
220-240V	4W	470lm	N
220-240V	2.5W	250lm	Y
220-240V	4.5W	470lm	Y
220-240V	6W	806lm	N
220-240V	7W	1055lm	N
220-240V	7W	806lm	Y
220-240V	8W	1055lm	Y
220-240V	12W	1300lm	Y





E27 G45 TOP MIRROR BRASS
H:78mm D:45mm



G125 TOP MIRROR COPPER
H:172mm D:125mm



G95 TOP MIRROR BRASS
H:140mm D:95mm



A60 TOP MIRROR BRASS
H:106mm D:60mm



G95 HALF MIRROR SILVER
H:140mm D:95mm



G95 BOTTOM MIRROR SILVER
H:140mm D:95mm



ST26
H:60mm D:26mm

Voltage	Wattage	Lumen	Dim
220-240V	6W	550lm	N
220-240V	4W	500lm	Y
220-240V	2W	170lm	N (for ST26)





2700K



T20-2-L
H:120mm D:20mm



T20-3-S
H:165mm D:20mm



T25
H:95mm D:25mm

Voltage	Wattage	Lumen	Dim
220-240V	2W	160lm	N (for T25)
220-240V	4W	400lm	Y (for T20-2-L)
220-240V	4W	350lm	N (for T20-3-S)





2700K



T30-12-S
H:.300mm D:30mm



T30-8-S
H:.225mm D:30mm



T30-4-S
H:185mm D:30mm

Voltage	Wattage	Lumen	Dim
220-240V	4W	450lm	Y (for T30-4-S)
220-240V	6W	750lm	N (for T30-8-S)
220-240V	7W	800lm	N (for T30-12-S)





2700K



GU10 LED CLASS A
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	2.5W	450lm	N





2700K



GU10 LED CLASS D
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	3W	450lm	Y





2700K



DECO GU10
H:52mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	5.5W	345lm	Y





2700K

✳ A circle of light on the top to prevent from direct light





FULL GLASS GU10 COB
H:54mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.6W	345lm	Y (Used in enclosed luminaire)



3000K



FULL GLASS GU10
H:54mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.6W	345lm	N
220-240V	4.6W	345lm	Y



3000K



GLASS GU10
H:55mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	3W	345lm	N
220-240V	3.6W	300lm	N
220-240V	4.6W	400lm	N



3000K



H:54mm D:50mm



Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.2W	200lm	Y

RGB+3000K(white)



DIM TO WARM GU10
H:52mm D:50mm



Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.2W	300lm	Y

1800K-6500K



PLASTIC GU10
H:55mm D:50mm

Voltage	Wattage	Lumen	Dim
220-240V	4.9W	345lm	N
		(Used in enclosed luminaire)	
220-240V	6.3W	450lm	N
		(Used in enclosed luminaire)	
220-240V	4.9W	345lm	Y
		(Used in enclosed luminaire)	
220-240V	6.3W	450lm	Y
		(Used in enclosed luminaire)	
220-240V	4W	345lm	N

GU10 | Ra >80 | 15000H | PC | 38°

3000K



FULL GLASS MR11 GU10
H:48mm D:35mm

Voltage	Wattage	Lumen	Dim
220-240V	3.5W	200lm	N

GU10 | Ra >80 | 15000H | Glass | 36°

3000K



FULL GLASS MR16
H:45mm D:50mm

Voltage	Wattage	Lumen	Dim
12V	4W	345lm	Y
		(Used in enclosed luminaire)	

GU5.3 | Ra >80 | 15000H | Glass | 36°

3000K



PLASTIC MR16
H:50mm D:49mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	3.8W	300lm	Y

GU5.3 | Ra >80 | 15000H | Plastic | 38°

3000K



MR11 FG
H:38mm D:35mm

Voltage	Wattage	Lumen	Dim
220-240V /110-120V	4.5W	345lm	Y

GU4 | Ra >80 | 15000H | Glass

2700K



G9COB-2.2
H:52.5mm D:14.5mm



G9COB-3.2
H:57mm D:16mm



G9COB-4.2
H:55.5mm D:17.5mm



G9COB-4.6D
H:60mm D:17.5mm



G9COB-2.5W
H:61mm D:14mm

Voltage	Wattage	Lumen	Dim
220-240V	2.2W	250lm	N (for G9COB-2.2)
220-240V	3.2W	350lm	N (for G9COB-3.2)
220-240V	4.2W	470lm	N (for G9COB-4.2)
220-240V	4.6W	630lm	Y (for G9COB-4.6D)
220-240V	2.5W	270lm	N (for G9COB-2.5W)





G9N-3
H:50mm D:16mm



G9N-4
H:50mm D:16mm



G9ND-3.5
H:49mm D:16mm



G9ND-3.7
H:49mm D:16mm



G9D-600
H:59mm D:18mm
(Used in enclosed luminaire)



G9PC
H:48mm D:16mm



G9ND-4
H:49mm D:16mm

Voltage	Wattage	Lumen	Dim
220-240V	3W	350lm	N (for G9N-3)
220-240V	4W	500lm	N (for G9N-4)
220-240V	3.5W	320lm	Y (for G9ND-3.5)
220-240V	3.7W	470lm	Y (for G9ND-3.7)
220-240V	4W	600lm	Y (for G9ND-4)
220-240V	4.4W	600lm	Y (for G9D-600)
220-240V	2W	200lm	N (for G9PC)





R7s78-P470
H:78mm D:20mm



R7s118-P1055
H:118mm D:20mm



R7s118-P2000
H:118mm D:28mm



R7s118-P806
H:118mm D:20mm

Voltage	Wattage	Lumen	Dim
240V	4.2W	470lm	N (for R7s78-P470)
240V	9.5W	1055lm	N (for R7s118-P1055)
220-240V	15W	2000lm	N (for R7s118-P2000)
240V	7W	806lm	N (for R7s118-P806)





R78COB-4.2
H:78mm D:17mm



R118COB-7.7
H:118mm D:17.4mm



R118COB-9.6
H:118mm D:21.5mm



R118COB-12
H:118mm D:25mm

Voltage	Wattage	Lumen	Dim
220-240V	4.2W	470lm	N (for R78COB-4.2)
220-240V	7.7W	850lm	N (for R118COB-7.7)
220-240V	9.6W	1055lm	N (for R118COB-9.6)
220-240V	12W	1320lm	Y (for R118COB-12)





G4-SMD-2W
H:31mm D:20mm



G4-COB-1.5W
H:41mm D:10mm



G4-COB-1.2W
H:34mm D:11mm



G4S-2
H:37mm D:10mm

Voltage	Wattage	Lumen	Dim
12V	2W	180lm	N (for G4-SMD-2W)
12V	1.5W	155lm	Y (for G4-COB-1.5W)
12V	1.2W	110lm	Y (for G4-COB-1.2W)
12V	2W	200lm	N (for G4S-2)

Ra >80 | 15000H | PCB | Silica gel

3000K



A60
H:108mm D:60mm

Voltage	Wattage	Lumen	Dim
220-240V	9W	820lm	N
220-240V	11W	1055lm	N
220-240V	15W	1055lm	N
220-240V	8.8W	806lm	Y

E27 | Ra >80 | 15000H | PC

3000K



G45
H:80mm D:45mm



C38
H:103mm D:38mm

Voltage	Wattage	Lumen	Dim
220-240V	5W	470lm	N
220-240V	8W	806lm	N
220-240V	5.8W	470lm	Y

E27 | Ra >80 | 15000H | PC

3000K

4 HALOGEN SERIES



DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J78	R7S	220-240V	80W	2900K	1375	99	/	C	2000H	/	8*78MM	QUARTZ	Y
HALOGEN	J78	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	8*78MM	QUARTZ	Y

DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J118	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	10*118MM	QUARTZ	Y