DECO LIGHT CREATOR

常州市福兴电器有限公司
CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

Fulite 福雷特

Add: No.288,West Taihu Avenue,Wujin Economic Development Zone,Changzhou,Jiangsu,China
Hotline: +86-519-83665588 83665688 83665788
Fax: +86-519-83661077 83663333
E-mail: sales@wj-fuxing.com
Website: www.wj-fuxing.com

CHANGZHOU FUXING ELECTRICAL APPLIANCE CO.,LTD

2027 LUMINAIRE

Patented Products
Counterfeiting Not Allowed



amfori Trade with purpose BSCI Sedex CE ETL SAA RoHS COMPLIANT REACH ERP

ABOUT US

1992
Founded in

36,000
Factory floor space(㎡)

60
International patent

- Polish President Gold Award
- The best technology award in the highest award of the Chinese lighting industry
- A culture deeply rooted in innovation and driven by a relentless pursuit of creative solutions
- Specialist in decorative lamps

CONTENTS

1 SOLAR LAMP 03-10
2 PORTABLE LAMP 11-174
3 TABLE LAMP 175-220
4 PENDANT & WALL LAMP 221-240
5 CEILING LAMP 241-248
6 DIMMER 249-252



www.wj-fuxing.com

1 SOLAR LAMP



Solar beauty, sculpted by light. Where 3D-printed artistry meets solar simplicity — garden lighting that charges by day and glows all night.

SOLACE SERIES

— SOLAR 3D-PRINTED GARDEN LIGHTS

Solar beauty, sculpted by light.

SOLACE solar lights combine artful 3D-printed organic shades with energy-efficient solar charging. Each sculpted form casts a warm, diffused glow — perfect for gardens, patios and pathways.
IP44 weatherproof, wire-free and auto on at dusk. Place in sunlight by day, enjoy soft ambient light by night. Nine designs to choose from.



SL01
D:158mm H:170mm



SL02
D:173mm H:160mm



SL03
D:145mm H:170mm



SL04
D:140mm H:170mm



SL05
D:125mm H:160mm



SL06
D:125mm H:160mm



SL07
D:118mm H:160mm



SL08
D:138mm H:160mm



SL09
D:118mm H:160mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1500mAh	6H	10H	44	0.3W	20lm



2200K







SL10
D:138mm H:160mm



SL11
D:118mm H:160mm



SL12
D:185mm H:110mm



SL13
D:138mm H:160mm



SL14
D:118mm H:160mm



SL15
D:185mm H:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1500mAh	6H	10H	44	0.3W	20lm



2200K



WISP STAKE SERIES



Wisp Stake is a solar pathway light featuring a sculpted 3D-printed wavy shade that casts a warm, flickering glow like candlelight through flowing ribbon.
Simply stake it into your garden bed, lawn or pathway. Solar-charged by day, it auto lights up at dusk — no wires, no tools. IP44 weatherproof for year-round outdoor use.



SL16
D:118mm H:370mm



SL17
D:118mm H:370mm



SL18
D:118mm H:370mm



SL19
D:118mm H:370mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1500mAh	6H	10H	44	0.3W	20lm



2200K



www.wj-fuxing.com

2

PORTABLE LAMP



Portable lamps come in different shapes and sizes, including desk lamps, floor lamps, and table lamps. They are often used in situations where a fixed light source is not available or where additional lighting is needed, such as in outdoor settings, during power outages, or for workspaces that require flexible lighting options. Some portable lamps also feature adjustable brightness levels or color temperatures, making them versatile tools for a variety of activities.



FT3D184
D:204mm H:248mm



FT3D185
D:173mm H:308mm



FT3D186
D:158mm H:309mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.
✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K





FT3D166
D:209mm H:293mm



FT3D167
D:201mm H:337mm



FT3D168
D:209mm H:253mm



FT3D169
D:218mm H:242mm



FT3D170
D:210mm H:278mm



LT-1809
D:206mm H:208mm



LT-1810
D:204mm H:241mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



LT-1802
D:207mm H:285mm



LT-1803
D:200mm H:350mm



LT-1804
D:218mm H:317mm



LT-1805
D:205mm H:237mm



LT-1808
D:203mm H:216mm



LT-1807
D:220mm H:219mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K





FT3D171
D:209mm H:230mm



FT3D173
D:193mm H:163mm



FT3D179
D:208mm H:257mm



FT3D174
D:172mm H:315mm



FT3D175
D:202mm H:226mm



FT3D176
D:204mm H:237mm



FT3D177
D:177mm H:254mm



FT3D178
D:210mm H:272mm



FT3D187
D:182mm H:269mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.
✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



FT3D180
D:143mm H:213mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K

www.wj-fuxing.com



LT-1923
D:145mm H:270mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	22H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off
*Single touch to adjust brightness: 10%-50%-100%



2200K



FT3D181
D:281mm H:303mm

IP	Wattage	Lumen
20	0.3W	30lm



LT-1806
D:217mm H:306mm

✳ Toggle button: on,off and timer (6H on and 18H off)

2200K



FT3D182
D:124mm H:327mm

IP	Wattage	Lumen
20	0.3W	30lm

✳ Inline on/off switch

2200K





LT-1875
D:144mm H:295mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	32H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



1800K



LT-1800
D:198mm H:297mm



LT-1801
D:171mm H:244mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off, single touch to adjust brightness: 30% and 100%



2700K



LT-1693
H:184mm D:180mm



Shade removable



LT-1695
H:178mm D:154mm



Shade removable



LT-1697
H:180mm D:172mm



Shade removable

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



- Touch-sensitive button: long press 1.5s to switch on and off.
- Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2200K





FT3D145
H:142mm D:90mm



FT3D146
H:145mm D:102mm



FT3D147
H:171mm D:103mm



FT3D148
H:148mm D:115mm



FT3D149
H:142mm D:90mm



FT3D150
H:151mm D:105mm



FT3D151
H:150mm D:96mm



FT3D152
H:158mm D:121mm



FT3D153
H:171mm D:103mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	32H	20	0.5W	30lm





2000K

✳Physical button, function sequence: 10% brightness on-50%-100%-off.

✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled

✳**Dual-mode: static light mode and flame effect mode**



FT3D154
H:205mm D:121mm



FT3D155
H:205mm D:121mm



FT3D156
H:205mm D:121mm



FT3D157
H:205mm D:121mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	4H	16H	20	0.5W	30lm





✳Physical button, function sequence: 10% brightness on-50%-100%-off.

✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled

✳**Dual-mode: static light mode and flame effect mode**

www.wj-fuxing.com





FT3D109
H:170mm D:117mm



FT3D110
H:170mm D:117mm



FT3D111
H:170mm D:117mm



FT3D112
H:170mm D:117mm



FT3D113
H:170mm D:117mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button con-torlling on and off to prevent misoperation.
*Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
*Long press to adjust brightness.



2000K 4000K 6000K



FT3D164
H:220mm D:136mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button con-torlling on and off to prevent misoperation.
*Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
*Long press to adjust brightness.





FT3D165
H:218mm D:135mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%







FT3D064
H:190mm D:153mm



FT3D053
H:210mm D:120mm



FT3D057
H:190mm D:140mm



FT3D058
H:190mm D:164mm



FT3D059
H:190mm D:140mm



FT3D060
H:216mm D:139mm



FT3D061
H:216mm D:115mm



FT3D062
H:155mm D:142mm



FT3D063
H:210mm D:134mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 30% and 100%



2700K



FTMP001
H:140mm D:127mm



FT3D073
H:200mm D:88mm



FT3D075
H:153mm D:126mm



FT3D086
H:215mm D:153mm



FT3D074
H:127mm D:115mm



FT3D085
H:152mm D:153mm



FT3D057
H:186mm D:170mm



FT3D097
H:165mm D:126mm



FT3D100
H:165mm D:117mm



FT3D108
H:184mm D:157mm



FT3D107
H:184mm D:157mm



FT3D104
H:184mm D:157mm



FT3D105
H:184mm D:157mm



FT3D041
H:206mm D:122mm



FT3D056
H:221mm D:139mm



FT3D129
L:122mm W:122mm H:204mm



FT3D101
H:231mm D:216mm



FT3D102
H:231mm D:216mm



FT3D032
H:163mm D:138mm



FT3D091
H:145mm D:117mm



FT3D018
H:185mm D:153mm



FT3D102
L:120mm W:146mm H:201mm



FT3D040
H:140mm D:127mm



FT3D099
H:165mm D:134mm



FT3D076
H:174mm D:113mm



FT3D077
H:174mm D:113mm



FT3D078
H:174mm D:113mm



FT3D079
H:140mm D:130mm



FT3D080
H:140mm D:130mm



FT3D081
H:140mm D:130mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button con-torlling on and off to prevent misoperation.
*Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
*Long press to adjust brightness.



2000K 4000K 6000K



LT-1648
H:180mm D:160mm



LT-1646
H:140mm D:153.mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.



2200K





LT-1863
D:100mm H:242mm



LT-1864
D:100mm H:254mm



LT-1865
D:100mm H:262mm



LT-1866
D:100mm H:269mm



LT-1867
D:112mm H:250mm



LT-1868
D:112mm H:234mm



LT-1869
D:112mm H:227mm



LT-1870
D:112mm H:228mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	18H	20	0.2W	20lm
				(for turn on light 100%)	
2000mAh	6H	44H	20	0.2W	20lm
				(for flickering effect)	





1800K

*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.



FT3D158
H:156mm D:125mm



FT3D159
H:156mm D:125mm



FT3D160
H:156mm D:125mm



FT3D161
H:156mm D:125mm



FT3D163
H:156mm D:125mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	25H	20	0.3W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K



FT3D137
H:165mm D:116mm



FT3D138
H:165mm D:116mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K



LT-1783
D:80mm H:96mm



LT-1784
D:70mm H:90mm



LT-1785
D:70mm H:80mm



LT-1786
D:70mm H:90mm



LT-1787
D:70mm H:90mm



LT-1788
D:70mm H:90mm



LT-1789
D:70mm H:90mm



LT-1790
D:89mm H:105mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W	20lm (for turn on light 100%)
300mAh	1H	7H	20	0.2W	20lm (for flickering effect)





*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.

THE ARTISAN TOUCH FLAME COLLECTION

Discover the perfect harmony of nature-inspired design and intuitive touch. Effortlessly switch between a gentle flickering flame and a steady,warm 1800K glow. With rapid 1-hour charging and up to 7 hours ofcordless use, bring sophisticated illumination to any space your bedside, dining table, or patio.



LT-1712(Metal++Glass)
H:104mm D:83mm



LT-1713(Metal+PETG)
H:85mm D:73mm



LT-1714(Metal+PETG)
H:111mm D:85mm



LT-1715(Metal++Glass)
H:88mm D:80mm



LT-1716(Metal++Glass)
H:88mm D:80mm



LT-1717(Metal++Glass)
H:88mm D:80mm



LT-1718(Metal+Marble)
H:100mm D:86mm



LT-1719(Metal+PETG)
H:125mm D:99mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W	20lm
				(for turn on light 100%)	
300mAh	1H	7H	20	0.2W	20lm
				(for flickering effect)	





1800K

*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.



LT-1720
H:84mm D:75mm



LT-1721
H:90mm D:78mm



LT-1722
H:94mm D:75mm



LT-1723
H:84mm D:75mm



LT-1724
H:90mm D:76mm



LT-1725
H:84mm D:75mm



LT-1726
H:84mm D:74mm



LT-1727
H:84mm D:74mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W	20lm (for turn on light 100%)
300mAh	1H	7H	20	0.2W	20lm (for flickering effect)





1800K

*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.



LT-1764
D:75mm H:88mm



LT-1765
D:75mm H:88mm



LT-1766
D:75mm H:88mm



LT-1767
D:75mm H:88mm



LT-1768
D:75mm H:88mm



LT-1769
D:75mm H:88mm



LT-1770
D:75mm H:88mm



LT-1771
D:75mm H:88mm



LT-1772
H:104mm D:83mm



LT-1773
D:73mm H:88mm



LT-1774
D:73mm H:88mm



LT-1775
D:73mm H:88mm





LT-1777
D:73mm H:88mm



LT-1778
D:83mm H:88mm



LT-1779
D:83mm H:88mm



LT-1780
D:78mm H:90mm



LT-1781
D:78mm H:90mm



LT-1782
D:78mm H:90mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W	20lm
				(for turn on light 100%)	
300mAh	1H	7H	20	0.2W	20lm
				(for flickering effect)	





1800K

*Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.

*Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.

*Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.



LT-1682
H:120mm D:96mm



LT-1683
H:115mm D:92mm



LT-1684
H:116mm D:90mm



LT-1685
H:86mm D:70mm



LT-1686
H:120mm D:95mm



LT-1699
H:115mm D:91mm



LT-1700
H:114mm D:90mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
300mAh	1H	3H	20	0.2W (for turn on light 100%)	20lm
300mAh	1H	7H	20	0.2W (for flickering effect)	20lm





1800K

✳Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.
✳Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.
✳Rapid Charge & Cordless: Fully recharges in just 1 hour. Provides up to 7 hours of continuous flame effect or 3 hours of solid illumination at 100% brightness.





LT-1687
H:155mm D:133mm



LT-1688
H:157mm D:128mm



LT-1689
H:152mm D:128mm



LT-1690
H:152mm D:130mm



LT-1691
H:152mm D:130mm



LT-1692
H:152mm D:135mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off.

✳Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2200K



LT-1674
H:187mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



✳Physical button controlling on and off to prevent misoperation.
✳Touch-sensitive button and top touch control: single-touch sequence: 2000K-4000K-6000K-off.
✳Long press touch-sensitive button and top touch control to adjust brightness.



2000K 4000K 6000K





LT-1574
H:171mm D:103mm



LT-1618
H:170mm D:103mm



LT-1619
H:170mm D:103mm



LT-1620
H:170mm D:103mm



LT-1621
H:171mm D:103mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K



LT-1523
H:340mm D:210mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



*Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
*Long press to adjust brightness.



2000K 4000K 6000K



LT-1536
H:167mm D:120mm



LT-1535
H:167mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K





FT3D114
H:156mm D:130mm



FT3D117
H:156mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K
(for FT3D114)



3000K
(for FT3D117)



FT3D131
H:228mm D:105mm



FT3D132
H:228mm D:105mm



Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



✳Physical button controlling on and off to prevent misoperation.
✳Touch-sensitive button: single touch sequence: 2000K-4000K-6000K-off. Long press to adjust brightness
✳Rotate the handle to adjust the light coverage.



2000K 4000K 6000K



LT-1668
H:99mm D:175mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



✳Physical button controlling on and off to prevent misoperation.
✳Touch-sensitive button and top touch control: single-touch sequence: 2000K-4000K-6000K-off.
✳Long press touch-sensitive button and top touch control to adjust brightness.



2000K 4000K 6000K

THE FLORALUME COLLECTION

Botanical beauty meets cordless freedom

A vase for your creativity, a light for your mood. This unique lamp features a central frosted tube for DIY floral arrangements, blending nature with modern design. Powered by a built-in rechargeable battery, it offers total portability. Enjoy hours of warm, dimmable illumination anywhere you need it, without the clutter of cables.



LT-1557
H:168mm D:125mm



LT-1558
H:143mm D:120mm



LT-1559
H:168mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K



LT-1577
H:210mm D:120mm



LT-1578
H:210mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.3W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K



LT-1575
H:180mm D:130mm



LT-1618
H:175mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off.
✳Single touch to adjust brightness: 30% and 100%



2200K



LT-1820
D:120mm H:150mm



LT-1821
D:120mm H:150mm



LT-1822
D:80mm H:115mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off
✳Single touch to adjust brightness: 10%-50%-100%



2200K

THE PEARL VALET SERIE



A warm welcome for you and your essentials

Elevate your daily routine with the Pearl Valet. Featuring a luminous, pearl-like marble sphere resting in a thick, ribbed glass tray, this portable lamp serves as the perfect landing spot for your keys, jewelry, or coins. With its warm 2200K glow and rechargeable battery, it transforms a cluttered entryway or bedside table into an elegant display of organized calm



LT-1567
H:135mm D:200mm



LT-1568
H:135mm D:200mm



LT-1569
H:135mm D:215mm



LT-1570
H:135mm D:220mm



LT-1525
H:135mm D:198mm



LT-1526
H:135mm D:202mm



LT-1527
H:135mm D:238mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K





LT-1531
H:146mm D:111mm



LT-1532
H:146mm D:111mm



LT-1534
H:146mm D:111mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	11H	20	0.5W	30lm



✳Touch-sensitive button: single-touch sequence: 2000K-4000K-6000K-off.
✳Long press to adjust brightness.



2000K 4000K 6000K



LT-1560
H:166mm D:125mm



LT-1561
H:163mm D:124mm



LT-1562
H:145mm D:113mm



LT-1563
H:145mm D:113mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K



LT-1540(Table lamp-Copper)
H:160mm D:125mm



Wall lamp



LT-1541(Table lamp-Brass)
H:160mm D:125mm



Wall lamp

✳One lamp with two functions: table lamp and wall lamp

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off.

✳Single touch to adjust brightness: 10%-50%-100%



2700K





LT-1735
D:80mm H:155mm



LT-1736
D:80mm H:155mm



LT-1737
D:80mm H:155mm



LT-1738
D:80mm H:155mm



LT-1739
D:80mm H:155mm



LT-1740
D:80mm H:155mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off
*Single touch to adjust brightness: 10%-50%-100%



2200K





LT-1741
D:80mm H:155mm



LT-1742
D:80mm H:155mm



LT-1743
D:80mm H:155mm



LT-1744
D:80mm H:155mm



LT-1745
D:80mm H:155mm



LT-1746
D:80mm H:155mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off
✳Single touch to adjust brightness: 10%-50%-100%



2200K

www.wj-fuxing.com



www.wj-fuxing.com



LT-1434
H:175mm D:100mm



LT-1435
H:175mm D:100mm



LT-1436
H:175mm D:100mm



LT-1437
H:175mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2800K-3000K



LT-1747
D:101mm H:130mm



LT-1748
D:101mm H:112mm



LT-1749
D:101mm H:142mm



LT-1750
D:101mm H:140mm



LT-1751
D:101mm H:145mm



LT-1752
D:111mm H:135mm



LT-1753
D:109mm H:114mm



LT-1754
D:117mm H:135mm



LT-1755
D:114mm H:135mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	18H	20	0.5W	20lm (for turn on light 100%)
2000mAh	6H	45H	20	0.5W	20lm (for flickering effect)





2000K

✳Intuitive Touch Control: A single button does it all. Tap to switch lighting modes, or long-press for smooth, stepless dimming to find your perfect brightness.
✳Dual Lighting Modes: Choose between a lively Flickering Flame effect or a reliable Solid Glow to match your mood.
✳Rapid Charge & Cordless: Fully recharges in just 6 hour. Provides up to 45 hours of continuous flame effect or 18 hours of solid illumination at 100% brightness.



LT-1756
D:113mm H:153mm



LT-1757
D:113mm H:153mm



LT-1758
D:113mm H:153mm



LT-1759
D:113mm H:153mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off.

✳Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2000K



LT-1763
H:125mm D:222mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



*Rotary button: on/off and dimmable



2200K



LT-1317
H:150mm D:80mm



LT-1405
H:150mm D:80mm



LT-1356
H:150mm D:80mm



LT-1407
H:150mm D:80mm



LT-1358
H:150mm D:80mm



LT-1408
H:150mm D:80mm



LT-1453
H:150mm D:80mm



FT3D133
H:150mm D:80mm



FT3D134
H:150mm D:80mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button: long press 1.5s to switch on and off.

*Single touch to adjust brightness: 10%-50%-100%



2700K



LT-1659
H:154mm D:84mm



LT-1657
H:197mm D:104mm



LT-1658
H:197mm D:104mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 10%-50%-100%



2700K



LT-1673
H:190mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off
*Single touch to adjust brightness: 10%-50%-100%



2200K





LT-1601
H:127mm D:150mm



LT-1650
H:204mm D:135mm



LT-1603
H:177mm D:100mm



LT-1604
H:177mm D:100mm



LT-1607
H:158mm D:125mm



LT-1599
H:155mm D:150mm



LT-1600
H:105mm D:100mm



LT-1605
H:170mm D:124mm



LT-1609
H:160mm D:123mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.3W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K





LT-1823
D:110mm H:252mm



LT-1824
D:110mm H:258mm



LT-1825
D:110mm H:258mm



LT-1826
D:110mm H:237mm



LT-1827
D:110mm H:258mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	40H	44	0.3W	30lm



✳Dual Lighting Modes: Easily switch between a steady "Solid On" light and a realistic "Flickering Flame" effect to suit any mood.

✳Stepless Dimming: Use the intuitive rotary knob to smoothly adjust brightness and seamlessly transition between light modes



2000K

www.wj-fuxing.com



LT-1564
H:202mm D:135mm



LT-1565
H:204mm D:135mm



LT-1566
H:185mm D:126mm



LT-1649
H:167mm D:101mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm



*Rotary button: on/off and dimmable



2200K



LT-1434
H:175mm D:110mm



LT-1435
H:175mm D:110mm



LT-1436
H:175mm D:110mm



LT-1437
H:175mm D:110mm



LT-1428
L:104mm W:100mm H:180mm



LT-1429
L:104mm W:100mm H:180mm



LT-1387
H:211mm D:110mm



LT-1386
H:211mm D:110mm



LT-1090
H:211mm D:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm



*Rotary button: on/off and dimmable





LT-1450
H:212mm D:110mm



LT-1451(Flame effect)
H:196mm D:110mm



LT-1456
H:212mm D:110mm



LT-1457
H:212mm D:110mm



LT-1458
H:212mm D:110mm



LT-1459
H:212mm D:110mm



LT-1454
H:215mm D:110mm



LT-1455
H:215mm D:110mm



LT-1380
H:215mm D:110mm



LT-1382
H:215mm D:110mm



LT-1363
H:215mm D:110mm



LT-1383
H:215mm D:110mm



LT-1384
H:215mm D:110mm



LT-1385
H:215mm D:110mm



LT-1652
H:217mm D:126mm



LT-1179
H:222mm D:125mm



LT-1651
H:220mm D:128mm



LT-1430
L:127mm W:131mm H:260mm



LT-1653
H:202mm D:104mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	44	0.5W	30lm



*Rotary button: on/off and dimmable





LT-1571
H:280mm D:110mm



LT-1572
H:288mm D:106mm



LT-1573
H:212mm D:104mm



LT-1647
H:338mm D:110mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.
✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is



2200K

THE VINTAGE DUAL-MODE LANTERN COLLECTION

Step into a world of sophisticated atmosphere with our collection of vintage-inspired LED lanterns. This range seamlessly blends classic aesthetics with advanced technology, providing the ultimate control over your lighting experience. Each lantern, whether featuring a rustic jar or an industrial iron body, is a masterpiece of design and functionality, perfect for adding character to your home, patio, or next adventure.



LT-1654
H:272mm D:128mm



LT-1655
H:269mm D:162mm



LT-1656
H:254mm D:128mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	21H	44	0.3W	30lm



✳Dual Lighting Modes: Easily switch between a steady "Solid On" light and a realistic "Flickering Flame" effect to suit any mood.
✳Stepless Dimming: Use the intuitive rotary knob to smoothly adjust brightness and seamlessly transition between light modes
✳Authentic Vintage Design: Crafted with a matte black iron body, clear glass chimney, and metal handle for a classic hurricane lantern look.
✳Safe LED Tech: Enjoy the nostalgic charm of a traditional oil lamp without the smoke or fire hazard.



2200K



FT3D118
H:195mm D:125mm



FT3D119
H:195mm D:125mm



FT3D120
H:195mm D:125mm



FT3D121
H:204mm D:125mm



FT3D122
H:204mm D:125mm



FT3D123
H:204mm D:125mm



FT3D124
H:211mm D:125mm



FT3D125
H:211mm D:125mm



FT3D126
H:211mm D:125mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.

✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K-3000K





LT-1460
H:162mm D:60mm



LT-1461
H:140mm D:60mm



LT-1462
H:162mm D:80mm



LT-1463
H:162mm D:80mm



LT-1518
H:120mm D:60mm



LT-1519
H:125mm D:80mm



LT-1520
H:138mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.3W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K



LT-1464
H:212mm D:100mm



LT-1465
H:212mm D:100mm



LT-1466
H:152mm D:120mm



LT-1499
H:135mm D:90mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.3W	30lm



✳Touch-sensitive button: long press 1.5s to switch on and off.
✳Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K

www.wj-fuxing.com



LT-1446
H:225mm D:125mm

Glass +Fabric



LT-1447
H:290mm D:150mm

Glass +Fabric

✳Luminous base & E14 LED lamp, both glow solo & together

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	12H	20	0.5W	30lm

Lithium usb

✳Physical button, function sequence: 10% brightness on-50%-100%-off.

✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled

2200K

www.wj-fuxing.com



www.wj-fuxing.com



LT-1579
H:154mm D:70mm



LT-1580
H:154mm D:70mm



LT-1581
H:154mm D:70mm



LT-1582
H:154mm D:70mm



LT-1583
H:154mm D:70mm



LT-1584
H:154mm D:70mm



LT-1585
H:154mm D:70mm



LT-1586
H:154mm D:70mm



LT-1587
H:154mm D:70mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)



2200K





LT-1592
H:131mm D:100mm



LT-1593
H:131mm D:100mm



LT-1594
H:131mm D:100mm



LT-1595
H:131mm D:100mm



LT-1597
H:127mm D:80mm



LT-1598
H:131mm D:80mm

IP	Wattage	Lumen
20	0.3W	30lm



✳ Toggle button: on,off and timer (6H on and 18H off)



2200K



LT-1828
D:141mm H:220mm



LT-1829
D:141mm H:220mm



LT-1830
D:141mm H:220mm



LT-1831
D:116mm H:220mm



LT-1832
D:159mm H:194mm



LT-1833
D:159mm H:194mm



LT-1834
D:116mm H:220mm



LT-1835
D:116mm H:220mm



LT-1836
D:205mm H:247mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K





LT-1837
D:141mm H:193mm



LT-1838
D:141mm H:193mm



LT-1839
D:141mm H:193mm



LT-1840
D:159mm H:166mm



LT-1841
D:159mm H:166mm



LT-1842
D:159mm H:166mm



LT-1843
D:159mm H:166mm



LT-1844
D:159mm H:166mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



LT-1845
D:141mm H:233mm



LT-1846
D:141mm H:233mm



LT-1847
D:141mm H:233mm



LT-1848
D:116mm H:233mm



LT-1849
D:116mm H:233mm



LT-1850
D:116mm H:233mm



LT-1851
D:159mm H:205mm



LT-1852
D:159mm H:205mm



LT-1853
D:203mm H:262mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.

✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



LT-1791
D:130mm H:185mm



LT-1792
D:130mm H:185mm



LT-1793
D:130mm H:185mm



LT-1794
D:130mm H:185mm



LT-1795
D:130mm H:185mm



LT-1796
D:130mm H:185mm



LT-1797
D:130mm H:185mm



LT-1798
D:130mm H:185mm



LT-1799
D:130mm H:185mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.



2200K

www.wj-fuxing.com



LT-1858
D:125mm H:217mm



LT-1859
D:179mm H:250mm



LT-1860
D:250mm H:328mm



LT-1861
D:178mm H:235mm



LT-1862
D:160mm H:170mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.
*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



LT-1468
H:135mm D:130mm



LT-1469
H:135mm D:130mm



LT-1470
H:180mm D:160mm



LT-1471
H:180mm D:160mm



LT-1410
H:154mm D:132mm



LT-1414
H:154mm D:132mm



LT-1415
H:154mm D:132mm



LT-1412
H:154mm D:132mm



LT-1413
H:154mm D:132mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	16H	20	0.5W	50-60lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 10% brightness on-50%-100%-off.



2700K



LT-1596
H:241mm D:179mm



LT-1590
H:184mm D:144mm



LT-1591
H:151mm D:129mm

IP	Wattage	Lumen
20	0.5W	30lm



✳ Toggle button: on,off and timer (6H on and 18H off)



2200K



LT-1701
H:112mm D:120mm



LT-1702
H:112mm D:120mm



LT-1703
H:112mm D:120mm



LT-1704
H:112mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.
✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2200K





LT-875
H:110mm D:120mm



LT-876
H:110mm D:120mm



LT-877
H:110mm D:120mm



LT-878
H:110mm D:120mm



LT-879
H:110mm D:120mm



LT-880
H:110mm D:120mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)



2200K

www.wj-fuxing.com



LT-1549
H:114mm D:120mm



LT-1550
H:114mm D:120mm



LT-1551
H:114mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Pat lamp body to adjust brightness 10%-50%-100%.
✳Press physical button once to active ON/OFF, press physical button 1.5s to active timer.



2700K



LT-1537
H:160mm D:100mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	9H	20	0.5W	30lm



✳Physical button, function sequence: 10% brightness on-50%-100%-off.
✳Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2200K



LT-1854
D:151mm H:225mm



LT-1855
D:133mm H:185mm



LT-1856
D:128mm H:216mm



LT-1857
D:131mm H:183mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	14H	20	0.5W	30lm



*Physical button, function sequence: 10% brightness on-50%-100%-off.

*Long press the button until the indicator light turns blue to activate the timer function(6H on, 18H off), if the light turns off, the timer function is canceled



2700K



LT-1924
D:82mm H:87mm



LT-1925
D:82mm H:87mm

IP	Wattage	Lumen
20	0.3W	30lm



✳ Toggle button: on,off and timer (6H on and 18H off)



2200K





LT-1420
H:75mm D:120mm



LT-1421
H:75mm D:120mm



LT-1422
H:75mm D:120mm



LT-1423
H:75mm D:120mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
1050mAh	4H	16H	20	0.5W	30lm



✳Pat lamp body to adjust brightness 10%-50%-100%.
✳Press physical button once to active ON/OFF, press physical button 1.5s to active timer.



2700K





LT-1908
D:90mm H:40mm



LT-1909
D:100mm H:60mm



LT-1910
D:95mm H:90mm



LT-1911
D:90mm H:45mm



LT-1912
D:86mm H:40mm



LT-1913
D:98mm H:77mm



LT-1926
D:90mm H:45mm



LT-1927
L:100mm W:103mm H:40mm



LT-1928
D:86mm H:80mm



LT-1930
D:86mm H:60mm



LT-1931
D:120mm H:75mm

IP	Wattage	Lumen
20	0.3W	30lm



* Toggle button: on,off and timer (6H on and 18H off)



2200K



THE MOONLIT BEACON SMART SENSOR LAMP



LT-1670
H:242mm D:72mm

Capacity	Charging time	Use time	IP	Wattage
2400mAh	4H	16H	20	5W

Input	Rated power	LED power
5V=1A	3W	1.5W (5 x 0.2W+3W / LED Module)



- 3-Way Switch: Easily toggle between ON (steady), AUTO (sensor), and OFF modes.
- AUTO Motion Sensor: Automatically activates when motion is detected in the dark.
- 1.5s Gentle Fade Effect: Smoothly fades in to 100% brightness in 1.5 seconds, and gradually fades out to protect your eyes
- 60s Illumination Timer: Stays brightly lit for 60 seconds before slowly turning off.



2500K

PORTABLE BLUETOOTH SPEAKER LAMP

A perfect blend of sound and light.

This cordless speaker lamp delivers rich audio and a warm 2200K ambient glow. Featuring TWS (True Wireless Stereo) technology, you can pair two units for an immersive stereo experience.



LT-1666
H:197mm D:136mm



LT-1667
H:218mm D:125mm



LT-1668
H:210mm D:150mm

Capacity	Wattage	Lumen
2000mAh	0.35W	30lm

Max Playtime (Audio + Light)	Stand-alone Playtime
3Hours	Audio up to 4 hrs / Light up to 7 hrs

Bluetooth Status

Rapid flash (Pairing) / Solid light (Connected)



- 2-in-1 Design: Seamlessly combines ambient lighting with a high-quality Bluetooth speaker.
- TWS Enabled: Connect two lamps simultaneously for surround sound.
- Multiple Modes: Easily switch between Bluetooth streaming and FM radio.
- Portable & Cordless: Built-in 2000mAh battery for anywhere use.



2200K

www.wj-fuxing.com

3

TABLE LAMP



Matte black Gun black White Pearl black French gold

Bronze Antique brass Satin nickel Copper Antique copper

Rose gold

Table lamps can come in a variety of shapes, sizes, and styles, ranging from traditional to modern designs. they can be used for ambient lighting to create a warm and cozy atmosphere in a room. Some table lamps allow you to adjust the brightness level or color temperature of the light to suit your needs.



LT-1904(Built-in dimmer)
L:150mm W:100mm H:480mm



LT-1905(Built-in dimmer)
L:150mm W:100mm H:480mm



LT-1906(Built-in dimmer)
L:150mm W:100mm H:480mm



LT-1907(Built-in dimmer)
L:150mm W:100mm H:480mm





LT-1871

L:238mm W:216mm H:450mm





① Table Lamp



LT-1513
H:210mm D:140mm



LT-1514
H:210mm D:140mm



LT-1516
H:210mm D:140mm



LT-1517
H:210mm D:140mm



② Wall Lamp



✳ two-in-one lamp functioning as both a table lamp and a wall lamp



LT-1538
H:102mm D:100mm





LT-1539
H:102mm D:100mm



LT-765
H:94mm D:97mm



LT-751
H:94mm D:97mm



LT-752
H:94mm D:97mm



LT-913
H:85mm D:80mm



LT-916
H:85mm D:80mm





LT-1876
D:100mm H:100mm



LT-1877
D:100mm H:100mm



LT-1878
D:100mm H:100mm



LT-1879
D:100mm H:100mm



LT-1880(Built-in dimmer)
D:100mm H:100mm



LT-1881(Built-in dimmer)
D:100mm H:100mm



LT-1882(Built-in dimmer)
D:100mm H:100mm



LT-1883(Built-in dimmer)
D:100mm H:100mm





LT-1884(Built-in dimmer)
D:100mm H:100mm



LT-1885(Built-in dimmer)
D:100mm H:100mm



LT-1886(Built-in dimmer)
D:100mm H:100mm



LT-1887(Built-in dimmer)
D:100mm H:100mm



www.wj-fuxing.com



LT-1888
D:100mm H:100mm



LT-1889
D:100mm H:100mm



LT-1890
D:100mm H:100mm



LT-1891
D:100mm H:100mm



www.wj-fuxing.com



LT-1892
D:100mm H:100mm



LT-1893
D:100mm H:100mm



LT-1894
D:100mm H:100mm



LT-1895
D:100mm H:100mm







LT-1896
D:100mm H:100mm



LT-1897
D:100mm H:100mm



LT-1898
D:100mm H:100mm



LT-1899
D:100mm H:100mm



LT-1900
D:100mm H:100mm



LT-1901
D:100mm H:100mm



LT-1902
D:100mm H:100mm



LT-1903
D:100mm H:100mm







LT-1872
D:218mm H:223mm



LT-1873
D:80mm H:95mm



LT-1874
D:80mm H:95mm







LT-1811
D:150mm H:119mm



LT-1812
D:120mm H:116mm



LT-1813
D:133mm H:168mm



LT-1814
D:126mm H:152mm



LT-1815
D:129mm H:106mm



LT-1816
D:125mm H:107mm



LT-1817
D:137mm H:127mm



LT-1818
D:137mm H:109mm



LT-1819
D:146mm H:101mm





LT-1760
D:148mm H:215mm

usb | 3D-PETG+Fabric



LT-1761
D:150mm H:215mm

usb | 3D-PETG +Glass



LT-1762
D:150mm H:272mm

usb | 3D-PETG+Paper

*USB cable with inlineswitch, 9-level dimming



LT-1613
H:177mm D:121mm





LT-1615
H:177mm D:121mm





LT-1616
H:175mm D:135mm



LT-1617
H:177mm D:133mm



LT-1671
H:248mm D:118mm



www.wj-fuxing.com



LT-1474
H:140mm D:153mm



LT-1475
H:148mm D:168mm





LT-1434
L:115mm W:115mm H:200mm



LT-1435
L:115mm W:115mm H:200mm



LT-1437
H:200mm D:130mm



FT3D007
H:185mm D:153mm



FT3D011
H:200mm D:180mm



FT3D009
H:306mm D:176mm



FT3D012
H:265mm D:188mm



FT3D010
H:193mm D:188mm



LT-1431
H:402mm D:141mm



LT-1432
H:402mm D:141mm





www.wj-fuxing.com



LT-1384
H:185mm D:150mm



LT-1386
H:185mm D:150mm



LT-919
H:185mm D:150mm



LT-1388
H:185mm D:150mm



LT-1472
H:200mm D:157mm



LT-906
H:180mm D:150mm



LT-1295
H:250mm D:200mm



LT-1473
H:200mm D:157mm



LT-938
H:230mm D:180mm



LT-902
H:230mm D:180mm





LT-595
H:85mm D:80mm





LT-596
H:85mm D:80mm



LT-006
H:100mm D:100mm





LT-1709
H:186mm D:200mm



LT-1710
H:186mm D:200mm



LT-1711
H:186mm D:200mm





FX-AL-MT420
H:395mm D:112mm



FX-AL-MT420
H:395mm D:112mm



FX-MG-1300
H:350mm D:87mm



FX-AL-TU3500
H:375mm D:130mm



FX-AG-TU3500
H:375mm D:130mm



FX-MG-1300
H:350mm D:87mm



FX-AL-1300-1
H:350mm D:87mm



FX-AL-1300-2
H:350mm D:87mm



www.wj-fuxing.com

4 PENDANT & WALL LAMPS



Pendant & Wall lamps come in a wide variety of styles, shapes, and sizes, ranging from small and simple to large and elaborate. They can be used for general lighting purposes or as a statement piece to enhance the decor of a room. Pendant & Wall lamps are commonly used in dining rooms, living rooms, and bedrooms, but they can also be used in commercial spaces such as restaurants and hotels.



LP-1098
D:340mm H:330mm



LP-1098
D:345mm H:330mm













3DSD01-1(Large)
H:303mm
D:204mm



3DSD01-2(Medium)
H:245mm
D:153mm



3DSD01-3(Small)
H:201mm
D:115mm



3DSD02-1(Large)
H:249mm
D:154mm



3DSD02-2(Medium)
H:231mm
D:138mm



3DSD02-3(Small)
H:214mm
D:125mm



✳Three-sized lamp shades nest for compact packaging, reducing transport costs





✳This is specifically designed for linear LEDs. It has 4 lamp heads, each symmetrically arranged, and the lamp heads can be adjusted to any angle to achieve different configurations of the linear LED.



LP-1068
L:320mm W:320mm H:55mm



✳This is specifically designed for linear LEDs, allowing them to be positioned as close to the wall as possible. The lamp heads can be adjusted vertically by 180 degrees.



LW-043
H:135mm D:100mm



LP-1085
H:380mm D:45mm



LP-1086
H:380mm D:45mmm



LP-1087
H:380mm D:45mm







LMP-01
Ceiling diameter: 250mm
Layout: 3 on the sides



LMP-02
Ceiling diameter: 250mm
Layout: 1 in the middle,
3 on the sides



LMP-03
Ceiling diameter: 300mm
Layout: 5 on the sides



LMP-04
Ceiling diameter: 300mm
Layout: 1 in the middle, 5 on
the sides



LMP-05
Ceiling diameter: 380mm
Layout: 7 on the sides



LMP-06
Ceiling diameter: 380mm
Layout: 1 in the middle,
7 on the sides







Black Antique brass Brass Pearl black

LP-066
H:87mm D:50mm



Antique copper Antique brass

LP-488
H:80mm D:46mm



Black Silver Antique brass

LP-321
H:80mm D:48mm

Antique brass

LP-134
H:105mm D:47mm



Black Gun black

LP-759
H:89mm D:49mm



Bronze Antique brass Antique brass Antique brass Gun black Gun black

LP-063
H:77mm
D:48mm

LP-964
H:87mm
D:54mm

LP-752
H:80mm
D:47mm

LP-1035
H:80mm
D:48mm

LP-324
H:90mm
D:48mm

LP-587
H:80mm
D:49mm





Antique copper Antique brass

LP-761
H:95mm D:48mm



Pearl black Antique brass

LP-757
H:79mm D:52mm



Copper Pearl black

LP-722
H:86mm D:45mm



Bronze Antique brass

LP-450
H:100mm D:45mm



French gold Bronze Antique brass

LP-322
H:83mm D:47mm



Antique brass

LP-974
H:86mm D:56mm



Copper French gold Antique brass Black

LP-039
H:87mm
D:42mm



LP-957
H:95mm D:50mm



LP-487
H:90mm D:50mm



LP-578
H:80mm D:47mm



LP-595
H:130mm D:45mm



LP-1027
H:95mm D:44mm



LP-1025
H:82mm D:45mm



LP-485
H:116mm D:47mm



LP-968
H:87mm D:53mm



LP-922
H:150mm D:40mm



LP-691
H:150mm D:52mm



LP-692
H:120mm D:62mm



LP-696
H:119mm D:51mm





LP-966
H:87mm D:50mm



LP-972
H:87mm D:50mm





LW-051
L:164mm W:60mm H:448mm



LW-052
L:164mm W:60mm H:448mm



THE NOMAD SCONCE SERIES

Wall lamp by day, table lamp by night

Rethink how you use light. The Nomad Sconce eliminates the need for hardwiring, offering the elegance of a permanent wall fixture with the freedom of a portable lamp. Its clever detachable design allows you to mount it instantly on any wall for an ambient sconce, or simply lift it off to use as a stylish table lamp. With 3-color temperature adjustment and a long-lasting battery, it follows you wherever the light is needed.



LW-046
H:117mm D:119mm



LW-047
H:104mm D:116mm



LW-048
H:95mm D:102mm



LW-050
H:117mm D:119mm

Capacity	Charging time	Use time	IP	Wattage	Lumen
2000mAh	6H	20H	20	0.5W	30lm



*Touch-sensitive button: long press 1.5s to switch on and off.
*Single touch to adjust brightness: 30% and 100%



2200K



CARVED DECOR CEILING LAMPS



SL-R295CL-SK
H:25mm D:295mm



SL-R295CL-PT
H:25mm D:295mm



SL-R295CLSK RGB
H:25mm D:295mm



SL-R220CL-DT
H:25mm D:200mm

Voltage	Wattage	Lumen	DIM
220-240V	21W	1800lm	N
		(for SL-R295CL-SK and SL-R295CL-PT)	
220-240V	21(MW+CW) +3(GRB)	1300lm	N
		(for SL-R295CLSK RGB)	
220-240V	18W	1800lm	N
		(for SL-R220CL-DT)	



✳Intricate patterns adorn light faces.
✳color-changing RGB shifts hues dynamically.
✳Soft, adaptable glow fits living rooms/bedrooms—merging decorative artistry with smart, vibrant lighting.



3000K-6500K
(for SL-R295CL-SK and SL-R295CL-PT)



RGB+(3000K-6500K)
(for SL-R295CLSK RGB)



3000K
(for SL-R220CL-DT)

www.wj-fuxing.com





330° rotation



90° adjustment



Lamp shade detachable

Optional decorative ring



LP-1088
L:580mm D:60mm H:125mm



LP-1089
L:580mm D:60mm H:125mm



LP-1090
D:220mm H:125mm



LP-1091
D:220mm H:125mm





LP-1092
L:400mm D:60mm H:125mm



LP-1093
L:400mm D:60mm H:125mm



LP-1094
L:265mm D:60mm H:125mm



LP-1095
L:265mm D:60mm H:125mm



LP-1096
D:70mm H:125mm



LP-1097
D:70mm H:125mm



FLEXIGU10 SERIES

FlexiGU10 Series features a simple GU10 mounting mechanism for quick installation.
Equipped with interchangeable 3D lampshades, you can freely swap shades to alter lighting look and style without rewiring.
Multiple shade options available, easy assembly & maintenance, ideal for residential and commercial accent lighting.



CL-FGO1
D:90mm H:102mm



CL-FGO2
D:83mm H:102mm



CL-FGO3
D:83mm H:102mm



CL-FGO4
D:83mm H:102mm



CL-FGO5
D:83mm H:102mm



INSTALLATION PROCESS



6 DIMMER



www.wj-fuxing.com

Push On and Off/Rotary Dimming/Minimum brightness setting



EU-P22N01

Operating Voltage:220-240V~
Frequency:50Hz
Maximum Load:300W
Minimum Load:3W
Dimming Mode:Trailing Edge
Control Method:1way/2way
Size:70*70*25mm
Dimmable LED lights:3-250W
Dimmable LED Power Supply:3-250W
Incandescent/Mains voltage Halogen Lamps:5-300W
Dimmable Electronic Halogen Lamp Transformer:5-300W
Operating Temperature:-30°C ~+55° C
Protection:Over-temperature/Overload/Over-current





IP20



IP20

EU-P22N02

Operating Voltage:220-240V~
Frequency:50Hz
Maximum Load:400W
Minimum Load:3W
Dimming Mode:Trailing Edge
Control Method:1way/2way
Size:70*70*30mm
Dimmable LED lights:3-300W
Dimmable LED Power Supply:3-300W
Incandescent/Mains voltage Halogen Lamps:5-400W
Dimmable Electronic Halogen Lamp Transformer:5-400W
Operating Temperature:-30°C ~+55° C
Protection:Over-temperature/Overload/Over-current

UK-PRD22N01

Operating Voltage:220-240V~
Frequency:50Hz
Maximum Load:150W
Minimum Load:3W
Dimming Mode:Trailing Edge
Incandescent/Mains voltage Halogen Lamps:5-150W
Dimmable Electronic Halogen Lamp Transformer:5-150W
Operating Temperature:-30°C ~+55° C
Protection:Over-temperature/Overload/Over-current
Control Method:1way/2way
Size:42*23*56mm
Dimmable LED lights:3-100W
Dimmable LED Power Supply:3-100W